



2024-08-01

To: Health and Mental Hygiene, Department of (DOHMH)

From: Municipal Library Staff

The New York City Charter, Chapter 49, Section 1133, requires that agencies submit to the Department of Records and Information Services (DORIS) all reports, documents, studies and publications required by local law, executive order, or mayoral directive to be published, issued, or transmitted to the City Council or Mayor, within 10 business days of their publication. For any report that is not received within 10 business days of the publication date, DORIS is required to email the agency to request the report, and to provide the text of that email in place of the report in the Government Publications Portal.

Consistent with these requirements, DORIS hereby requests the transmission of the report shown below, which DORIS has not received as of 2024-08-01. Please submit this report to the Government Publications Portal. If you have questions, please contact staff at the Municipal Library at [munilib@records.nyc.gov](mailto:munilib@records.nyc.gov).

**Required Report Type:** Twice Yearly Defibrillator Report

**Report Description:** Report indicating the quantities and locations of automated external defibrillators placed in public places, and whether each such automated external defibrillator is equipped with pediatric-attenuated pads or otherwise equipped with child-appropriate functionality.

**Reporting Frequency:** Every 6 Months

**Report Due Date:** 2024-07-16

**Authorizing Resource (Charter and Code):** New York City Administrative Code Title 17, Section 188

**Authorizing Resource (Local Law):** LL 20/2005, LL 91/2023