



THE CITY RECORD

Official Journal of The City of New York

THE CITY RECORD
U.S.P.S. 0114-660

Printed on paper containing
40% post-consumer material

VOLUME CXXXVI NUMBER 217

THURSDAY, NOVEMBER 12, 2009

PRICE \$4.00

TABLE OF CONTENTS

PUBLIC HEARINGS & MEETINGS

| | |
|---|------|
| Civilian Complaint Review Board | 4089 |
| City Council | 4089 |
| City Planning Commission | 4101 |
| Community Boards | 4101 |
| Board of Education Retirement System . | 4101 |
| Landmarks Preservation Commission . | 4102 |
| Transportation | 4102 |

COURT NOTICE

| | |
|----------------------------------|------|
| Supreme Court | 4103 |
| <i>Richmond County</i> | 4103 |

See Court Notice Map 4107

PROPERTY DISPOSITION

| | |
|--|------|
| Citywide Administrative Services | 4103 |
| <i>Division of Municipal Supply Services</i> . | 4103 |
| <i>Sale by Sealed Bid</i> | 4103 |
| Police | 4103 |

PROCUREMENT

| | |
|--|------|
| Aging | 4103 |
| Citywide Administrative Services | 4104 |
| <i>Division of Municipal Supply Services</i> . | 4104 |
| <i>Vendor Lists</i> | 4104 |
| Correction | 4104 |
| <i>Central Office of Procurement</i> | 4104 |

| | |
|--|------|
| Design and Construction | 4104 |
| <i>Contract Section</i> | 4104 |
| Education | 4104 |
| <i>Division Of Contracts and Purchasing</i> . | 4104 |
| Environmental Protection | 4104 |
| <i>Bureau of Water and Sewer Operations</i> . | 4104 |
| Health and Hospitals Corporation | 4104 |
| Homeless Services | 4104 |
| <i>Office of Contracts and Procurement</i> . . | 4104 |
| Housing Authority | 4105 |
| <i>Purchasing Division</i> | 4105 |
| Housing Preservation and Development . | 4105 |
| <i>Division of Maintenance</i> | 4105 |
| Information Technology and | |
| Telecommunications | 4105 |

| | |
|--|------|
| Juvenile Justice | 4105 |
| Parks and Recreation | 4105 |
| <i>Contract Administration</i> | 4105 |
| School Construction Authority | 4105 |
| <i>Contract Administration</i> | 4105 |
| SPECIAL MATERIALS | |
| Citywide Administrative Services | 4105 |
| Comptroller | 4105 |
| Housing Preservation and Development . | 4106 |
| LATE NOTICES | |
| Design Commission | 4106 |
| Upper Manhattan Empowerment Zone . | 4107 |
| Human Resources Administration | 4107 |
| READERS GUIDE | 4108 |

THE CITY RECORD

MICHAEL R. BLOOMBERG, Mayor

MARTHA K. HIRST, Commissioner, Department of Citywide Administrative Services.
ELI BLACHMAN, Editor of The City Record.

Published Monday through Friday, except legal holidays by the Department of Citywide Administrative Services of the City of New York under Authority of Section 1066 of the New York City Charter.

Subscription—\$500 a year; daily, \$4.00 a copy (\$5.00 by mail) Periodicals Postage Paid at New York, N.Y.
POSTMASTER: Send address changes to THE CITY RECORD, 1 Centre Street, Room 2208, New York, N.Y. 10007 - 1602

Editorial Office
1 Centre Street, Room 2208
New York N.Y. 10007-1602
Telephone (212) 669-8252

Subscription Changes/Information
1 Centre Street, Room 2208
New York N.Y. 10007-1602
Telephone (212) 669-8252

The City of New York Home Page
provides Internet access via the WORLD
WIDE WEB to solicitations and awards
<http://www.nyc.gov/cityrecord>

PUBLIC HEARINGS AND MEETINGS

See Also: Procurement; Agency Rules

CIVILIAN COMPLAINT REVIEW BOARD

NOTICE

The Civilian Complaint Review Board's monthly public meeting has been scheduled for Wednesday, November 18, 2009 at 10:00 A.M. at 40 Rector Street, 2nd Floor, New York, NY 10006.

The agency's Executive Director Report will be available online on Friday, November 13, 2009 at nyc.gov/ccrb.

CITY COUNCIL

PUBLIC HEARINGS

NOTICE IS HEREBY GIVEN THAT the City Council has scheduled the following public hearings on the matters indicated below:

The Subcommittee on Zoning and Franchises will hold a public hearing on the following matters in the Council Committee Room, City Hall, New York City, New York 10007, commencing at 9:30 A.M. on Thursday, November 12, 2009:

KINGSBRIDGE ARMORY

BRONX CB - 7 C 090236 MMX
Application submitted by the New York City Economic Development Corporation, Related Retail Armory, LLC, and the Department of Parks and Recreation, pursuant to Sections 197-c and 199 of the New York City Charter, and Section 5-430 *et seq.* of the New York City Administrative Code, for an amendment to the City Map involving:

- the elimination, discontinuance and closing of a portion of Reservoir Avenue at its intersection with West Kingsbridge Road;
- the establishment of a Park (Barnhill Square);
- the adjustment of legal grades necessitated thereby; and
- any acquisition or disposition of real property related thereto,

in accordance with Map No. 13126, dated May 11, 2009, and signed by the Borough President.

KINGSBRIDGE ARMORY

BRONX CB - 7 C 090237 MMX
Application submitted by the New York City Economic Development Corporation pursuant to Sections 197-c and 199 of the New York City Charter, and Section 5-430 *et seq.* of the New York City Administrative Code, for an amendment to the City Map involving:

- the elimination, discontinuance and closing of a portion of West 195th Street between Reservoir Avenue and Jerome Avenue;

- the adjustment of legal grades necessitated thereby; and
- any acquisition or disposition of real property related thereto,

in accordance with Map No. 13127, dated May 11, 2009, and signed by the Borough President.

KINGSBRIDGE ARMORY

BRONX CB - 7 C 090437 ZMX
Application submitted by Related Retail Armory, LLC and the Economic Development Corporation pursuant to Sections 197-c and 201 of the New York City Charter for an amendment of the Zoning Map, Section No. 3c: changing from an R6 district to a C4-4 District property bounded by West 195th Street, Jerome Avenue, West Kingsbridge Road, and Reservoir Avenue, as shown in a diagram (for illustrative purposes only) dated May 18, 2009.

KINGSBRIDGE ARMORY

BRONX CB - 7 C 090438 PPX
Application submitted by the Department of Citywide Administrative Services (DCAS), pursuant to Section 197-c of the New York City Charter, for the disposition of one city-owned property located at 29 West Kingsbridge Road (Block 3247, Lots 10 and p/o 2), pursuant to zoning.

WESTERN RAIL YARD

MANHATTAN CB - 4 C 090408 MMM
Application, submitted by the Department of City Planning pursuant to Sections 197-c and 199 of the New York City Charter, for an amendment to the City Map involving a change in grade on West 33rd Street, between Eleventh and Twelfth avenues, in accordance with Map No. C.P.C. 090408 MMM (Acc. No. 30230), dated May 18, 2009, and signed by the Director of the Department of City Planning

WESTERN RAIL YARD

MANHATTAN CB - 4 C 090422 HAM
Application submitted by the Department of Housing Preservation and Development (HPD):

- pursuant to Article 16 of the General Municipal Law of New York State for:
 - the designation of property located at West 48th and West 49th streets, west of 10th Avenue (Block 1077, part of Lot 29), as an Urban Development Action Area; and
 - an Urban Development Action Area Project for such area; and
- pursuant to Section 197-c of the New York City Charter for the disposition of such property to a developer to be selected by HPD;

to facilitate the development of a mixed-use building, tentatively known as The Westside Rail Yard/DEP Site, with residential and retail space.

WESTERN RAIL YARD

MANHATTAN CB - 4 C 090423 HAM
Application submitted by the Department of Housing Preservation and Development (HPD):

- pursuant to Article 16 of the General Municipal Law of New York State for:
 - the designation of property located at 806 Ninth Avenue (Block 1044, part of Lot 3), as an Urban Development Action Area; and

- an Urban Development Action Area Project for such area; and
- pursuant to Section 197-c of the New York City Charter for the disposition of such property to a developer to be selected by HPD;


to facilitate the development of a mixed-use building, tentatively known as the Westside Rail Yard/MTA Site, with residential and commercial space.

WESTERN RAIL YARD

MANHATTAN CB - 4 N 090429 ZRM
Application submitted by the Department of City Planning pursuant to Section 201 of the New York City Charter, for an amendment of the Zoning Resolution of the City of New York, concerning Article IX, Chapter 6 (Special Clinton District), Community District 4, Borough of Manhattan.

Appendix A

Special Clinton District Map



WESTERN RAIL YARD

MANHATTAN CB - 4 C 090430 ZMM
Application submitted by the New York City Department of City Planning pursuant to Sections 197-c and 201 of the New York City Charter for an amendment of the Zoning Map, Section No. 8c: establishing within an existing R8 District a C1-5 District bounded by West 54th Street, a line 525 feet easterly of Ninth Avenue, a line midway between West 54th Street and West 53rd Street, and a line 100 feet easterly of Ninth Avenue, as shown on a diagram (for illustrative purposes only) dated May 18, 2009.

WESTERN RAIL YARD

MANHATTAN CB - 4 C 090433 ZMM
Application submitted by RG WRY LLC pursuant to Sections 197-c and 201 of the New York City Charter for an amendment of the Zoning Map, Section No. 8b, by changing from an M2-3 District to a C6-4 District and establishing a Special Hudson Yards District on property bounded by West 33rd Street, Eleventh Avenue, West 30th Street, and Twelfth Avenue, Borough of Manhattan Community District 4, as shown in a diagram (for illustrative purposes only) dated May 18, 2009.

WESTERN RAIL YARD

MANHATTAN CB - 4 N 090434 ZRM
Application submitted by RG WRY LLC, pursuant to Section 201 of the New York City Charter, for an amendment of the

Zoning Resolution of the City of New York, concerning Article IX, Chapter 3 (Special Hudson Yards District) relating to the addition of Western Rail Yard Subdistrict F and the expansion of the Special Hudson Yards District, Community District 4, Borough of Manhattan.

Matter in underline is new, to be added; Matter in ~~strikeout~~ is old, to be deleted; Matter within # # is defined in Section 12-10; * * * indicates where unchanged text appears in the Zoning Resolution

Article IX - Special Purpose Districts

Chapter 3 Special Hudson Yards District

* * *

93-00 General Purposes

The "Special Hudson Yards District" established in this Resolution is designed to promote and protect public health, safety and general welfare. These general goals include, among others, the following specific purposes:

* * *

- (j) to provide flexibility of architectural design within limits established to assure adequate access of light and air to the street, and thus to encourage more attractive and economic building forms;
(k) to provide a transition between the Hudson Yards District and the Hudson River to the west;
(l) to facilitate the restoration and reuse of the #High Line# elevated rail line as an accessible, public open space through special height and setback regulations; and
(m)(k) to promote the most desirable use of land and building development in accordance with the District Plan for the Hudson Yards and thus conserve the value of land and buildings and thereby protect the City's tax revenues.

93-01 Definitions

* * *

Hudson Yards Redevelopment Area

The "Hudson Yards Redevelopment Area" shall be the areas within the #Special Hudson Yards District#, Area P-2 of the #Special Garment Center District#, the 42nd Street Perimeter Area of the #Special Clinton District#, and the area bounded by the center line of Eleventh Avenue, the northern #street line# of West 43rd Street, the westerly prolongation of the northern #street line# of West 43rd Street to the U.S. Pierhead Line, the U.S. Pierhead Line, the westerly prolongation of the southern #street line# of West 29th Street to the U.S. Pierhead Line, and the southern #street line# of West 29th Street. However, the area bounded by the westerly side of Eleventh Avenue, the southerly side of West 43rd Street, the westerly side of Twelfth Avenue and the northerly side of West 30th Street West 33rd Street shall not be included in the #Hudson Yards Redevelopment Area#, except for any portion of such #blocks# containing a transit easement for subway-related use. Furthermore, the #Hudson Yards Redevelopment Area# shall not include any underground connections from a subway station to any #use# located on such excluded #blocks# or between any such #uses#.

* * *

Special Hudson Yards District (repeated from Section 12-10)

The "Special Hudson Yards District" is a Special Purpose District designated by the letters "HY" in which special regulations set forth in Article IX, Chapter 3, apply to all #developments#. The #Special Hudson Yards District# appears on the #zoning maps# superimposed on other districts and its regulations supplement and supersede those of the districts on which it is superimposed.

High Line

For the purposes of this Chapter, the "High Line" shall refer to the elevated rail line structure located between Gansevoort Street and West 34rd Street in the north-south direction, and between Washington Street and Twelfth Avenue in the east-west direction.

High Line Bed

The "High Line bed" is the highest level of the horizontal surface (platform) of such elevated rail line structure.

93-03 District Plan and Maps

The regulations of this Chapter are designed to implement the #Special Hudson Yards District Plan#.

The District Plan includes the following ~~four~~ nine maps:

- Map 1 - Special Hudson Yards District, Subdistricts and Subareas
Map 2 - Mandatory Ground Floor Retail
Map 3 - Mandatory Street Wall Requirements
Map 4 - Mandatory Sidewalk Widening
Map 5 - Transit Easements and Subway Entrances
Map 6 - Subdistrict F Site Plan
Map 7 - Subdistrict F Public Access Area Plan
Map 8 - Subdistrict F Mandatory Ground Floor Requirements
Map 9 - Subdistrict F Mandatory Street Wall Requirements

The Maps are located within Appendix A of this Chapter and are hereby incorporated and made part of this Resolution. They are incorporated for the purpose of specifying locations where special regulations and requirements set forth in the text of this Chapter apply.

93-04 Subdistricts and Subareas

In order to carry out the provisions of this Chapter, six subdistricts are established, as follows: The

Large-Scale Plan Subdistrict A

Farley Corridor Subdistrict B
34th Street Corridor Subdistrict C
Hell's Kitchen Subdistrict D
South of Port Authority Subdistrict E
Western Rail Yard Subdistrict F

In each of these subdistricts, certain special regulations apply which do not apply within the remainder of the #Special Hudson Yards District#. Within certain subdistricts, subareas are established, as follows:

* * *

93-052 Applicability of Chapter 3 of Article I

#Public parking lots# authorized pursuant to Section 13-552 (Public parking lots) prior to January 19, 2005, and #accessory# off-street parking facilities for which a special permit has been granted pursuant to Section 13-561 prior to January 19, 2005, may be renewed subject to the terms of such authorization or special permit.

The provisions of Chapter 3 of Article I in its entirety shall be applied to Subdistrict F.

* * *

93-06 Declaration of Restrictions in Subdistrict F

No #building# permit shall be issued for any #development# or #enlargement# within Subdistrict F unless a declaration of restrictions in substantially the form reviewed by the City Planning Commission pursuant to CEQR No. 09DCP007M and referenced in and made an exhibit to the findings of the Commission pursuant to 6 NYCRR Section 617.11 in connection with its adoption of the regulations of this chapter applicable to Subdistrict F (as such declaration may be revised prior to filing and recordation in accordance with the provisions thereof applicable to amendments made subsequent to filing and recordation) shall have been filed and duly recorded in the Borough Office of the City Register of the City of New York and indexed against all property interests in Subdistrict F proposed for #development# or #enlargement# pursuant to this Chapter.

93-10 USE REGULATIONS

The #use# regulations of the underlying districts are modified as set forth in this Section, inclusive.

The only permitted change of #use# for the #High Line# shall be to provide publicly accessible open space in accordance with the provisions of Section 93-75 (Publicly Accessible Open Spaces in Subdistrict F).

* * *

93-13 Special Office Use Regulations

93-131 Certification for office use
The provisions of this Section shall apply to all #developments# or #enlargements# in the #Hudson Yards Redevelopment Area# with the exception of Subdistrict F.

- (a) No temporary certificate of occupancy from the Department of Buildings may be issued for any portion of a #development# or #enlargement# in the #Hudson Yards Redevelopment Area# that includes Use Group 6B offices constructed after January 19, 2005, until the Chairperson of the Department of City Planning certifies to the Commissioner of Buildings that:

* * *

93-132 Authorization for office use

The provisions of this Section shall apply to all #developments# or #enlargements# in the #Hudson Yards Redevelopment Area# with the exception of Subdistrict F.

Where the amount of Use Group 6B office #floor area# in a #development# or #enlargement# will result in over 25 million square feet of such #use developed# or #enlarged# after January 19, 2005, within the #Hudson Yards Redevelopment Area#, and such #development# or #enlargement# utilizes increased #floor area# pursuant to Sections 23-90 (INCLUSIONARY HOUSING), 93-30 (SPECIAL FLOOR AREA REGULATIONS), inclusive, or 96-25 (Floor Area Bonus for New Legitimate Theater Use), such #development# or #enlargement# shall be permitted only upon authorization of the City Planning Commission that:

* * *

93-14 Retail Continuity Along Designated Streets Ground Floor Level Requirements

The following provisions shall apply to all Subdistricts in the #Special Hudson Yards District#, except that the provisions of this Section shall not apply along the northern #street# frontage of West 35th through West 39th Streets within 100 feet of Eleventh Avenue, as shown on Map 2 (Mandatory Ground Floor Retail) in Appendix A of this Chapter. However, any #zoning lot# fronting on such #streets# and partially within 100 feet of Eleventh Avenue may, as an alternative, apply the provisions of this Section to the entire West 35th, West 36th, West 37th, West 38th or West 39th Street frontage of the #zoning lot#.

- (a) Retail continuity along designated streets in Subdistricts A-E

Map 2 (Mandatory Ground Floor Retail) in Appendix A of this Chapter specifies locations where the special ground floor #use# and transparency requirements of this Section apply. Such regulations shall apply along either 100 percent or 50 percent of the building's #street# frontage, as indicated on Map 2.

#Uses# located on the ground floor level or within five feet of #curb level#, and within 50 feet of the #street line# shall be limited to #commercial uses# permitted by the underlying district, but not including #uses# listed in Use Groups 6B, 6E, 7C,

7D, 8C, 8D, 9B, 10B, 11 or 12D.

A building's #street# frontage shall be allocated exclusively to such #uses#, except for lobby space, entryways or entrances to subway stations. In no event shall the length of #street# frontage occupied by lobby space or entryways exceed, in total, 40 feet or 25 percent of the building's total #street# frontage, whichever is less, except that the width of a lobby need not be less than 20 feet.

For any new #development# or #enlargement# on such designated #streets# glazing shall be provided in accordance with the provisions set forth in paragraph (c) of this Section 93-14.

- (b) Retail continuity along designated streets in Subdistrict F

Map 8 (Subdistrict F Mandatory Ground Floor Requirements) in Appendix A of this Chapter specifies locations where the special ground floor #use# and transparency requirements of this Section 93-14 apply. Such regulations shall apply along either 100 percent or 70 percent of the building's #street# frontage, as indicated on Map 8.

- (1) Along Eleventh Avenue

The ground floor retail provisions established in paragraph (a) of this Section 93-14 shall apply to the ground floor #street# frontage of #buildings# along Eleventh Avenue. In addition if a #street# frontage is occupied by a 'Bank' as listed in Use Group 6, such a #street# frontage shall not exceed a #street wall# width, in total, of 25 feet.

- (2) Along designated streets other than Eleventh Avenue

In addition to the #uses# listed in paragraph (a) of this Section 93-14, the following #community facility uses# from Use Groups 3 and 4 as well as the following #commercial use# from Use Group 6B shall be permitted on the ground floor level of a #building# or within five feet of #curb level# for frontages along designated #streets#, as shown in Map 8 (Subdistrict F Mandatory Ground Floor Requirements) other than Eleventh Avenue.

From Use Group 3:

Art galleries (Non-Commercial)

Libraries
Museums

Nursery, kindergarten, elementary or secondary #schools# (with no living or sleeping accommodations)

From Use Group 4:

Ambulatory diagnostic and treatment health care facilities

Community centers

Recreation centers, non-commercial

Houses of worship

From Use Group 6B:

Veterinary medicine, limited to small animals

A minimum of 70 percent of the #aggregate width of street wall# shall be occupied by #uses# permitted in this Section 93-14. A minimum of 50 percent of the #street# frontage of a #building# shall be allocated exclusively to #uses# listed in paragraph (a) of this Section and/or Use Group 3 #uses# listed in this subparagraph (b)(2). In addition, a maximum of 20 percent of the #street# frontage of a #building# shall be permitted to provide the Use Group 4 and 6B #uses# listed in this subparagraph (b)(2). However, if a #street# frontage is occupied by a 'Bank' as listed in Use Group 6, such a #street# frontage shall not exceed a #street wall# width, in total, of 25 feet.

The remaining portion of the #street wall# may be occupied by #uses# listed in this Section 93-14, or by lobby space, mechanical space or entrances to #accessory# parking garages, provided that:

- (i) The maximum width of a single lobby frontage shall be 40 feet, or 25 percent of the #street wall#, whichever is less. A maximum of two such lobbies shall be permitted along a single #street wall# frontage, provided that the minimum distance between such lobbies shall not be less than 120 feet; and
(ii) The maximum width of a #street wall# occupied by an entrance to #accessory# parking spaces shall not exceed 35 feet.

For any new #development# or #enlargement# on such designated #streets# glazing shall be provided in accordance with the provisions set forth in paragraph (c) of this Section.

- (c) Transparency requirements along designated streets in Subdistricts A-F

Each ground floor level #street wall# of a #commercial# or #community facility use#, as set forth in this Section 93-14, shall be glazed with materials which may include show windows, glazed

transoms or glazed portions of doors. Such glazing shall occupy at least 70 percent of the area of each such ground floor level #street wall#, measured to a height of 10 feet above the level of the adjoining sidewalk, or public access area, whichever is higher. Not less than 50 percent of the area of each such ground floor level #street wall# shall be glazed with transparent materials and up to 20 percent of such area may be glazed with translucent materials.

For any new #development# or #enlargement# on such designated #streets#, each ground floor #street wall# shall be glazed with materials which may include show windows, glazed transoms or glazed portions of doors. Such glazed area shall occupy at least 70 percent of the area of each such ground floor #street wall#, measured to a height of 10 feet above the level of the adjoining sidewalk or public access area. Not less than 50 percent of such area shall be glazed with transparent materials and up to 20 percent of such area may be glazed with translucent materials.

For #developments# or #enlargements# fronting upon Hudson Boulevard that are adjacent to existing #buildings# located within the Hudson Boulevard #street# bed or #public park#, the Hudson Boulevard #street wall# of such new #development# or #enlargement# shall be designed in a manner that will enable the glazing requirements of this Section to be met upon demolition of the #buildings# within such #street# bed or #public park# and, within six months of such demolition, such glazing requirements shall be complied with.

(d) Non-transparent walls within Subdistrict F

Within Subdistrict F, any non-transparent area of a new or existing wall with a width in excess of 40 feet and a height in excess of five feet fronting upon a public sidewalk or publicly accessible open space shall be treated with a decorative element or material or shall be screened with planting so as to provide visual relief. Such screening or decorative treatment shall be required to a height of 15 feet above the level of the public sidewalk or publicly accessible open space, or the height of the wall, whichever is less.

The provisions of this Section shall not apply along the northern #street# frontage of West 25th through West 30th Streets within 100 feet of Eleventh Avenue, as shown on Map 2. However, any #zoning lot# fronting on such #streets# and partially within 100 feet of Eleventh Avenue may, as an alternative, apply the provisions of this Section to the entire West 25th, West 26th, West 27th, West 28th or West 30th Street frontage of the #zoning lot#.

93-141 Certification to modify ground floor level requirements in Subdistrict F

Within Subdistrict F, the Chairperson of the City Planning Commission may modify the ground floor level requirements of paragraphs (b), (c) and (d) of Section 93-14 (Ground Floor Level Requirements), provided that the Chairperson certifies to the Commissioner of Buildings that such a change is the minimum necessary to accommodate the ventilation requirements of the below-grade rail operations. Any application for such change shall include a Mechanical Plan that conveys the extent of the needs and required modifications, as well as a letter from the Metropolitan Transportation Authority describing the needs for such modifications.

93-17 Modification of Sign Regulations

(a) Subdistricts A, B, C, D, and E

Within Subdistricts A through E, the underlying #sign# regulations shall apply, except that #flashing signs# shall not be allowed within 100 feet of Hudson Boulevard, its northerly prolongation to West 39th Street and its southerly prolongation to West 33rd Street. Furthermore, #flashing signs# shall not be allowed on any portion of a #building# fronting upon the outdoor plaza required in the Eastern Rail Yards Subarea A1, pursuant to Section 93-71.

(b) Subdistrict F

For the purposes of calculating the permitted #surface area of a #sign#, each Site set forth on Map 6 (Subdistrict F Site Plan) shall be considered a separate #zoning lot#.

(1) Along the #High Line#

The #sign# regulations of the underlying districts shall not apply to #signs# located within 50 feet of the #High Line#, except for #signs# located entirely below the level of the #High Line bed#. In lieu thereof, the #sign# regulations of a C1 District shall apply, except that #accessory signs# located within the #High Line# frontage may have a maximum height of 20 feet above the level of the #High Line bed#.

No #signs# affixed to or resting upon the #High Line# shall be permitted, except as pursuant to a signage plan for the #High Line#, as authorized by the City Planning Commission, provided the Commission finds that such signage plan will:

- (i) Enhance the use of the #High Line# by providing signage that is consistent with the use of the #High Line# as a public open space;
- (ii) Provide, at a minimum, directional, informational and interpretive signage consistent with the use of the #High

(iii) Line# as a public open space; Be integrated with the design of the #High Line# open space; and

(iv) Not adversely affect #development# adjacent to the #High Line# and in the surrounding neighborhood.

(2) Other locations

Within Subdistrict F, the underlying #sign# regulations shall apply for #signs# located beyond 50 feet of the #High Line#, and for portions of #signs# located entirely below the level of the #High Line bed# along West 30th Street. However, #flashing signs# shall not be permitted in Subdistrict F, except along frontages within 200 feet of the intersection of the West 33rd Street and 11th Avenue #street line#.

93-20 FLOOR AREA REGULATIONS

93-22 Floor Area Regulations in Subdistricts B, C, D, and E and F

(a) Subdistricts B, C, D, and E

In Subdistricts B, C, D, E the basic maximum #floor area ratio# is determined by the subdistrict and, where applicable, subarea, as specified in the table in this Section. The basic maximum #floor area ratios# for non-residential buildings# are set forth in Row A, and the basic maximum #floor area ratios# for #buildings# containing #residences# are set forth in Row B. Such basic maximum #floor area ratios# may be increased to the amount specified in Row C only pursuant to Section 93-31 (District Improvement Fund Bonus) or as otherwise specified in Sections 93-22 1 through 93-224.

Notwithstanding the provisions of this Section, the basic maximum permitted #floor area ratio# may be increased on an "adjacent lot" pursuant to Section 74-79 (Transfer of Development Rights from Landmark Sites), provided that the maximum #floor area# transferred from the landmark lot does not exceed the basic maximum permitted #floor area ratio# less the total #floor area# of all #buildings# on the landmark lot.

(b) Subdistrict F

In Subdistrict F, the #floor area ratio# provisions of Section 93-225 (Floor area regulations in Subdistrict F) shall apply.

93-225 Floor area regulations in Subdistrict F

In Subdistrict F, the maximum #floor area ratio# for #residential#, #community facility# and #commercial use# shall be as follows:

- (a) The maximum #floor area ratio# for #residential uses# shall be 8.0;
- (b) The maximum #floor area ratio# for #community facility uses# shall be 2.0. However, any floor space occupied by a public #school# constructed in whole or in part pursuant to agreement with the New York City School Construction Authority and subject to the jurisdiction of the New York City Department of Education shall be exempted from the definition of #floor area# for the purposes of calculating the permitted #floor area ratio# for #community facility uses# and the total maximum #floor area ratio# of the #zoning lot#;
- (c) The maximum #floor area ratio# for #commercial uses# shall be 8.0; and
- (d) The total maximum #floor area ratio# shall be 10.0, except as modified pursuant to Section 93-23 (Modifications of Inclusionary Housing Program).

93-23 Modifications of Inclusionary Housing Program

Subdistrict C (34th Street Corridor) and Subareas D1 and D2 of Subdistrict D (Hell's Kitchen) of the #Special Hudson Yards District# and Area P2 of the #Special Garment Center District#, shall be #Inclusionary Housing designated areas#, pursuant to Section 12-10 (DEFINITIONS) for the purpose of making the Inclusionary Housing Program regulations of Section 23-90 (INCLUSIONARY HOUSING), inclusive, applicable as modified within the Special Districts. The underlying provisions of Section 23-90 shall only be applicable in Subdistrict F as modified by Section 93-233 (Floor area increase for affordable housing in Subdistrict F).

93-232 Floor area increase in Subdistricts B, C, D, and E, and Preservation Area P2

The provisions of Section 23-952 (Floor area compensation in Inclusionary Housing designated areas) shall not apply. In lieu thereof, the #floor area# compensation provisions of this Section shall apply. In accordance with the provisions set forth in Section 93-22 (Floor Area Regulations in Subdistricts B, C, D, and E, and F) or 121-3 1 (Maximum Permitted Floor Area), the maximum permitted #residential floor area ratio# for #developments# or #enlargements# that provide #affordable housing# pursuant to the Inclusionary Housing Program may be increased, as follows:

93-233 Floor area increase for affordable housing in Subdistrict F

The #floor area# of any #building# containing #residences# in Subdistrict F may be increased by up to five percent, and

such increase may be in excess of the maximum #floor area ratio# of 8.0 for #residential use#, and the total maximum #floor area ratio# of 10.0 provided that:

(a) At least 20 percent of the #residential# units in such #building#, inclusive of any #floor area increase# permitted by this Section, shall be occupied by #lower income households#, as defined in Section 23-911 (General definitions);

(b) Such #building# shall comply with the provisions of:

- (i) Section 23-954 (Additional requirements for compensated developments), paragraphs (b) and (c);
- (ii) Section 23-96 (Requirements for Generating Sites), paragraphs (b) through (i); and
- (iii) Section 23-96 1 (Additional requirements for rental affordable housing), paragraphs (a) through (d); and

(c) The sum of all #floor area# increases permitted pursuant to this Section does not exceed 0.4 times the total #lot area# of Subdistrict F.

93-30 SPECIAL FLOOR AREA REGULATIONS

93-31 District Improvement Fund Bonus

Except in Subdistrict F, I in the #Special Hudson Yards District# and Area P-2 of the #Special Garment Center District#, the Chairperson of the City Planning Commission shall allow, by certification, the applicable basic maximum #floor area ratio# to be increased up to the maximum amount specified in Sections 93-21, 93-22 or 121-3 1, as applicable, provided that instruments in a form acceptable to the City are executed and recorded and that, thereafter, a contribution has been deposited in the #Hudson Yards District Improvement Fund#. The execution and recording of such instruments and the payment of such non-refundable contribution shall be a precondition to the filing for or issuing of any building permit allowing more than the basic maximum #floor area# for such #development# or #enlargement#.

93-40 HEIGHT AND SETBACK REGULATIONS

93-41 Rooftop Regulations

(a) Permitted obstructions

(1) Subdistricts A through E

The provisions of Section 3 3-42 (Permitted Obstructions) shall apply to all #buildings# within Subdistricts A through E, except that elevator or stair bulkheads, roof water tanks, cooling towers or other mechanical equipment (including enclosures), may penetrate a maximum height limit provided that either the product, in square feet, of the #aggregate width of street walls# of such obstructions facing each #street# frontage, times their average height, in feet, shall not exceed a figure equal to eight times the width, in feet, of the #street wall# of the #building# facing such frontage or, the #lot coverage# of all such obstructions does not exceed 20 percent of the #lot coverage# of the #building#, and the height of all such obstructions does not exceed 40 feet. In addition, dormers may penetrate a maximum base height in accordance with the provisions of paragraph (c) of Section 23-62 1 (Permitted obstructions in certain districts).

(2) Subdistrict F

In Subdistrict F, the provisions of paragraph (c) of Section 3 3-42 (Permitted Obstructions) shall not apply. In lieu thereof, the following shall apply:

(i) #Building# bases and transition heights
For all #building# bases and transition heights, rooftop mechanical structures, including, but not limited to, elevator or stair bulkheads, roof water tanks, cooling towers or other mechanical equipment, and their required enclosures, may penetrate a maximum height limit, provided that either the product, in square feet, of the #aggregate width of street walls# of such obstructions facing each #street# frontage, times their average height, in feet, shall not exceed a figure equal to eight times the width, in feet, of the #street wall# of the #building# facing such frontage or, the #lot coverage# of all such obstructions does not exceed 20 percent of the #lot coverage# of the #building#, and the height of all such obstructions does not exceed 40 feet.

(ii) Towers

For all towers, rooftop mechanical equipment, including, but not limited to, elevator or stair bulkheads, roof water tanks, cooling towers or other mechanical equipment, and their required enclosures, may penetrate a maximum height limit. For towers above a height of 350 feet, such rooftop mechanical structures shall comply with the tower top articulation provisions set forth in Section 93-569 (Tower top articulation).

(b) Screening requirements for mechanical equipment

For all #developments# and #enlargements#, all mechanical equipment located on any roof of a #building or other structure# shall be fully enclosed, except that openings in such enclosure shall be permitted only to the extent necessary for ventilation and exhaust.

93-42 Height and Setback in Subdistricts A through E F

In Subdistricts A through E F, the underlying height and setback regulations shall not apply, except as set forth in Section 93-542 (Height and setback in Subareas D4 and D5). In lieu thereof, the provisions of this Section shall apply. These regulations are further modified in certain locations as set forth in Section 93-50 (SPECIAL HEIGHT AND SETBACK REGULATIONS IN SUBDISTRICTS A THROUGH E). The rooftop regulations set forth in Section 93-41 shall apply. The height of all #buildings or other structures# shall be measured from #curb level#.

In Subareas D4 and D5 of the Hell's Kitchen Subdistrict D, the underlying height and setback regulations shall apply as set forth in Section 93-542 (Height and setback in Subareas D4 and D5), as modified by Section 93-41 (Rooftop Regulations).

In Subdistricts A, B, and C, Subareas D1, D2 and D3 of the Hell's Kitchen Subdistrict D, and Subdistrict E, the underlying height and setback regulations shall not apply. In lieu thereof, the provisions of Section 93-41 (Rooftop Regulations) and paragraphs (a) through (d) of this Section shall apply. These regulations are further modified in certain locations as set forth in Section 93-50 (SPECIAL HEIGHT AND SETBACK REGULATIONS). The height of all #buildings or other structures# shall be measured from #curb level#.

In Subdistrict F, the underlying height and setback regulations shall not apply. In lieu thereof, the provisions of Section 93-41 (Rooftop Regulations) and Section 93-56 (Special Height and Setback Regulations in Subdistrict F) shall apply.

93-50 SPECIAL HEIGHT AND SETBACK REGULATIONS IN SUBDISTRICTS A THROUGH E

In Subdistricts A through E, B, and C, and Subareas D1, D2 and D3 of the Hell's Kitchen Subdistrict D, and Subdistrict E, the height and setback regulations set forth in paragraphs (a) through (d) of Section 93-42 (Height and Setback in Subdistricts A through F) shall apply, except that such regulations are modified in certain locations as set forth in this Section. Such modifications include the establishment of #street wall# location regulations, minimum base heights and maximum length of building walls for towers, and modifications of maximum base heights, depths of required setbacks, and tower #lot coverage#. Special provisions for recesses and sidewalk widenings are as follows:

(b) Sidewalk Widenings

Where a #street wall# is required to extend along the entire #street# frontage of a #zoning lot#, and such #street# is intersected by a #street# with a mandatory sidewalk widening, no #street wall# shall be required within such sidewalk widening. Where corner articulation rules apply, the inner boundary of any required sidewalk widening may be considered to be the #street line#. The mandatory #street wall# requirements are illustrated on Map 3 (Mandatory Street Wall Requirements) in Appendix A of this Chapter. Where sidewalk widening lines are specified, such lines shall be parallel to and five or ten feet from the #street line#, as required pursuant to Section 93-6 1 and illustrated on Map 4 (Mandatory Sidewalk Widenings) in Appendix A.

In Subdistrict F, the provisions of Section 93-41 (Rooftop Regulations) and Section 93-56 (Special Height and Setback Regulations in Subdistrict F) shall apply.

93-512 Subareas A3, A4 and A5 of the Large-Scale Plan Subdistrict A

(a) Hudson Boulevard

For the purposes of this paragraph, (a), Hudson Boulevard shall be considered to be a #wide street#. The #street wall# of the #development# or #enlargement# shall be located on the Hudson Boulevard sidewalk widening line and extend along at least 70 percent of the length of the Hudson Boulevard frontage of the #zoning lot#, and shall rise without setback to a minimum base height of 90 feet and a maximum base height of 120 feet. On #corner lots#, the maximum base height may apply along intersecting #narrow street lines# for a distance of 100 feet from its intersection with Hudson Boulevard. Above a height of 120 feet, a setback at least 25 feet in depth is required from the Hudson Boulevard #street line#, and setbacks from intersecting #narrow streets# shall comply with the provisions of paragraph (b) of Section 93-42 (Height and Setback in Subdistricts A through EF).

93-56 Special Permit for Modification of Height and Setback Regulations Special Height and Setback Regulations in Subdistrict F

The height and setback regulations set forth in this Section 93-56, inclusive, shall apply to specific sites identified as Sites 1 through 6 on Map 6 (Subdistrict F Site Plan) in Appendix A of this Chapter. All #developments# or #enlargements# of a #building# or other structure# within Subdistrict F, with the exception of those approved as part of a public access area pursuant to Section 93-78 (Site and Landscape Plans for Public Access Areas in Subdistrict F), shall occur within these designated site locations. However, portions of a #building# located entirely below grade, and exempt from the definition of #floor area# shall be permitted to extend beyond such designated site locations. Furthermore, the boundary of Site 6 may be extended in a westerly direction, by up to 40 feet to accommodate a public #school# in accordance with the provisions of paragraph (b) of Section 93-568 (Site 6).

Map 4 (Mandatory Sidewalk Widenings) in Appendix A of this Chapter identifies the location of a sidewalk widening

required along Eleventh Avenue that is referenced in this Section 93-56, inclusive. Regulations governing the design of this sidewalk widening are set forth in Section 93-61 (Sidewalk Widenings).

Public access areas in Subdistrict F shall be comprised of publicly accessible open spaces, private streets and pedestrian ways. Map 7 (Subdistrict F Public Access Area Plan) in Appendix A of this Chapter, identifies the location of publicly accessible open spaces, private streets, and pedestrian ways which are referenced in this Section 93-56. Publicly accessible open spaces are comprised of the 'Western Open Space', the 'Central Open Space', the 'Southwest Open Space', the 'Northeast Plaza', the 'Midblock Connection', and the '#High Line#'. General rules governing such publicly accessible open spaces are set forth in Section 93-75 (Publicly Accessible Open Spaces in Subdistrict F).

Publicly accessible private streets are comprised of the 'West 32nd Street Extension' (including the alley) and the 'West 31st Street Extension'. Publicly accessible pedestrian ways are comprised of the 'West 30th Street Corridor', and the 'Connector'. General rules governing such private streets and pedestrian ways are set forth in Section 93-76 (Publicly Accessible Private Streets and Pedestrian Ways in Subdistrict F).

93-561 General rules for Subdistrict F

The following regulations shall apply to all #buildings or other structures# within Sites 1 through 6:

(a) #Street wall# location

For the purposes of applying the height and setback regulations of this Section 93-56, inclusive, wherever a #building# fronts upon any publicly accessible open space, private street, or pedestrian way as shown on Map 7 (Subdistrict F Public Access Area Plan), the boundary of such publicly accessible open spaces, private streets, pedestrian ways shall be considered to be a #street line#. Furthermore, for the purposes of applying such height and setback regulations, the sidewalk widening line required along Eleventh Avenue shall be considered the Eleventh Avenue #street line#.

Wherever a #building# on Sites 1, 5 or 6 faces the #High Line#, the #street wall# shall not be located closer than five feet to the edge of the #High Line#, as shown on Map 7. Such five foot separation shall remain unobstructed, from the level of finished grade adjacent a #building# to the sky, except:

- (1) As permitted for that portion of a #building# on Site 5 located above a height of 50 feet as measured from the #High Line bed# pursuant to Section 93-567 (Site 5);
(2) As permitted for that portion of a #building# on Site 6 located below the #High Line# pursuant to Section 93-568 (Site 6); and
(3) As permitted pursuant to paragraph (d) of Section 93-756 (General requirements for the #High Line#).

(b) Measurement of #building# heights

(1) Measurement of #building# base and transition heights

For portions of a #building# that front upon a publicly accessible sidewalk, the maximum #building# base height, and, where applicable, maximum transition height of a #street wall# shall be measured from the mean level of the public sidewalk that such #street wall# fronts upon. For portions of a #building# that front upon publicly accessible open spaces in which no sidewalks are provided adjacent to a #street wall#, the maximum #building# base height, or, where applicable, maximum transition height of a #street wall# shall be measured from the mean level of the final grade of the open space that such #street wall# fronts upon. However, the following #street wall# heights shall be measured from the #High Line bed#:

- (i) On Site 6, the portion of a #street wall# above the #High Line bed# facing the #High Line# beyond 60 feet of Eleventh Avenue; and
(ii) On Site 6 along the Southwest Open Space within 60 feet of the #High Line#.

(2) Measurement of tower heights

The height of a tower shall be measured from the highest level of the public sidewalk or finished grade located nearest such tower, to the ceiling of the highest #story# of the tower where #floor area# occupies more than 75 percent of the gross area of such #story#. However, on Site 5, the height of the tower shall be measured from the #High Line bed#.

Where minimum height differences are required between towers, such heights, for each tower, shall be measured from the Manhattan Datum, which is 2.75 feet above Sea Level.

(c) Towers

Criteria for towers on Sites 1 through 6 are set forth in this Section 93-56, inclusive. The minimum distance between all such towers shall be 60 feet.

93-562 Street wall regulations for certain streets

The locations of all #street walls# identified in this Section 93-562 are shown on Map 9 (Subdistrict F Mandatory Street Wall Requirements) in Appendix A of this Chapter.

(a) Applicability

The provisions of this Section 93-562 shall apply to:

- (1) All #street walls# of #buildings# on Site 1:
(i) That front along the West 32nd Street Extension;
(ii) That front along the Western Open Space within 60 feet of the West 32nd Street Extension; and
(iii) That front along the Midblock Connection within 60 feet of the West 32nd Street Extension.
(2) All #street walls# of #buildings# on Site 2:
(i) That front along Eleventh Avenue south of the Northeast Plaza;
(ii) That front along the West 32nd Street Extension; and
(iii) That front along the Midblock Connection within 60 feet of the West 32nd Street Extension.
(3) All #street walls# of a #building# on Site 4:
(i) That front along Eleventh Avenue;
(ii) That front along the West 32nd Street Extension within 50 feet of Eleventh Avenue; and
(iii) That front along the West 31st Street Extension within 50 feet of Eleventh Avenue.
(4) All #street walls# of a #building# on Site 6:
(i) That front along Eleventh Avenue five feet north of the #High Line#;
(ii) That front along the West 31st Street Extension;
(iii) That front along the #High Line#, completely above the #High Line bed#;
(iv) That front along the Southwest Open Space within 60 feet of the #High Line#; and
(v) That front along the Southwest Open Space within 60 feet of the West 31st Street Extension.

(b) #Street wall# location

All #street walls# of #developments# or #enlargements# identified in paragraph (a) of this Section shall be located on the #street line#.

All such #street walls# shall extend along the entire #street# frontage of the site, or required portion identified in paragraph (a) of this Section. However, such #street wall# location rules may be modified in accordance with the recess provisions of paragraph (c) of this Section.

(c) Recesses

- (1) Ground floor recesses up to three feet deep shall be permitted for access to #building# entrances;
(2) To allow for corner articulation, the required #street wall# may be located anywhere within an area bounded by intersecting #street lines# and lines 15 feet from and parallel to such lines;
(3) To ensure variation in the required #street wall#, a #building# shall provide recesses or ground floor level setbacks in accordance with the following provisions.
(i) A minimum of 20 percent of the #aggregate width of street walls# shall provide a minimum recess of three feet from the #street wall# above the level of the second #story#, except for the portion of Site 6 which fronts along the High Line, such recess shall be provided above the level of the first #story. However, no portion of such recess shall be located within 30 feet of the intersection of two #street lines#, except where corner articulation is provided in accordance with subparagraph (2) of this paragraph (c).
(ii) A maximum of 30 percent (or 50 percent for Site 4) of the #aggregate width of street walls# may provide a recess of up to 15 feet at any level, which may extend to the height of the building base, and, may allow for portions of towers to rise without setback from the ground floor level. However, no

such setbacks shall be permitted within 30 feet of the intersection of two #street lines#, except where corner articulation is provided in accordance with subparagraph (2) of this paragraph (c).

93-563 Site 1

In addition to the applicable requirements set forth in Section 93-562 (Street wall regulations for certain streets) the provisions of this Section 93-563 shall apply to #buildings# on Site 1.

(a) Building base

(1) Facing West 33rd Street

The #street wall# of the #development# or #enlargement# facing West 33rd Street may rise without setback to a maximum base height of 120 feet before a setback is required. However, no setbacks shall be required within 150 feet of Twelfth Avenue.

(2) Facing the West 32nd Street Extension
The provisions of this subparagraph (a)(2) shall apply to #street walls# facing the West 32nd Street Extension, the Western Open Space and the Midblock Connection within 60 feet of the West 32nd Street Extension. Such #street walls# shall rise without setback to a minimum base height of 60 feet and a maximum base height of 90 feet.

(3) Facing the Western Open Space
The provisions of this subparagraph (a)(3) shall apply to #street walls# facing the Western Open Space beyond 60 feet of its intersection with the West 32nd Street Extension. The #street wall# of the #development# or #enlargement# may rise without setback to a maximum base height of 90 feet before a setback is required. However, no setbacks shall be required within 150 feet of Twelfth Avenue.

(b) Transition height

All portions of a #building# that exceed the applicable maximum base height specified in paragraph (a) of this Section shall be set back in accordance with the provisions of this paragraph (b), except that where towers are provided directly above a portion of the transition height, such a portion of transition height located directly below a tower shall provide setbacks in accordance with the tower provisions of paragraph (c) of this Section.

Portions of a transition height facing West 33rd Street shall be set back from the West 33rd Street #street line# a minimum of 20 feet. Portions of a transition height facing the Western Open Space that exceed the maximum base height shall be set back from the #street wall# of a #building# facing the Western Open Space a minimum of 30 feet. However, in both cases, no such setback shall be required within 150 feet of Twelfth Avenue.

Above the maximum base height a #street wall# may rise to a maximum transition height equal to one-half the height of the #street wall# of the #building# base facing the Western Open Space. Such a transition height shall not exceed a maximum height of 135 feet.

All portions of a #building# that exceed the maximum transition height shall comply with the tower provisions of paragraph (c) of this Section.

(c) Towers

All #stories# of a #development# or #enlargement# located partially or wholly above the maximum transition height shall be considered a 'tower' and shall comply with the provisions of this paragraph.

(1) Required setbacks

All towers, or portions of a transition height located beneath a tower, shall be set back at least 15 feet from the #street line# of West 33rd Street and from the #street walls# of the #building# facing the West 32nd Street Extension, except that the depth of such set back distance may include the depth of any permitted recesses. However, no setbacks shall be required within 150 feet of Twelfth Avenue, along the Western Open Space, or along the Midblock Connection to allow portions of towers that comply with the provisions of subparagraphs (2) and (3) of this paragraph (c) to rise without setback.

(2) Maximum floor plate

If more than one tower is provided on Site 1, the aggregate gross area of any such tower #stories#, measured at any height, shall not exceed 25,000 square feet.

(3) Maximum length and height

The outermost walls of all #stories# of a tower, when viewed from above, shall be inscribed within a rectangle where the east-west dimension shall not exceed a length of 110 feet and the north-south dimension shall not exceed a length of 160 feet. Where more than one tower is located on Site 1, each tower shall comply independently with such maximum dimensions.

If more than one tower is located on Site 1, the height of the easternmost tower shall be a minimum of 100 feet greater than the height of the westernmost tower.

All towers that exceed a height of 350 feet shall provide articulation in accordance with Section 93-569 (Tower top articulation).

93-564 Site 2

In addition to the applicable requirements set forth in Section 93-562 (Street wall regulations for certain streets), the provisions of this Section 93-564 shall apply to #buildings# on Site 2.

(a) Building base

(1) Facing Eleventh Avenue

The provisions of this subparagraph (a)(1) shall apply to #street walls# facing Eleventh Avenue (exclusive of #street walls# facing the Northeast Plaza, which need not setback), and the West 32nd Street Extension within 60 feet of Eleventh Avenue. Such #street walls# shall rise without setback to a minimum height of 120 feet and a maximum height of 150 feet. Above a height of 150 feet, all portions of such #building# shall be set back from the #street wall# of the #building# at least 15 feet, except such set back distance may include the depth of any permitted recesses. These building base provisions may apply along the West 32nd Street Extension #street line# beyond 60 feet of Eleventh Avenue, up to a maximum distance of 100 feet from Eleventh Avenue.

(2) Facing the West 32nd Street Extension

The provisions of this subparagraph (a)(2) shall apply to #street walls# facing the West 32nd Street Extension beyond 60 feet of Eleventh Avenue (or beyond 100 feet if the optional building base provisions of subparagraph (1) of this paragraph (a) are applied along the West 32nd Street Extension), and the Midblock Connection within 60 feet of the West 32nd Street Extension. Such #street walls# shall rise without setback to a minimum height of 90 feet and a maximum height of 120 feet. Above a height of 120 feet, all portions of such #buildings# facing the West 32nd Street Extension shall be set back from the #street wall# of the #building# at least 15 feet, except such set back distance may include the depth of any permitted recesses. Portions of #street walls# along the Midblock Connection within 60 feet of the West 32nd Street Extension need not setback after the maximum base height to allow tower portions that comply with the provisions of paragraph (b) of this Section to rise without setback.

(3) Facing West 33rd Street

#Street walls# facing West 33rd Street (exclusive of the Northeast Plaza) may rise without setback to a maximum base height of 150 feet. Above a height of 150 feet, setbacks shall be required as follows:

(i) Portions of a #building# facing West 33rd Street within 150 feet of the Eleventh Avenue #street line# shall provide a 15 foot setback from the #street line# of West 33rd Street;

(ii) Portions of a #building# beyond 150 feet of Eleventh Avenue that do not exceed an #aggregate width of street wall# of 150 feet, as measured along the West 33rd Street #street line# shall be permitted to rise without setback; and

(iii) Portions of a #building# located beyond 150 feet of Eleventh Avenue, which exceed the #aggregate width of street wall# of 150 feet as measured along the West 33rd Street #street line# shall be set back a minimum of 15 feet from the #street line# of West 33rd Street.

All portions of a #building# that exceed a height of 150 feet shall comply with the tower provisions of paragraph (b) of this Section.

(b) Towers

All #stories# of a #development# or #enlargement# located partially or wholly above a height of 150 feet shall be considered a 'tower' and shall comply with the provisions of this paragraph (b). Not more than one tower shall be allowed on Site 2.

(1) Maximum floor plate

The gross area of any tower #story# shall not exceed 40,000 square feet.

(2) Maximum length and height

The outermost walls of all #stories# of a tower, when viewed from above, shall be inscribed within a rectangle where the east-west dimension shall not exceed a length of 250 feet.

All towers that exceed a height of 350 feet shall provide articulation in accordance with Section 93-569 (Tower top articulation).

93-565 Site 3

The regulations of this Section 93-565 shall apply to all #buildings# within Site 3.

All #stories# of a #development# or #enlargement# located wholly or partially above the highest level of the adjoining public sidewalk or finished grade on Site 3 shall be considered a 'tower' and shall comply with the provisions of this Section 93-565. Not more than one tower shall be permitted on Site 3.

(a) Ground floor

A maximum of 6,000 square feet of the ground floor shall be permitted to provide #residential uses#. The remaining portion of the ground floor shall provide an area that is accessible to the surrounding publicly accessible open spaces listed in Section 93-75 (Publicly Accessible Open Spaces in Subdistrict F). Such space may provide ground floor #uses# pursuant to Section 93-14 (Ground Floor Level Requirements), or may be considered part of the Central Open Space and comply with the regulation set for in Section 93-75 (Publicly Accessible Open Spaces in Subdistrict F).

If such remaining ground floor level space provides ground floor #uses# pursuant to the requirements of subparagraph (b)(2) of Section 93-14 (Ground Floor Level Requirements), such #uses# shall adjoin a minimum of 70 percent of the perimeter of the outermost walls of the ground floor of the #building# to a minimum depth of 30 feet. In addition, such outermost wall shall be at least 70 percent glazed with transparent material to a height of 40 feet.

If such remaining ground floor level space is considered part of the Central Open Space, such space may be open or enclosed. An open space provided pursuant to this paragraph (a) shall have a clear height of at least 40 feet measured from the level of an adjoining finished grade or sidewalk. An enclosed publicly accessible space provided pursuant to this paragraph (a) shall adjoin a minimum of 70 percent of the perimeter of the outermost walls of the ground floor of the #building# to a minimum depth of 30 feet. In addition, such outermost wall shall be at least 70 percent glazed with transparent material to a height of 40 feet.

(b) Maximum floor plate

The gross area of any #story# of a tower on Site 3 shall not exceed 12,000 square feet.

(c) Maximum length and height

The maximum horizontal dimension of a tower, measured in any direction, shall not exceed 145 feet. However, if the angle of the tower's maximum horizontal dimension is aligned within 15 degrees of a 45 degree line constructed from either the southwest or northeast corner of the Site 3 rectangle in plan, as shown on Map 6 (Subdistrict F Site Plan), then such maximum horizontal dimension measured in this direction may be increased to 160 feet, provided that the maximum dimension measured perpendicular to such increased dimension does not exceed a length of 120 feet.

The maximum height of a tower within Site 3 shall be a minimum of 100 feet taller than the tower height of Site 5.

All towers that exceed a height of 350 feet shall provide articulation in accordance with Section 93-569 (Tower top articulation).

93-566 Site 4

In addition to the applicable requirements set forth in Section 93-562 (Street wall regulations for certain streets), the provisions of this Section 93-566 shall apply to #buildings# on Site 4.

(a) Street wall location along West 31st and West 32nd Street Extensions

Any portion of a #street wall# facing the West 32nd Street Extension within 100 feet of Eleventh Avenue shall be set back at least 15 feet from the West 32nd Street Extension #street line#, which shall coincide with the northern edge of the Site 4 boundary. Any portion of a #street wall# facing the West 32nd Street Extension that extends beyond 100 feet of Eleventh Avenue as measured along the West 32nd Street Extension #street line# shall be set back at least 30 feet from the West 32nd Street Extension #street line#. Any portion of a #street wall# facing the West 31st Street Extension that extends beyond 100 feet of Eleventh Avenue as measured along the West 31st Street Extension #street line# shall be set back at least 15 feet from the West 31st Street Extension #street line#.

(b) Building base facing Eleventh Avenue

The provisions of this paragraph (b) shall apply to #street walls# below a height of 120 feet facing Eleventh Avenue and the West 31st and West 32nd Street Extensions within 50 feet of Eleventh Avenue. Such #street walls# shall rise without setback to a minimum height of 90 feet and a maximum height of 120 feet. Above a height of 120 feet, all portions of a #building# facing Eleventh Avenue shall be set back from the #street wall# of the #building# at least 15 feet, except such set back

distance may include the depth of any permitted recesses. Portions of #street walls# along the West 31st and West 32nd Street Extensions within 50 of Eleventh Avenue need not setback after the maximum base height to allow tower portions that comply with the provisions of paragraph (c) below to rise without setback.

All portions of a #building# that exceed the maximum base height of 120 feet shall comply with the tower provisions of paragraph (c) of this Section.

(c) Towers

All #stories# of a #development# or #enlargement# located partially or wholly above the maximum base height of 120 feet shall be considered a 'tower' and shall comply with the provisions of this paragraph. Not more than one tower shall be permitted on Site 4.

(1) Maximum floor plate

The gross area of any such #story# shall not exceed 12,000 square feet.

(2) Maximum length and height

For any portion of a tower above 120 feet, the maximum horizontal dimension, measured in any direction, shall not exceed 145 feet. However, if the angle of the tower's maximum horizontal dimension is aligned within 15 degrees of a 45 degree line constructed from either the southwest or northeast corner of the Site 4 rectangle in plan, as shown on Map 6 (Subdistrict F Site Plan), then such maximum horizontal dimension measured in this direction may be increased to 160 feet, provided that the maximum dimension measured perpendicular to such increased dimension does not exceed a length of 120 feet.

The maximum height of a tower on Site 4 shall be a minimum of 100 feet taller than any tower located on Site 3.

All towers that exceed a height of 350 feet shall provide articulation in accordance with Section 93-569 (Tower top articulation).

**93-567
Site 5**

All #stories# of a #development# or #enlargement# located wholly or partially above finished grade on Site 5 shall be considered a 'tower' and shall comply with the provisions of this Section 93-567.

On Site 5, a #building or other structure# may be located adjacent to and above the #High Line#, provided no portion of such #building# or an associated structural column is located within five feet of the edge of the #High Line# from the level of finished grade to a level of 50 feet above the level of the #High Line bed#, as shown on Map 7 (Subdistrict F Public Access Area Plan).

(a) Maximum floor plate

The gross area of any #story# within that portion of a #building or other structure# located east of the #High Line# and wholly or partially above the finished grade to a height of 50 feet above the #High Line bed# shall not exceed 5,000 square feet.

The aggregate gross area of any portion of a #building or other structure# located west of the #High Line# and wholly or partially above the finished grade to a height of 50 feet above the #High Line bed# shall not exceed 700 square feet, and the maximum aggregate horizontal dimension of such portions, individually measured in their longest dimension, shall not exceed 30 feet.

The gross area of any #story# within that portion of a tower located above a height of 50 feet above the #High Line bed# shall not exceed 12,000 square feet.

(b) Maximum length and height

At or below a height of 50 feet above the #High Line bed#, if a #building or other structure# is #developed# with portions on both sides of the #High Line#, the minimum horizontal dimension, measured in any direction between such portions shall be 60 feet.

For that portion of a tower located above a height of 50 feet above the #High Line bed#, the maximum horizontal dimension, measured in any direction, shall not exceed 145 feet. However, if the angle of the tower's maximum horizontal dimension is aligned within 15 degrees of a 45 degree line constructed from either the southwest or northeast corner of the Site 5 rectangle in plan, as shown on Map 6 (Subdistrict F Site Plan), then such maximum horizontal dimension measured in this direction may be increased to 160 feet, provided that the maximum dimension measured perpendicular to such increased dimension does not exceed a length of 120 feet. Furthermore, the maximum horizontal dimension for that portion of a tower which spans over the #High Line#, measured in any direction, shall not exceed 120 feet. The maximum height of a tower on Site 5 shall be 350 feet.

**93-568
Site 6**

In addition to the applicable requirements set forth in Section 93-562 (Street wall regulations for certain streets),

the provisions of this Section 93-568 shall apply to #buildings# on Site 6.

(a) Height and setback regulations

- (1) Street wall facing West 30th Street, beneath the #High Line#. The provisions of this paragraph (a) shall apply to #street walls# on Site 6 beneath the #High Line# that face West 30th Street, Eleventh Avenue and the Southwest Open Space.

All such #street walls# shall extend along the entire #street# frontage of the site, except that along West 30th Street, the #street wall# shall be no closer to the northerly #street line# of West 30th Street than the northerly edge of the southern row of structural columns of the #High Line#, and along the Southwest Open Space and Eleventh Avenue, the #street wall# shall extend to a point five feet north of the #High Line#. Ground floor recesses up to three feet deep shall be permitted for access to #building# entrances.

All such #street walls# shall rise without setback to a maximum height of the underside of the #High Line bed#.

(2) Building base

- (i) Facing Eleventh Avenue and the West 31st Street Extension, north of the #High Line#

The provisions of this subparagraph (a)(2)(i) shall apply north of the #High Line# to #street walls# facing Eleventh Avenue, the West 31st Street Extension, portions of #street walls# facing the #High Line# within 60 feet of Eleventh Avenue, and portions of #street walls# facing the Southwest Open Space within 60 feet of the West 31st Street Extension. Such #street walls# shall rise without setback to a minimum height of 60 feet and a maximum height of 90 feet. Above a height of 90 feet, all portions of a tower, or portions of a transition height located beneath a tower facing Eleventh Avenue, the #High Line# and the West 31st Street Extension shall be set back from the #street wall# of the #building# at least 15 feet, except such set back distance may include the depth of any permitted recesses. Portions of #street walls# along the Southwest Open Space within 60 feet of the West 31st Street Extension need not set back after the maximum base height to allow portions of towers, or portions of a transition height located beneath a tower that comply with the provisions of subparagraph (4) and subparagraph (3), respectively, of this paragraph (a) to rise without setback. These building base provisions may apply along the #High Line# beyond 60 feet of Eleventh Avenue, up to a maximum distance of 100 feet from Eleventh Avenue.

- (ii) Facing West 30th Street, north of the #High Line#.

The provisions of this subparagraph (a)(2)(ii) shall apply to #street walls# above the #High Line bed#, facing the #High Line# beyond 60 feet of Eleventh Avenue, and to those portions of #street walls# facing the Southwest Open Space that are within 60 feet of the #High Line#. Such #street walls# shall rise without setback to a minimum height of 50 feet as measured above the level of the #High Line bed#, and a maximum height of 60 feet as measured above the level of the #High Line bed#. Above a height of 60 feet, all portions of a tower, or portions of a transition height located beneath a tower facing the #High Line# shall be set back from the #street wall# of the #building# at least 15 feet, except such set back distance may include the depth of any permitted recesses. Portions of #street walls# along the Southwest Open Space within 60 feet of the #High Line# need not setback after the maximum base height to allow portions of a tower, or portions of a transition height located beneath a tower that comply with the provisions of subparagraph (4) and subparagraph (3), respectively, of this paragraph (a) to rise without setback.

All portions of a #building# that exceed the maximum base height of 90 feet or shall comply with the tower provisions of subparagraph (4) of this paragraph (a), with the exception of a #building# which provides a transition height in accordance with the provisions of subparagraph (3) of this paragraph (a).

(3) Transition height

If the outermost walls of all #stories# of any tower provided in accordance with the tower provisions of subparagraph (4) of this paragraph (a) are individually inscribed within a rectangle where the east-west dimension does not exceed a length of 110 feet, a transition height may be provided above the #building# base in accordance with the provisions of this subparagraph (3).

Above the maximum base height a #street wall# may rise to a maximum transition height equal to two-thirds the height of the #street wall# of the #building# base facing the West 31st Street Extension. Such a transition height shall not exceed a maximum height of 150 feet as measured above the West 31st Street Extension #street line#.

All portions of a transition height shall be set back 30 feet from the #street wall# of the #building# base along the West 31st Street Extension and the #High Line#, except that where towers are provided directly above a portion of the transition height, such a portion of transition height located directly below a tower shall provide setbacks in accordance with the #building# base provisions of subparagraph (2) of this paragraph (a).

All portions of a #building# that exceed the maximum transition height shall comply with the tower provisions of subparagraph (4) of this paragraph (a).

(4) Towers

All #stories# of a #development# or #enlargement# located partially or wholly above a height of 90 feet, or 150 feet if a transition height is provided in accordance with the provisions of subparagraph (3) of this paragraph (a), shall be considered a 'tower' and shall comply with the provisions of this subparagraph (4).

(i) Maximum floor plate

If more than one tower is provided on Site 6, the aggregate gross area of any such tower #stories#, measured at any height, shall not exceed 25,000 square feet.

(ii) Maximum length and height

The outermost walls of all #stories# of a tower, when viewed from above, shall be inscribed within a rectangle where the east-west dimension shall not exceed a length of 160 feet and the north-south dimension shall not exceed a length of 110 feet. Where more than one tower is located on Site 6, each tower shall comply independently with such maximum dimensions.

The #aggregate width of street walls# of all #stories# of a tower facing the West 31st Street Extension or the #High Line# shall not exceed 220 feet within 40 feet of the #street wall# of the #building# base.

If more than one tower is provided on Site 6, such towers shall either be equal in height, or the easternmost tower shall have a height greater than the height of the westernmost tower.

All towers that exceed a height of 350 feet shall provide articulation in accordance with Section 93-569 (Tower top articulation).

(b) Certification to expand Site 6

The area of Site 6, as shown on Map 6 (Subdistrict F Site Plan), may be extended westward by up to 40 feet in order to accommodate a public #school# upon certification of the Chairperson of the City Planning Commission that:

- (1) The Chairperson of the City Planning Commission is in receipt of a letter from the School Construction Authority that describes the need for the additional area;
- (2) The Site and Landscape Plans for the Southwest Open Space have been approved by the Chairperson of the City Planning Commission, pursuant to Section 93-78 (Site and Landscape Plans for Public Access Areas in Subdistrict F);
- (3) No portion of a tower located on Site 6 extends beyond 395 feet west of the Eleventh Avenue #street line#; and
- (4) Any portion of a #building# located beyond 395 feet from the Eleventh

Avenue #street line# affects southwesterly view corridors from the Central Open Space towards the Hudson River to the minimum extent necessary to accommodate a public #school#.

93-569 Tower top articulation

All towers that exceed a height of 350 feet shall provide articulation in accordance with this Section.

For the purposes of this Section, a minimum of the uppermost 15 percent of the height of a #building or other structure#, including all rooftop mechanical structures and their required enclosures pursuant to the regulations of paragraph (b) of Section 93-4 1 (Rooftop Regulations), shall henceforth be referred to as the 'Tower Top Zone'. However, chimneys, antennae or decorative spires shall not be considered part of the Tower Top Zone, provided no such structures contain #floor area#.

The height of such #building or other structure# shall be measured from the highest level of the public sidewalk or finished grade located nearest such #building or other structure#.

The Tower Top Zone shall contain an 'Upper Zone' and a 'Lower Zone'. The Lower Zone shall be a minimum of 50 percent of the height of the Tower Top Zone and shall contain tower #stories#. The Upper Zone shall contain the highest tower #story# where #floor area# occupies more than 75 percent of the gross area of such #story#, and any enclosed rooftop mechanical equipment.

For the purposes of this Section 93-569, each tower of a #building or other structure# shall be comprised of four separate tower top elevation views which shall be used to measure compliance with the regulations of this Section. Each elevation view shall have an angle of 90 degrees from another such view.

Each tower top shall provide the following forms of articulation: (a)

Change in the #building or other structure# profile

- (1) Constructing the profile change boundary

To comply with the provisions of this subparagraph (a)(1), a rectilinear boundary within the Tower Top Zone shall be created in each elevation view to determine the required amount of profile change. In order to construct such boundary, two datum lines shall first be drawn in each elevation view. Such datum lines shall begin at the average outermost edges of those portions of tower floor plates above a height of 350 feet containing #floor area# below the Tower Top Zone, and shall extend upward for the entirety of the height of the #building or other structure#. The rectilinear profile change boundary shall include the portion of these two datum lines within the Tower Top Zone, as well as their intersection with two datum lines indicating the uppermost elevation and the lowermost elevation of the Tower Top Zone. In addition, a datum line shall indicate the boundary between the Upper and Lower Zone, creating a boundary for both the Upper Zone and Lower Zone.

- (2) Required profile change

A minimum of 10 percent of the area of the profile change boundary within the Lower Zone shall remain open to the sky in each required elevation view. Such profile change shall begin upward at the lowermost datum line of the Tower Top Zone. In addition, a minimum of 20 percent of the area of the profile change boundary within the Upper Zone shall remain open to the sky in each required elevation view.

However, for portions of a #building or other structure# providing enclosed rooftop mechanical equipment within the Upper Zone, the width (as viewed in elevation) of the lowermost portion of enclosed rooftop mechanical space at that point in elevation which coincides with the uppermost portion of the highest tower #story# shall in no event be reduced beyond 50 percent of the width of such highest tower #story#. Upwards of such a point in elevation, no restriction on maximum width reduction for enclosed rooftops mechanical spaces shall apply.

- (b) Change in the #building or other structure lot coverage#

For portions of a #building or other structure# within the Lower Zone, the average #lot coverage# for all tower #stories# within such zone shall not exceed 80 percent of the #lot coverage# of the tower #story# with the largest #lot coverage# below the Tower Top Zone and above a height of 350 feet.

- (c) Material continuity

A minimum of ten percent of the surface area of the exterior portion of the facade of the #building or other structure# within the Tower Top Zone, as viewed in elevation, shall be composed of a single material. Such material shall be continuously visible (in each elevation view) from the lowermost datum line of the Tower Top Zone to the uppermost datum line of the Tower Top Zone. However, within each #story# of the Lower Zone, a break in the vertical continuity of the material shall be permitted, provided that the vertical break does not exceed twelve inches.

93-57 Special Permit for Modification of Height and Setback Regulations

Within the #Special Hudson Yards District#, except within C1-7A Districts or C2-5 Districts mapped within RSA Districts, for #developments# or #enlargements# on #zoning lots# with at least 20,000 square feet of #lot area# or

#developments# or #enlargements# on any size #zoning lot# that occupy the entire #block# front along a #wide street#, the City Planning Commission may modify the regulations set forth in Sections 93-40 (HEIGHT AND SETBACK REGULATIONS), inclusive, and 93-50 (SPECIAL HEIGHT AND SETBACK REGULATIONS IN SUBDISTRICTS A THROUGH E), inclusive, provided the Commission finds that:

* * *

93-60 MANDATORY IMPROVEMENTS

93-61 Sidewalk Widening

Map 4 (Mandatory Sidewalk Widening) in Appendix A of this Chapter specifies locations of mandatory sidewalk widenings. The depth of such sidewalk widenings shall be as indicated on Map 4 in Appendix A and shall be measured perpendicular to the #street line#. All sidewalk widenings shall be improved as sidewalks to Department of Transportation standards, at the same level as the adjoining public sidewalks, and shall be accessible to the public at all times.

* * *

93-70 PUBLIC ACCESS REQUIREMENTS FOR SPECIAL SITES

* * *

93-71 Public Access Areas in the Eastern Rail Yards Subarea A1

* * *

- (b) Outdoor plaza

* * *

Building walls fronting upon the western boundary of the outdoor plaza shall extend along at least 70 percent of the length of the southerly prolongation of the western sidewalk widening line of Hudson Boulevard West and shall rise to a minimum height of 90 feet and a maximum height of 120 feet. Above a height of 120 feet, a setback at least 20 feet in depth is required from such prolongation line. However, such building wall may rise without setback at such prolongation line, provided the aggregate width of such building wall does not exceed 50 percent of the width of such line and provided all other portions of the #building# that exceed a height of 120 feet are set back at least 20 feet from such prolongation line at a height not lower than 90 feet.

The retail and glazing requirements of Section 93-14 (~~Retail Continuity Along Designated Streets~~ Ground Floor Level Requirements) shall apply to at least 70 percent of the length of all building walls facing each side of the outdoor plaza, except that such retail requirements shall not apply to any #building# containing only #uses# in Use Group 3 or 4 located west of the southerly prolongation of the eastern sidewalk widening line of Hudson Boulevard East and within 220 feet of West 30th Street.

93-75 Publicly Accessible Open Spaces in Subdistrict F

Public access areas in Subdistrict F shall be comprised of publicly accessible open spaces, private streets and pedestrian ways.

Publicly accessible open spaces are listed in this Section 93-75, inclusive. Such publicly accessible open spaces shall be comprised of the Western Open Space, the Central Open Space, the Southwest Open Space, the Northeast Plaza, the Midblock Connection, and the #High Line# as described within this Section 93-75, inclusive. Map 7 (Subdistrict F Public Access Area Plan) in Appendix A of this Chapter identifies the location of publicly accessible open spaces.

General requirements for each publicly accessible open space are set forth within this Section. Design requirements for each publicly accessible open space are set forth in Section 93-77 (Design Criteria for Public Access Areas in Subdistrict F). The phasing and approval process for each publicly accessible open space is set forth in Section 93-78 (Site and Landscape Plans for Public Access Areas in Subdistrict F).

All publicly accessible open spaces listed in this section shall be accessible to the public from the hours of 6:00 am to 1:00 am with the exception of the #High Line#, and the Northeast Plaza. The Northeast Plaza shall provide hours of access pursuant to Section 37-727 (Hours of access).

93-751 General requirements for the Western Open Space

A publicly accessible open space, (henceforth referred to as the 'Western Open Space'), shall be provided in Subdistrict F. Such a space shall be open to the sky, except that amenities that are provided in accordance with this Section 93-75, and Section 93-77 (Design Criteria for Public Access Areas in Subdistrict F) shall be permitted to cover a portion of the Western Open Space.

- (a) General purpose

The Western Open Space is intended to serve the following purposes:

- (1) To provide a major open space that joins the northern portion of the #High Line# open space network on its west to the open space networks leading to the Hudson Park and Boulevard on its east;
- (2) To provide a large open lawn area overlooking the Hudson River for public use and enjoyment; and
- (3) To provide transition areas that offer shade, supplemental space between the open lawn and surrounding buildings, and connections between surrounding publicly accessible open spaces.

- (b) Location and minimum dimensions

The Western Open Space shall be located east of the #High Line#, and encompass the area between Sites 1 and 5 as shown on Map 7 (Subdistrict F Public Access Area Plan). The Western Open Space shall have a minimum easterly boundary of 225 feet

as measured from the easterly #street line# of Twelfth Avenue.

- (c) Core elements

The Western Open Space shall provide the following core elements:

- (1) Lawn area

An accessible lawn area shall be provided with a minimum area of one acre. Any lawn area located within 40 feet of a #building# wall on Sites 1 or 5 shall not contribute towards this one acre requirement. The required lawn area shall be comprised of the following amenities:

- (i) A continuous lawn area shall be provided over a minimum of 75 percent of the required one acre. Such area shall have a maximum slope of three degrees and unobstructed visual access toward the Hudson River.
- (ii) A transitional lawn area may be provided for a maximum of 25 percent of the required one acre of lawn area. Such area need not be continuous, and shall have a maximum slope of 15 degrees. Trees and other plantings shall be permitted in such area.

- (2) #High Line# connection

Access to the #High Line# shall be provided along a minimum of 75 feet and a maximum of 150 feet of #High Line# frontage length. Such frontage need not be continuous, however, in order to qualify as unobstructed access that contributes to the minimum 75 foot requirement set forth in this subparagraph (c)(2), a minimum frontage width of five feet is required. Such access need not be opened to the public until the #High Line# is reconstructed as public open space in accordance with the provisions of Section 93-756 (General requirements for the High Line).

- (3) Supplemental area

Any space provided in the Western Open Space which does not meet the criteria for lawn area set forth in subparagraph (c)(1) of this Section or the criteria for the #High Line# connection set forth in subparagraph (c)(2) of this Section shall be designated as supplemental area and shall comply with the requirements set forth in this subparagraph (c)(3).

A minimum of 50 percent of the supplemental area shall be landscaped with soft ground cover, and the remaining 50 percent may be paved. At least one tree shall be provided for every 2,000 square feet of supplemental area. Such trees may be distributed anywhere within the supplemental area.

A minimum of two unimpeded paved pedestrian accesses, each with a minimum width of 12 feet, shall be provided in the supplemental area. One such pedestrian access shall link the West 32nd Street Extension's alley to the #High Line#, and the second such pedestrian access shall link the West 31st Street Extension to the #High Line#.

A minimum of one linear foot of seating shall be provided for every 75 square feet of supplemental area. At least 50 percent of such required seating shall provide seatbacks. Such seating may be distributed anywhere within the supplemental area.

Permanent structures such as food or information kiosks, pavilions or public restrooms, may be placed within the supplemental area provided the height of such structures does not exceed 20 feet. The maximum #lot coverage# that all such permanent structures may occupy shall be 400 square feet, and shall be exempt from the definition of #floor area#.

- (d) Transparency

For portions of #buildings# on Site 1 and Site 5 fronting upon the Western Open Space, a minimum of 50 percent of the surface area of the ground floor #street wall# fronting upon the open space shall be treated with clear, un-tinted transparent material.

- (e) Permitted encroachments from private streets and pedestrian ways

The Connector and the terminus of the West 32nd Street Extension shall be permitted to encroach upon the supplemental area of the Western Open Space, provided that the Site and Landscape Plans incorporating the private street or pedestrian way are approved in conjunction with the Western Open Space pursuant to Section 93-7 8 (Site and Landscape Plans for Public Access Areas in Subdistrict F).

93-752 General requirements for the Central Open Space

A publicly accessible open space, (henceforth referred to as the 'Central Open Space'), shall be provided in Subdistrict F. Such a space shall be open to the sky, except that portions of a #building# on Site 3 and amenities that are provided in accordance with this Section 93-75, and Section 93-77 (Design Criteria for Public Access Areas in Subdistrict F), shall be permitted to cover a portion of the Central Open Space.

(a) General purpose

The Central Open Space is intended to serve the following purposes:

- (1) To serve as a neighborhood open space;
- (2) To provide amenities for area residents, workers, and the general public; and
- (3) To provide areas that offer varied programs, supplemental spaces between amenities and surrounding #buildings# and connections between surrounding publicly accessible open spaces.

(b) Location and dimensions

The Central Open Space shall be located within the area bounded by the West 32nd Street Extension, the West 31st Street Extension, the Connector and Eleventh Avenue, and shall also be comprised of any portion of Sites 3 and 4 which are not covered by #buildings# at the ground level as shown on Map 7 (Subdistrict F Public Access Area Plan).

The Central Open Space shall have a minimum dimension in the north-south direction as measured from the southerly #street line# of the West 32nd Street Extension to the northerly #street line# of the West 31st Street Extension of 175 feet. In addition, the minimum dimension of the Central Open Space in the north-south direction between the northern boundary of Site 3 and the southerly #street line# of the West 32nd Street Extension shall be 55 feet.

The Central Open Space shall have a minimum dimension in the east-west direction as measured from the easterly #street line# of the Connector to the westerly #street line# of Eleventh Avenue of 545 feet. In addition, the minimum dimension of the open space in the east-west direction between the eastern boundary of Site 3 and the western boundary of Site 4 shall be 265 feet.

Within 350 feet of the Eleventh Avenue #street line#, the maximum height of the finished grade of the Central Open Space shall be 45 feet above the Manhattan Datum, which is 2.75 feet above Sea Level. Beyond 350 feet of Eleventh Avenue, the maximum height of the finished grade shall be 47 feet above the Manhattan Datum.

(c) Core elements

The Central Open Space shall provide the following core elements:

(1) Lawn area

An accessible lawn area shall be provided with a minimum aggregate area of 10,000 square feet and a maximum slope of three degrees. Such area need not be continuous. Any lawn area located within 12 feet of a #building# wall on Sites 3 or 4 shall not contribute towards such minimum gross area.

(2) Playground

A playground shall be provided with a minimum area of 10,000 square feet.

(3) Supplemental area

Any space in the Central Open Space other than the required lawn area set forth in subparagraph (c)(1) of this Section or the required playground space set forth in subparagraph (c)(2) of this Section, shall be designated as supplemental area and shall comply with the requirements set forth in this Section.

A minimum of 50 percent of the supplemental area shall be landscaped with soft ground cover, and the remaining 50 percent may be paved. At least one tree shall be provided for every 1,500 square feet of the supplemental area. Such trees may be distributed anywhere within the supplemental area.

A minimum of two unimpeded paved pedestrian accesses, each with a minimum width of 12 feet, shall be provided in the supplemental area. Such pedestrian access shall link the West 31st and West 32nd Street Extensions and be no closer than 150 feet to one another at any point.

A minimum of one linear foot of seating shall be provided for every 75 square feet of supplemental area. At least 50 percent of such required seating shall provide seatbacks. Such seating may be distributed anywhere within the supplemental area.

Within 15 feet of a required sidewalk or pedestrian access, the slope of the supplemental area shall not exceed 7.5 degrees, or a maximum height of two feet.

Beyond 15 feet of a required sidewalk or pedestrian access, the slope of the supplemental area shall not exceed 15 degrees.

(d) Permanent structures

Permanent structures, such as food or information kiosks, pavilions or public restrooms may be placed within the Central Open Space, provided the height of such structures does not exceed 20 feet. The maximum #lot coverage# that all such permanent structures may occupy shall be 400 square feet and shall be exempt from the definition of #floor area#.

(e) Transparency

For portions of #buildings# in Site 4 fronting upon the Central Open Space, a minimum of 50 percent of the surface area of the ground floor #street wall# fronting upon the open space shall be treated with clear, un-tinted transparent material.

(f) Permitted encroachments from private streets and pedestrian ways

The Connector and the terminus of the West 31st Street Extension shall be permitted to encroach upon the supplemental area of the Central Open Space, provided that the Site and Landscape Plans incorporating the private street or pedestrian way are approved in conjunction with the Central Open Space pursuant to Section 93-78 (Site and Landscape Plans for Public Access Areas in Subdistrict F).

93-753

General requirements for the Southwest Open Space

A publicly accessible open space, (henceforth referred to as the 'Southwest Open Space'), shall be provided in Subdistrict F. Such accessible open space shall be open to the sky, except that portions of a #building# or other structure# on Site 5, the #High Line# and amenities that are provided in accordance with this Section 93-75, and Section 93-77 (Design Criteria for Public Access Areas in Subdistrict F) shall be permitted to cover a portion of the Southwest Open Space.

(a) General purpose

The Southwest Open Space is intended to serve the following purposes:

- (1) To serve as an inviting pedestrian gateway to the Western Rail Yard from open space networks along the Hudson River;
- (2) To provide pedestrian amenities and connections between surrounding public spaces both on and adjacent to the Western Rail Yard; and
- (3) To offer a unique open space experience for pedestrians through the negotiation of the area's grade changes.

(b) Location and minimum dimensions

The Southwest Open Space shall be located within the area bounded by Twelfth Avenue, the Western Open Space, the West 31st Street Extension, Site 6, and West 30th Street, and shall also be comprised of any portion of Site 5 which is not covered by a #building# or other structure# at the ground level as shown on Map 7 (Subdistrict F Public Access Area Plan).

The Southwest Open Space shall have a minimum dimension in the east-west direction as measured from the easterly #street line# of Twelfth Avenue to the western boundary of Site 6 of 400 feet. However, if the length of Site 6 is extended to accommodate a public #school# in accordance with the provisions of paragraph (b) of Section 93-568 (Site 6), the minimum dimension of the Southwest Open Space shall be 360 feet.

The Southwest Open Space shall have a minimum dimension in the north-south direction as measured from the northerly #street line# of West 30th Street to the southern boundary of the Western Open Space of 180 feet and a maximum dimension of 200 feet.

(c) Core elements

The Southwest Open Space shall have the following core elements. For the purpose of determining the amount of an amenity to provide in relation to the area of the Southwest Open Space in this paragraph (c), the area of the Southwest Open Space shall exclude the area occupied by a #building# or other structure# on Site 5 and the #High Line#.

A minimum of 50 percent of the area of the Southwest Open Space shall be landscaped with soft ground cover, and the remaining 50 percent of the Southwest Open Space may be paved. At least one tree shall be provided for every 1,500 square feet of Southwest Open Space.

An unimpeded paved pedestrian access with a minimum width of 12 feet shall link either Twelfth Avenue or West 30th Street and the West 31st Street Extension. If such pedestrian access contains 'switchbacks' comprised of a series of ascending pedestrian ways, the minimum distance between midpoints of each way, as measured in plan from the northerly edge of one way to the southerly edge of the next ascending way shall be 15 feet.

A second unimpeded paved pedestrian access with a minimum width of 12 feet shall link either

Twelfth Avenue or West 30th Street and the #High Line bed# or with an elevator located adjacent to the #High Line# that provides public access to the #High Line bed#. Such access need not be opened to the public until the #High Line# is reconstructed as public open space in accordance with the provisions of Section 93-756.

A minimum of one linear foot of seating shall be provided for every 75 square feet of soft ground cover provided within the Southwest Open Space. At least 50 percent of such required seating shall provide seatbacks.

Permanent structures, such as food or information kiosks, pavilions or public restrooms shall be permitted within the Southwest Open Space provided the height of such structures does not exceed 20 feet. The maximum area #lot coverage# that all such permanent structures may occupy shall be 1,000 square feet, provided that such structures are located entirely west of the #High Line#. Such permanent structures shall be exempt from the definition of #floor area#.

(d) Permitted encroachments from private streets

The terminus of the West 31st Street Extension shall be permitted to encroach upon the Southwestern Open Space, provided that the Site and Landscape Plans for the West 31st Street Extension are approved in conjunction with the Southwestern Open Space pursuant to Section 93-78 (Site and Landscape Plans for Public Access Areas in Subdistrict F).

93-754

General requirements for the Northeast Plaza

A publicly accessible open space, (henceforth referred to as the 'Northeast Plaza'), shall be provided at the intersection of West 33rd Street and Eleventh Avenue, as shown on Map 7 (Subdistrict F Public Access Area Plan). The area of such space shall be at least 2,600 square feet, and shall have a minimum #street# frontage of 40 feet along each #street#. The Northeast Plaza shall be #developed# in accordance with the standards of a #public plaza# as set forth in Section 37-70 (PUBLIC PLAZAS), exclusive of the area dimensions set forth in Section 37-7.12.

93-755

General requirements for the Midblock Connection

A pedestrian way (henceforth referred to as the 'Midblock Connection'), shall be provided between West 33rd Street and the West 32nd Street Extension, (as shown on Map 7 (Subdistrict F Public Access Area Plan).

(a) General purpose

The Midblock Connection is intended to serve the following purposes:

- (1) To provide pedestrian access between West 33rd Street and the Western Rail Yard Subdistrict F; and
- (2) To provide amenities similar to a through block public plaza.

(b) Location and dimensions

The entirety of the Midblock Connection shall be located between 335 feet and 455 feet west of the westerly Eleventh Avenue #street line#.

The minimum width of the Midblock Connection, measured in the east-west direction, shall be 60 feet.

(c) Core elements

The Midblock Connection shall provide the following core elements:

- (1) A minimum of one unimpeded pedestrian access, with a minimum width of 12 feet, shall be provided to connect the West 32nd Street Extension with West 33rd Street;
- (2) A minimum of one linear foot of seating shall be provided for every 75 square feet of the Midblock Connection. A minimum of 50 percent of the required seating shall provide seatbacks; and
- (3) A minimum of 20 percent of the gross area of the Midblock Connection shall be landscaped with soft ground cover, and shall provide a minimum of one tree per every 1,500 square feet.

93-756

General requirements for the High Line

For the portion of the #High Line# which is located within the boundary of Subdistrict F, the following provisions shall apply.

(a) General purpose

The #High Line# is intended to serve the following purposes:

- (1) To serve as a continuation of the #High Line# public open space to the east and to the south of West 30th Street;
- (2) To offer a pedestrian and passive open space experience similar to the #High Line# open space south of West 30th Street, through planting, materials and amenities, while taking into account the

nature and character of the Western Rail Yard Subdistrict F; and

(3) To allow for connections to other public areas on the Western Rail Yard Subdistrict F.

(b) Permitted #uses#

Any permitted change of #use# for the #High Line# shall be made pursuant to the provisions of Section 93-10 (USE REGULATIONS).

(c) Core Elements

The #High Line# open space shall provide amenities including, but not limited to, planting, seating, and lighting designed so as to complement and be integrated with portions of the #High Line# south of West 30th Street in a manner that provides both visual and pedestrian continuity along the #High Line# open space network. The #High Line# open space shall not be subject to the design criteria for public access areas in Subdistrict F set forth in Section 93-77 (Design Criteria for Public Access Areas in Subdistrict F).

The Site and Landscape Plans for the High Line approved pursuant to Section 93-78 (Site and Landscape Plans for Public Access Areas in Subdistrict F) shall make provision for access points to and from the High Line Open Space, including the public access provided in the Southwest Open Space pursuant to Section 93-753 (General requirements for the Southwest Open Space) and, subject to agreement, shall include support facilities necessary for the operation, maintenance, and public enjoyment of the #High Line# open space located in Subdistrict F, or at other locations north of West 30th Street.

(d) Certification to modify requirements adjacent to the #High Line#

The Chairperson of the City Planning Commission may modify certain regulations on adjacent #development# sites provided that the Chairperson certifies to the Commissioner of Buildings that such a change is necessary in order to provide access to the #High Line# open space, or to accommodate facilities for the #High Line# open space, and that such change is compatible with the character of #developed# portions of the #High Line# south of West 30th Street.

The following regulations may be modified:

- (1) The ground floor level requirements set forth in Section 93-14 (Ground Floor Level Requirements), where applicable;
- (2) The unobstructed five foot separation between the #High Line# and a #street wall# on Sites 1, 5 and 6 required pursuant to paragraph (a) of Section 93-561 (General rules for Subdistrict F) in order to accommodate a pedestrian access way, open to the sky, between the #High Line# and such #building# sites. However, the required five foot #street wall# separation from the edge of the #High Line# shall not be modified;
- (3) The #street wall# requirements for Site 6 set forth in Section 93-562 (Street wall regulations for certain streets), only as necessary to accommodate pedestrian access onto the #High Line#;
- (4) The general requirements for the Western Open Space and the Southwest Open Space set forth in Section 93-75 (Publicly Accessible Open Spaces in Subdistrict F); and
- (5) The general requirements for the 30th Street Corridor set forth in Section 93-76 (Publicly Accessible Private Streets and Pedestrian Ways in Subdistrict F).

Any application for such change shall be included in the application for the Site and Landscape Plans submitted pursuant to the provisions of Section 93-78 (Site and Landscape Plans for Public Access Areas in Subdistrict F) for the #High Line# open space.

93-76
Publicly Accessible Private Streets and Pedestrian Ways in Subdistrict F

Public access areas in Subdistrict F shall be comprised of publicly accessible open spaces, private streets and pedestrian ways.

Publicly accessible private streets and pedestrian ways shall be provided in Subdistrict F in addition to the publicly accessible open spaces required in Section 93-75 (Publicly Accessible Open Spaces in Subdistrict F). Such private streets and pedestrian ways shall be comprised of the West 31st and West 32nd Street Extensions, the West 30th Street Corridor and the Connector. Map 7 (Subdistrict F Public Access Area Plan) in Appendix A of this Chapter identifies the location of these publicly accessible private streets and pedestrian ways.

General requirements for each publicly accessible private street and pedestrian way are set forth within this Section. Design requirements for each publicly accessible private street and pedestrian way are set forth in Section 93-77 (Design Criteria for Public Access Areas in Subdistrict F). The phasing and approval process for each publicly accessible private street and pedestrian way are set forth in Section 93-78 (Site and Landscape Plans for Public Access Areas in Subdistrict F).

Publicly accessible private streets and pedestrian ways listed in this section shall be accessible to the public at all times.

93-761
General requirements for the West 32nd Street Extension

A private street, (henceforth referred to as the 'West 32nd Street Extension'), shall be provided south of and parallel to West 33rd Street.

(a) General purpose

The West 32nd Street Extension is intended to serve the following purposes:

- (1) To serve as the primary publicly accessible pedestrian and vehicular connection to the Western Rail Yard from Eleventh Avenue;
- (2) To provide an experience substantially similar to active public #streets# in other high- density, mixed-use districts;
- (3) To provide a unique urban park-like experience for an active public street by connecting the Western Open Space and the Eastern Rail Yard plaza with a pedestrian alley; and
- (4) To provide a private street with core elements which are substantially similar to the surrounding public #streets#.

(b) Location and Dimensions

The West 32nd Street Extension shall have its northerly edge located a minimum of 180 feet and a maximum of 200 feet south of the West 33rd Street #street line#, as shown on Map 7 (Subdistrict F Public Access Area Plan), except that a terminus to the West 32nd Street Extension, located west of the Connector shall be permitted to expand beyond the maximum dimensions, provided that such a terminus extends to provide a #building# entrance drive along Site 1, and complies with the provisions set forth in paragraph (e) of Section 93-75 1 (General requirements for the Western Open Space).

(c) Core Elements

The West 32nd Street Extension shall provide the following core elements:

- (1) Streets and sidewalk requirements
The West 32nd Street Extension shall be a private street constructed to minimum Department of Transportation and Fire Department standards for public #streets#. Such private street shall consist of a road bed, paved with asphalt, with a minimum width pursuant to the requirements set forth by the Fire Department; a 20 foot minimum sidewalk along its entire northern curb; and a 25 foot minimum sidewalk along its entire southern curb.
- (2) Planting and seating requirements for the southern sidewalk and alley
Two trees shall be planted for every 20 feet of southern curb length of the West 32nd Street Extension between Eleventh Avenue and the Connector. Fractions equal to or greater than one-half resulting from this calculation shall be considered to be one tree. Such trees shall be planted at approximately equal intervals along the entire curb length of the West 32nd Street Extension.
Along the southern sidewalk trees shall be planted within five feet of the curb and the southern edge of the sidewalk. One row of trees shall be planted within five feet of the curb and a second row of trees shall be planted within five feet of the southern edge of the sidewalk. This double row of tree planting along the southern sidewalk of the West 32nd Street Extension between Eleventh Avenue and the Connector shall henceforth be referred to as the 'alley', as shown on Map 7 (Subdistrict F Public Access Area Plan). No #development# shall be permitted within 15 feet of the southern edge of the alley.
The alley shall provide a minimum of one linear foot of seating for every 75 square feet of the alley. A minimum of 50 percent of the required seating shall provide seatbacks.
- (3) Planting requirements for the northern sidewalk
One tree shall be planted for every 25 feet of curb length of the West 32nd Street Extension along its northern curb between Eleventh Avenue and the Connector. Fractions equal to or greater than one-half resulting from this calculation shall be considered to be one tree. Such trees shall be planted at approximately equal intervals along the entire curb length of the West 32nd Street Extension, until the Connector. Along the northern sidewalk, trees shall be planted within five feet of the curb.

(4) Curb cuts

No curb cuts shall be permitted along the West 32nd Street Extension, except for access to the Connector if required by the Fire Department.

93-762
General requirements for the West 31st Street Extension

A private street, (henceforth referred to as the 'West 31st Street Extension'), shall be provided north of and parallel to West 30th Street.

(a) General purpose

The West 31st Street Extension is intended to serve the following purposes:

- (1) To serve as a publicly accessible pedestrian and vehicular connection to the Western Rail Yard from Eleventh Avenue;
- (2) To provide an experience substantially similar to active public #streets# in other high- density, mixed-use districts; and
- (3) To provide a private street with core elements which are substantially similar to the surrounding public #streets#.

(b) Location and Dimensions

The West 31st Street Extension shall have its southerly edge located a minimum of 180 feet and a maximum of 200 feet north of the West 30th Street #street line#, as shown on Map 7 (Subdistrict F Public Access Area Plan), except that a terminus to the West 31st Street Extension, located west of the Connector, shall be permitted to expand beyond the maximum dimensions, provided that such a terminus extends to provide a #building# entrance drive along Site 5, and complies with the provisions set forth in paragraph (d) of Section 93-753 (General requirements for the Southwest Open Space), and/or paragraph (f) of Section 93-754 (General requirements for the Northeast Plaza) as applicable.

(c) Core Elements

The West 31st Street Extension shall provide the following core elements:

- (1) Street and sidewalk requirements
The West 31st Street Extension shall be a private street constructed to minimum Department of Transportation and Fire Department standards for public #streets#. Such private street shall consist of a road bed, paved with asphalt, with a minimum width pursuant to requirements set forth by the Fire Department; a 15 foot minimum sidewalk along its entire northern curb; and a 20 foot minimum sidewalk along its entire southern curb.
- (2) Planting requirements for sidewalks
One tree shall be planted for every 25 feet of curb length of the West 31st Street Extension between Eleventh Avenue and the Connector. Fractions equal to or greater than one-half resulting from this calculation shall be considered to be one tree. Such trees shall be planted at approximately equal intervals along the entire length of the curb of the private street between Eleventh Avenue and the Connector.
- (3) Curb cuts
One curb cut shall be permitted along each side of the West 31st Street Extension. The maximum width of such curb cut shall be 30 feet. A third curb cut accessing the Connector shall be permitted if required by the Fire Department.

93-763
General requirements for the West 30th Street Corridor

A pedestrian way (henceforth referred to as the 'West 30th Street Corridor'), shall be provided along the northerly sidewalk of West 30th Street adjacent to the area below the #High Line#.

(a) General purpose

The West 30th Street Corridor is intended to serve the following purposes:

- (1) To serve as a transition space between the #High Line# and the West 30th Street sidewalk;
- (2) To allow for active frontages with publicly-accessible open areas for establishments below the #High Line#; and
- (3) To provide an overall streetscape design that compliments and provides views of the #High Line# along West 30th Street.

(b) Location and Dimensions

The West 30th Street Corridor shall be located in

the area bounded by the #High Line#, Eleventh Avenue, West 30th Street, and the eastern edge of the Southwest Open Space, as shown on Map 7 (Subdistrict F Public Access Area Plan).

In the north-south direction, the West 30th Street Corridor shall extend from the #street wall# of #buildings# beneath the #High Line# facing West 30th Street (which shall coincide with the northerly edge of the southern row of structural columns of the #High Line#) to the northerly #street line# of West 30th Street.

(c) Core Elements

The West 30th Street Corridor shall have the following provisions for its core elements:

- (1) A pedestrian access area at least 10 feet in width shall be provided along the entire length of the West 30th Street Corridor, linking Eleventh Avenue with the sidewalk adjacent to the Southwest Open Space. Such area shall be located a minimum of five feet beyond the northerly curb line of West 30th Street, and shall be free of obstructions;
- (2) Portions between the required pedestrian access area and the #High Line# may be paved or landscaped; and
- (3) Street trees shall be planted within five feet of the northern curb of West 30th Street. One tree shall be planted for every 25 feet of curb length. Fractions equal to or greater than one-half resulting from this calculation shall be considered to be one tree. Such trees shall be planted at approximately equal intervals along the entire curb length of the West 30th Street.

93-764

General requirements for the Connector

A publicly accessible connection (henceforth referred to as the 'Connector'), shall be provided between the West 32nd Street Extension and the West 31st Street Extension.

(a) General purpose

The Connector is intended to serve the following purposes:

- (1) To serve as a connection between the West 32nd Street Extension and the West 31st Street Extension;
- (2) To provide a space that compliments the surrounding publicly accessible open spaces; and
- (3) To provide an emergency egress connector pursuant to Fire Department standards.

(b) Location and Dimensions

The western #street line# of the Connector shall be located a minimum of 225 feet east of the easterly #street line# of Twelfth Avenue, as shown on Map 7 (Subdistrict F Public Access Area Plan).

(c) Core Elements

The Connector shall provide the following core elements:

- (1) The Connector shall be constructed to minimum Fire Department standards for an emergency egress connection between the West 32nd Street Extension and the West 31st Street Extension, including, but not limited to, the width and materials of paved area, and permitted obstructions within such area; and
- (2) The Connector shall not be located within 15 feet of a #building#.

93-77

Design Criteria for Public Access Areas in Subdistrict F

Public access areas in Subdistrict F shall be comprised of publicly accessible open spaces, private streets and pedestrian ways.

(a) Design Criteria

Where publicly accessible open spaces, with the exception of the #High Line#, private streets and pedestrian ways provide elements listed in this Section 93-77 (Design Criteria for Public Access Areas in Subdistrict F), such elements shall comply with the applicable minimum design standards set forth below as a minimum design standard.

(1) Seating

Seating shall meet the minimum and maximum dimensional standards set forth in paragraphs (1-7) of Section 37-741 (Seating), inclusive.

(2) Planting and trees

Where planting areas are provided, they shall meet the planting bed requirements, and irrigation requirements of Section 37-742 (Planting and trees).

Where trees are provided, they shall meet the applicable minimum tree caliper standards, soil requirements, and irrigation standards set forth in Section

37-742 (Planting and trees), except that within the Western Open Space, the Central Open Space, and the Southwest Open Space, the soil requirements for tree planting shall not apply. In lieu thereof, all trees in the Central and Western Open Spaces shall be planted in areas with soil depth of at least five feet. In the Southwest Open Space, all trees shall be planted in continuous planted areas that have a minimum depth of five feet and a minimum area of 500 square feet of soil.

(3) Paving

Paving, exclusive of the required asphalt paving of the West 31st and West 32nd Street Extension roadbeds shall meet the minimum standards set forth in Section 37-718 (Paving).

(4) Steps

Steps shall meet the minimum dimensional standards set forth in Section 37-725 (Steps).

(5) Kiosks and open air cafes

Kiosks or open air cafes shall meet the operational and service requirements listed in paragraphs (a) and (b) of Section 37-73 (Kiosks and Open Air Cafes). Seating provided as part of an open air cafe shall not count towards meeting the seating requirements of a public access area listed in Section 93-75 (Publicly Accessible Open Spaces in Subdistrict F).

(6) Standards of accessibility for persons with disabilities

All publicly accessible open spaces, private streets and pedestrian ways shall be designed pursuant to the standards of accessibility for persons with disabilities set forth in Section 37-728 (Standards of accessibility for persons with disabilities).

(7) Lighting and electrical power

All publicly accessible open spaces, private streets and pedestrian ways shall provide lighting and electrical power pursuant to the standards set forth in Section 37-743 (Lighting and electrical power).

(8) Litter receptacles

All publicly accessible open spaces, private streets and pedestrian ways shall provide litter receptacles pursuant to the standards set forth in Section 37-744 (Litter receptacles).

(9) Bicycle parking

Bicycle racks sufficient to accommodate at least 25 bicycle parking spaces shall be provided in the Southwest Open Space. Bicycle racks sufficient to accommodate at least 30 bicycle parking spaces shall be provided in the Central Open Space, and bicycle racks sufficient to accommodate at least 33 bicycle parking spaces shall be provided in the Western Open Space. Such racks shall be located adjacent to a paved circulation path within the open space or in public sidewalks adjacent to the open space.

(10) Playgrounds and additional amenities

Where playgrounds and additional amenities are provided in publicly accessible open spaces, such amenities shall be designed pursuant to the standards set forth in Section 37-748 (Additional amenities).

(11) Signs

All open spaces within the publicly accessible open spaces shall provide open space signage pursuant to the standards set forth in Section 37-75 1 (Public space signage systems).

(12) Canopies, awnings and marquees

Where #buildings# front onto publicly accessible open spaces, private streets and pedestrian ways, canopies, awnings and marquees shall be permitted pursuant to the standards set forth in paragraph (c) of Section 37-726 (Permitted obstructions).

(13) Gates and fences

Gates, fences or other barriers shall be permitted at the perimeter of any playgrounds, tot lots, or dog runs provided as part of a publicly accessible open space or pedestrian way. Additional gates, fences or other barriers shall be permitted in the Midblock Connection, the Southwest Open Space and the #High Line# only as approved as part of the Site and Landscape Plans submitted pursuant to Section 93-78 (Site and Landscape Plans for Public Access Areas in Subdistrict F).

Such gates, fences or other barriers shall have a maximum height of 48 inches as measured from the adjoining grade level, and shall be at least 70 percent open. However, where gates, fences or other barriers are mounted on a solid curb, such minimum transparency shall not include the surface area of the curb, provided that the height of such curb does not exceed six inches.

Chain link fencing or barbed or razor wire shall not be permitted.

(14) Public restrooms

At least one public restroom shall be provided to serve either the Central Open Space or the Western Open Space, whichever is #developed# first pursuant to the provisions of Section 93-78 (Site and Landscape Plans for Public Access Areas in Subdistrict F). Such public restroom shall provide separate restroom spaces for each gender, and may be located in either the publicly accessible open space or within the ground floor of any adjacent #building#.

(b) Maintenance

The owner of each of Sites 1 through 6 in Subdistrict F shall be responsible for the maintenance of the all publicly accessible open spaces, private streets and pedestrian ways, including, but not limited to, litter control, management of pigeons and rodents, maintenance of required lighting levels, and the care and replacement of furnishings and vegetation within the portion of the Subdistrict associated with such Site in the phased #development# provided in the Site and Landscape Plans required pursuant to Section 93-78 (Site and Landscape Plans for Public Access Areas in Subdistrict F). Notwithstanding the foregoing, maintenance of the #High Line# shall be governed by such agreements as are entered into with respect thereto.

(c) Interim #use#

Open #uses# listed in Use Group 4B, with the exception of 'Cemeteries' and 'Golf courses' shall be permitted as interim #uses# within the designated boundary of any public access area described in Sections 93-75 (Publicly Accessible Open Spaces in Subdistrict F) or 93-76 (Publicly Accessible Private Streets and Pedestrian Ways in Subdistrict F) with the exception of the #High Line# open space, or within the designated boundary of any #building# site described in Section 93-56 (Special Height and Setback Regulations for Subdistrict F). Such interim #uses# may be #developed# prior to the approval of the Site and Landscape Plans for the public access area in which it is located, and may continue until such time as #development# commences on such public access area pursuant to the approved Site and Landscape Plans. Any such interim #uses# shall be open to and usable by the public, and may include temporary structures, provided that all associated #floor area# is appurtenant to the interim #use#.

93-78

Site and Landscape Plans for Public Access Areas in Subdistrict F

Public access areas in Subdistrict F shall be comprised of publicly accessible open spaces, private streets and pedestrian ways.

All publicly accessible open spaces, or portions thereof listed in Section 93-75 (Publicly Accessible Open Spaces in Subdistrict F), and private streets and pedestrian ways, or portions thereof listed in Section 93-76 (Publicly Accessible Private Streets and Pedestrian Ways in Subdistrict F), shall comply with the following provisions:

- (a) No #building# permit shall be issued for any #development# or #enlargement# within Subdistrict F unless the Chairperson of the City Planning Commission has certified to the Commissioner of Buildings that the Site and Landscape Plans for the Subdistrict F Public Access Area have been approved by the Chairperson pursuant to the provisions of this Section 93-78. Notwithstanding the foregoing, the Chairperson shall allow for the phased #development# of public access areas or portions thereof upon certification to the Commissioner of Buildings that Site and Landscape Plans have been submitted that provide for the completion of public access areas in association with the #development# or #enlargement# of a #building# or #buildings# within each phase.
- (b) An application under this section shall be filed with the Chairperson of the City Planning Commission and such application shall include:
 - (1) A Site Plan indicating the area and dimensions of the public access area or portions thereof and the location of all proposed #buildings# in the phase subject to the application;
 - (2) A Landscape Plan, prepared by a registered landscape architect for the public access area or portions thereof in the phase subject to the application; and
 - (3) A report to the Chairperson demonstrating:

- (i) That the Site and Landscape Plans have been presented by the applicant to the affected Community Board, City Council Member and Borough President and the Community Board, City Council Member and Borough President have had at least 60 days to review; and
 - (ii) That any comments and recommendations of the affected Community Board, City Council Member and Borough President have been considered by the applicant, as set forth in a written response to such comments or recommendations. Where design modifications have been made in response to such recommendations, the report shall identify how the design has been modified.
- (c) The Chairperson of the City Planning Commission shall approve the Site and Landscape Plans within 45 days following filing provided that the following provisions are met:
- (1) That the Site and Landscape Plans provide for the improvement of the public access area or portions thereof which, taking into account relevant considerations relating to platform construction and engineering:
 - (i) Are of sufficient size to provide a valuable public amenity and promote site access for the benefit of residents and/or workers in the #buildings# in the phase to which they relate as well as for the general public; and
 - (ii) Are appropriately sited and located in suitable proximity to the #building# locations in the phase to which they relate.
 - (2) That the Site and Landscape Plans are consistent with the general purposes and contain the core elements listed in Section 93-75 (Publicly Accessible Open Spaces in Subdistrict F) and Section 93-76 (Publicly Accessible Private Streets and Pedestrian Ways in Subdistrict F), inclusive;
 - (3) That all elements in the Site and Landscape Plans comply with the design criteria as set forth in Section 93-77 (Design Criteria for Open Spaces in Subdistrict F), or, in the case of the #High Line#, that the elements in the Landscape Plan comply with the criteria set forth in paragraph (c) of Section 93-756 (General requirements for the #High Line#);
 - (4) That the Site and Landscape Plans are consistent and appropriate in relation to any previously approved Landscape Plan for other phases and in relation to conceptual plans for future phases, as applicable;
 - (5) That the level of public amenity provided in the Landscape Plan is equal to or better than the level of public amenity provided in #public plazas developed# under the standards of Section 37-70 (PUBLIC PLAZAS), or, in the case of the #High Line#, than the level of public amenity provided on #developed# portions of the #High Line# south of West 30th Street. All public amenities that are provided in the Landscape Plan shall take into account the nature and character of the Subdistrict F public access areas; and
 - (6) That a maintenance plan including any necessary maintenance facilities for the public access area or portions thereof in the phase has been established that will ensure compliance with the provisions of paragraph (b) of Section 93-77 (Design Criteria for Public Access Areas in Subdistrict F).
- Approved Site and Landscape Plans shall be set forth in an instrument in a form acceptable to the City, including such provisions as are necessary to ensure compliance with the provisions of this Section. Such instrument shall be filed and duly recorded in the Borough Office of the City Register of the City of New York and indexed against the property. Such filing and recording of the instrument shall be a precondition for the Chairperson's certification to the Department of Buildings under this Section. The recording information shall be included on the certificate of occupancy for any #building#, or portion thereof, on the #zoning lot# issued after the recording date.
- (d) No temporary certificate of occupancy from the Department of Buildings may be issued for any portion of a #development# or #enlargement# within a phase until the Chairperson of the City Planning Commission certifies to the Department of Buildings that the public access area, or portions thereof associated with such phase, is substantially

complete and in accordance with the Site and Landscape Plans, and that such public access area, or portions thereof are open to and useable by the public. No permanent certificate of occupancy from the Department of Buildings may be issued for any portion of such #development# or #enlargement# until the Chairperson certifies to the Department of Buildings that the public access areas, or portions thereof are fully complete, and that all requirements of this Section 93-78 have been met in accordance with the Site and Landscape Plans for the public access area, or portions thereof associated with such phase. Notwithstanding the foregoing, in the event that a Temporary Public Access Area Plan is approved pursuant to Section 93-782 (Certification to temporarily modify public access areas for construction staging), no temporary certificate of occupancy from the Department of Buildings may be issued for any portion of a #development# or #enlargement# within the phase until the Chairperson certifies to the Department of Buildings that the public access area, or portions thereof associated with such phase, is substantially complete and in accordance with such Temporary Public Access Area Plan, and the public access area or portions thereof are open and useable by the public. No permanent certificate of occupancy from the Department of Buildings may be issued for any portion of a #development# or #enlargement# until the Chairperson certifies to the Department of Buildings that the public access area, or portions thereof associated with the phase previously improved pursuant to the Temporary Public Access Area Plan has been fully completed in accordance with the Site and Landscape Plans therefor, and that the public access area or portions thereof are open to and useable by the public.

- (e) Where a phase of #development# results in all #building# sites in Subdistrict F, as shown on Map 6 (Subdistrict F Site Plan), having been #developed# in whole or in part pursuant to the provisions of Section 93-56 (Special Height and Setback Regulations in Subdistrict F), the Department of Buildings shall not issue a certificate of occupancy for the last #building# of such phase unless and until the Chairperson certifies to the Commissioner of Buildings that all public access areas within Subdistrict F are substantially complete, and are open to and useable by the public. However, in the event that the Site and Landscape Plans for the #High Line# open space have not been approved pursuant to paragraph (c) of this Section 93-78 at the time such last #building# is eligible for a certificate of occupancy, the Department of Buildings shall issue such certificate of occupancy upon certification of the Chairperson that all public access areas other than the #High Line# open space are substantially complete.

93-781 Certification to modify general requirements of public access areas for ventilation demands

The Chairperson of the City Planning Commission may modify the general requirements of the publicly accessible open spaces listed in Section 93-75 (Publicly Accessible Open Spaces in Subdistrict F), and private streets and pedestrian ways listed in Section 93-76 (Publicly Accessible Private Streets and Pedestrian Ways in Subdistrict F) provided that the Chairperson certifies to the Commissioner of Buildings that such a change is necessary to accommodate unforeseen ventilation demands within the Western Rail Yard. In addition to the Site and Landscape Plans required pursuant to Section 93-78 (Site and Landscape Plans for Public Access Areas in Subdistrict F), a Mechanical Plan shall be provided demonstrating the need to modify such general requirements.

93-782 Certification to temporarily modify public access areas for construction staging

In the event that the applicant demonstrates to the satisfaction of the Chairperson of the City Planning Commission that a public access area will be required for construction staging or similar activities in a future phase of #development# or #enlargement#, the application for the Site and Landscape Plans may be accompanied by a request for approval of a Temporary Public Access Area Plan for the public access area which may include fewer than all core elements required as part of a phase of #development# or #enlargement# of such public access area pursuant to subparagraph (c)(2) of Section 93-78 (Site and Landscape Plans for Public Access Areas in Subdistrict F), as necessary to accommodate such future construction staging or similar activities. Such Temporary Public Access Area Plan shall be subject to review and approval in the same manner as the Site and Landscape Plans pursuant Section 93-78 (Site and Landscape Plans for Public Access Areas in Subdistrict F), and if approved pursuant thereto, shall be implemented and remain in effect only for the period necessary to accommodate the need for use of the public access area for construction staging or similar activities in a future phase of #development# or #enlargement#. Following the expiration of such period, the Site and Landscape Plans including all core elements for such public access area shall be implemented.

93-80 OFF-STREET PARKING REGULATIONS

In Subdistricts A-E, the The regulations governing permitted and required #accessory# off-street parking spaces of Article I, Chapter 3 (Comprehensive Off-Street Parking Regulations in Community Districts 1, 2, 3, 4, 5, 6, 7 and 8 in the Borough of Manhattan and a Portion of Community Districts 1 and 2 in the Borough of Queens) and Article II, Chapter 5; Article III, Chapter 6; and Article IV, Chapter 4 (Accessory Off-Street Parking and Loading Regulations) shall not apply except as set forth in this Section. In lieu thereof, the provisions of this Section, inclusive, shall apply. In Subdistrict F, the regulations of Article I, Chapter 3 shall apply.


Map 1 Soecial Hudson Yards District, Subdistricts and Subareas



- Special Hudson Yards District
- Subdistricts
- Subareas within subdistricts
- Phase 1 Hudson Boulevard and Park
- ▨ Phase 2 Hudson Boulevard and Park
- Large-Scale Plan Subdistrict A**
Eastern Rail Yards Subarea A1
Four Corners Subarea A2
Subareas A3 through A5
- Farley Corridor Subdistrict B**
Western Blocks Subarea B1
Central Blocks Subarea B2
Farley Post Office Subarea B3
Pennsylvania Station Subarea B4
- 34th Street Corridor Subdistrict C**
- Hell's Kitchen Subdistrict D**
Subareas D1 through D5
- South of Port Authority Subdistrict E**
- Western Rail Yard Subdistrict F**

*For Site locations and permitted dimensions within Subdistrict F See Map 6


Map 2 Mandatory Ground Floor Retail



- Special Hudson Yards District
- 100% Retail and Glazing Requirement
- ▨ 50% Retail and Glazing Requirement
- ▤ Glazing Requirement Only

*For Mandatory Ground Floor requirements of Subdistrict F See Map 8

Map 3 Mandatory Street Wall Requirements




| | Minimum Base Height | Maximum Base Height | Percentage of zoning lot street frontage that must be occupied by a street wall |
|---|---------------------|---------------------|---|
| ▨ | 60' | 85' | 100% |
| ▤ | 60' | 85' | None |
| ▨ | 60' | 120' | 50% |
| ▨ | 90' | 120' | 70% |
| ▨ | 60' | 150' | 70% |
| ▨ | 90' | 120' | 100% |
| ▨ | 90' | 150' | 100% |
| ▨ | 90' | 150' | 70% |
| ▨ | 90' | 150' | 35% |
| ▨ | 120' | 150' | 100% |

*For Street Wall requirements of Subdistrict F See Map 9


Map 4 Mandatory Sidewalk Widening




Map 5 Transit Easements and Subway Entrances




Map 6 Subdistrict F Site Plan




Map 7 Subdistrict F Public Access Area Plan



Map 8 Subdistrict F Mandatory Ground Floor Requirements



Map 9 Subdistrict F Mandatory Street Wall Requirements



WESTERN RAIL YARD

MANHATTAN CB - 4 C 090435 ZSM
Application submitted by RG WRY LLC pursuant to Sections 197-c and 201 of the New York City Charter for the grant of a special permit pursuant to Sections 93- 052 and 13-561 of the Zoning Resolution to allow an attended accessory parking garage (North Parking Garage) with a maximum capacity of 1100 spaces on portions of the ground floor and plaza level of a proposed mixed-use development on property bounded by West 33rd Street, Eleventh Avenue, West 30th Street, and Twelfth Avenue (Block 676, Lot 3), in a C6-4 District, within the Special Hudson Yards District.

WESTERN RAIL YARD

MANHATTAN CB - 4 C 090436 ZSM
Application submitted by RG WRY LLC pursuant to Sections 197-c and 201 of the New York City Charter for the grant of a special permit pursuant to Sections 93- 052 and 13-561 of the Zoning Resolution to allow an attended accessory parking garage (South Parking Garage) with a maximum capacity of 800 spaces on portions of the plaza level, mezzanine 1 level, mezzanine 2 level and cellar level of a proposed mixed-use development on property bounded by West 33rd Street, Eleventh Avenue, West 30th Street, and Twelfth Avenue (Block 676, Lot 3), in a C6-4 District, within the Special Hudson Yards District.

1800 WILLIAMSBRIDGE ROAD

BRONX CB - 11 M 770073 (A) ZMX
Application submitted by FGP West Street LLC for a modification to Restrictive Declaration D-28 (C 770073 ZMX) involving property located at 1800 Williamsbridge Road (Block 4200, Lots 35 and 46), in an R4/C1-2 District.

WEST 129TH STREET ZONING CHANGE

MANHATTAN CB - 9 C 080039 ZMM
Application submitted by West 129th Street Realty I LLC and West 129th Street Realty II LLC pursuant to Sections 197-c and 201 of the New York City Charter for an amendment of the Zoning Map, Section No. 6a:

- changing from an R7-2 District to an R7A District property bounded by:
 - West 130th Street, a line 100 feet easterly of Amsterdam Avenue, West 129th Street, and Amsterdam Avenue; and
 - West 130th Street, Convent Avenue, West 129th Street, a line 100 feet westerly of Convent Avenue; and
- changing from an M1-1 District to an R7A District property bounded by West 130th Street, a line 100 feet westerly of Convent Avenue, West 129th Street, and a line 100 feet easterly of Amsterdam Avenue;

as shown on a diagram (for illustrative purposes only) dated June 1, 2009, and subject to the conditions of CEQR Declaration E-239.

131-7 BERRY STREET ZONING CHANGE

BROOKLYN CB - 9 C 090096 ZMK
Application submitted by Tibetan LLC pursuant to Sections 197-c and 201 of the New York City Charter for an amendment of the Zoning Map, Section No. 12c, by establishing within an existing R6B District a C2-4 District bounded by North 7th Street, a line 100 feet southeasterly of Berry Street, a line midway between North 6th Street and North 7th Street, and Berry Street, Borough of, as shown on a diagram (for illustrative purposes only) dated June 1, 2009.

CAFÉ SELECT

MANHATTAN CB - 2 20095546 TCM
Application pursuant to Section 20-226 of the Administrative Code of the City of New York, concerning the petition of 212 Lafayette Associates, LLC, d/b/a Café Select, for a revocable consent to establish, maintain and operate an unenclosed small sidewalk café at 212 Lafayette Street.

CIVETTA

MANHATTAN CB - 2 20105053 TCM
Application pursuant to Section 20-226 of the Administrative Code of the City of New York, concerning the petition of 98 Kenmare Restaurant Group, LLC, d/b/a Civetta, for a revocable consent to establish, maintain and operate an unenclosed sidewalk café at 98 Kenmare Street.

The Subcommittee on Landmarks, Public Siting and Maritime Uses will hold a public hearing in the Council Committee Room, City Hall, New York City, New York 10007, commencing at 11:00 A.M. on Thursday, November 12, 2009.

The Subcommittee on Planning, Dispositions and Concessions will hold a public hearing on the following matters in the Council Committee Room, City Hall, New York City, New York 10007, commencing at 1:00 P.M. on Thursday, November 12, 2009:

BROADWAY TRIANGLE URBAN RENEWAL AREA

BROOKLYN CB - 1 C 090413 ZMK
Application submitted by the NYC Department of Housing Preservation and Development pursuant to Sections 197-c and 201 of the New York City Charter for an amendment of the Zoning Map, Section No. 13b:

- changing from a C8-2 District to an R6A District property bounded by Lynch Street, Broadway, Middleton Street and its northeasterly centerline prolongation, and Union Avenue;
- changing from an M1-2 District to an R6A District property bounded by Middleton Street, Throop Avenue, Walton Street, Harrison Avenue, and Union Avenue;
- changing from an M3-1 District to an R6A District property bounded by Lorimer Street, Harrison Avenue, the southwesterly centerline prolongation of Walton Street, and Union Avenue;

4. changing from an M1-2 District to an R7A District property bounded by Walton Street, Throop Avenue, Whipple Street, Flushing Avenue, and Harrison Avenue;
5. changing from an M1-2 District to a C4-3 District property bounded by Whipple Street, Throop Avenue, and Flushing Avenue;
6. establishing within a proposed R6A a C2-4 District bounded by Lynch Street, Broadway, the northeasterly centerline prolongation of Middleton Street, Throop Avenue, Lorimer Street, a line 100 feet southwesterly of Throop Avenue, a line midway between Lynch Street and Middleton Street, a line 100 feet northeasterly of Union Avenue, a line 100 feet northeasterly of Harrison Avenue, Lorimer Street, Harrison Avenue, the southwesterly centerline prolongation of Walton Street, and Union Avenue; and
7. establishing within a proposed R7A a C2-4 District bounded by:
 - a. Walton Street, Throop Avenue, Bartlett Street, and a line 100 feet southwesterly of Throop Avenue; and
 - b. Walton Street, a line 100 feet northeasterly of Harrison Avenue, a line 100 feet northerly of Flushing Avenue, a line perpendicular to the northwesterly street line of Whipple Street distant 50 feet northeasterly (as measured along the street line) from the point of intersection of the northwesterly street line of Whipple Street and the northerly street line of Flushing Avenue, Whipple Street, Flushing Avenue, and Harrison Avenue;

Borough of Brooklyn, Community District 1, as shown on a diagram (for illustrative purposes only), dated May 18, 2009, and subject to the conditions of CEQR Declaration E-238.

**BROADWAY TRIANGLE URBAN RENEWAL AREA
BROOKLYN CB - 1 N 090414 ZRK**

Application submitted by the Department of Housing Preservation and Development pursuant to Section 201 of the New York City Charter, for an amendment of the Zoning Resolution of the City of New York, relating to Article II, Chapter 3 (Bulk regulations for Residential Buildings in Residence Districts), Section 23-90, inclusive, relating to the extension of the Inclusionary Housing Program to proposed R6A and R7A districts, in Community District 1, Borough of Brooklyn.

Matter in underline is new, to be added;
Matter in ~~strikeout~~ is old, to be deleted;
Mater in # # is defined in Section 12-10;
* * * indicates where unchanged text appears in the Zoning Resolution

**APPENDIX F (7/29/09)
INCLUSIONARY HOUSING DESIGNATED AREAS**

The boundaries of #Inclusionary Housing designated areas# are shown on the maps listed in this Appendix F. The #Residence Districts# listed for such areas shall include #Commercial Districts# where #residential buildings# or the #residential# portion of #mixed buildings# are governed by #bulk# regulations of such #residence districts#.

* * *

Brooklyn, Community District 1

In Waterfront Access Plan BK-1, as set forth in Section 62-352, and in the R6, R6A, R6B, R7A and R7-3 Districts within the areas shown on the following Maps 1, 2, and 3 and 4:

* * *

PROPOSED NEW MAP

Map 4



Portion of Community District 1, Brooklyn

**BROADWAY TRIANGLE URBAN RENEWAL AREA
BROOKLYN CB - 1 C 090415 HUK**

Application submitted by the Department of Housing

Preservation and Development (HPD), pursuant to Section 505 of Article 15 of the General Municipal (Urban Renewal) Law of New York State and Section 197-c of the New York City Charter, for the First Amended Broadway Triangle Urban Renewal Plan for the Broadway Triangle Urban Renewal Area.

The First Amendment updates the land use of existing Sites 4A, 4B, 7A, and 7B from industrial to residential (the remaining industrial sites, 1A, 1B, 2 and 3 are being de-designated since these sites were not acquired pursuant to the Plan – the plan no longer includes any industrial sites); three privately owned properties, Block 2272, Lots 45, 46 and 147, are being acquired and added to existing Sites 7A and 7B to form a new Site 4; the plan no longer includes a commercial or public/semi-public land use; sites were renumbered to reflect site de-designations and reconfigurations; the boundary of the area has been modified to reflect site de-designations, and the language and format of the Plan have been revised to conform with HPD's current format for urban renewal plans; to facilitate the development of six sites containing residential, commercial and community facility uses within the Broadway Triangle Renewal Area Community District 1, Borough of Brooklyn.

**BROADWAY TRIANGLE URBAN RENEWAL AREA
BROOKLYN CB - 1 C 090416 HAK**

Application submitted by the Department of Housing Preservation and Development (HPD):

1) pursuant to Article 16 of the General Municipal Law of New York State for:

a) the designation of property located at :

| BLOCK | LOT | ADDRESS (UR Site Number and Name) |
|-------|-----|---|
| 2269 | 14 | 68 Gerry Street : p/o Site 4 (Broadway Triangle Urban Renewal Area) |
| 2269 | 16 | 72 Gerry Street (p/o Site 4 Broadway Triangle Urban Renewal Area) |
| 2269 | 17 | 74 Gerry Street (p/o Site 4 Broadway Triangle Urban Renewal Area) |
| 2269 | 18 | 76 Gerry Street (p/o Site 4 Broadway Triangle Urban Renewal Area) |
| 2269 | 19 | 78 Gerry Street (p/o Site 4 Broadway Triangle Urban Renewal Area) |
| 2269 | 23 | 86 Gerry Street (p/o Site 4 Broadway Triangle Urban Renewal Area) |
| 2269 | 24 | 88 Gerry Street (p/o Site 4 Broadway Triangle Urban Renewal Area) |
| 2269 | 25 | 90-92 Gerry Street (p/o Site 4 Broadway Triangle Urban Renewal Area) |
| 2269 | 27 | 84 Throop Avenue (p/o Site 4 Broadway Triangle Urban Renewal Area) |
| 2269 | 28 | 86 Throop Avenue (p/o Site 4 Broadway Triangle Urban Renewal Area) |
| 2269 | 29 | 88 Throop Avenue (p/o Site 4 Broadway Triangle Urban Renewal Area) |
| 2269 | 30 | 90 Throop Avenue (p/o Site 4 Broadway Triangle Urban Renewal Area) |
| 2269 | 31 | 92-94 Throop Avenue (p/o Site 4 Broadway Triangle Urban Renewal Area) |
| 2269 | 33 | 69 Bartlett Street (p/o Site 4 Broadway Triangle Urban Renewal Area) |
| 2269 | 35 | 65 Bartlett Street (p/o Site 4 Broadway Triangle Urban Renewal Area) |
| 2269 | 36 | 59-63 Bartlett Street(p/o Site 4 Broadway Triangle Urban Renewal Area) |
| 2269 | 39 | 57 Bartlett Street (p/o Site 4 Broadway Triangle Urban Renewal Area) |
| 2269 | 40 | 55 Bartlett Street (p/o Site 4 Broadway Triangle Urban Renewal Area) |
| 2269 | 41 | 53 Bartlett Street (p/o Site 4 Broadway Triangle Urban Renewal Area) |
| 2269 | 42 | 51 Bartlett Street (p/o Site 4 Broadway Triangle Urban Renewal Area) |
| 2269 | 43 | 47 Bartlett Street (p/o Site 4 Broadway Triangle Urban Renewal Area) |
| 2269 | 45 | 43-45 Bartlett Street (p/o Site 4 Broadway Triangle Urban Renewal Area) |
| 2269 | 47 | 41 Bartlett Street (p/o Site 4 Broadway Triangle Urban Renewal Area) |
| 2269 | 48 | 39 Bartlett Street (p/o Site 4 Broadway Triangle Urban Renewal Area) |
| 2269 | 49 | 37 Bartlett Street (p/o Site 4 Broadway Triangle Urban Renewal Area) |
| 2269 | 50 | 35 Bartlett Street (p/o Site 4 Broadway Triangle Urban Renewal Area) |
| 2272 | 11 | 34-3 6 Bartlett Street (p/o Site 7A Broadway Triangle Urban Renewal Area) |
| 2272 | 45 | 11 Whipple Street |
| 2272 | 46 | 9 Whipple Street |
| 2272 | 49 | 669 Flushing Avenue (p/o Site 7B Broadway Triangle Urban Renewal Area) |
| 2272 | 51 | 667 Flushing Avenue (p/o Site 7B Broadway Triangle Urban Renewal Area) |
| 2272 | 52 | 665 Flushing Avenue (p/o Site 7B Broadway Triangle Urban Renewal Area) |
| 2272 | 53 | 663 Flushing Avenue (p/o Site 7B Broadway Triangle Urban Renewal Area) |
| 2272 | 108 | 24 Bartlett Avenue (p/o Site 7B Broadway Triangle Urban Renewal Area) |
| 2272 | 147 | 5 Whipple Street |

as an Urban Development Action Area; and

b) an Urban Development Action Area Project for such area; and

2) pursuant to Section 197-c of the New York City Charter for the disposition of such property to a developer to be selected by HPD;

to facilitate the development of six sites, tentatively known as Broadway Triangle, with approximately 488 residential units, commercial and community facility uses.

**CYPRESS VILLAGE
BROOKLYN CB - 5 C 100014 HAK**

Application submitted by the Department of Housing Preservation and Development (HPD):

1) pursuant to Article 16 of the General Municipal Law of New York State for:

a) the designation of property located at 371 Van Siclen Avenue (Block 4026, Lot 2), as an Urban Development Action Area; and

b) an Urban Development Action Area Project for such area; and

2) pursuant to Section 197-c of the New York City Charter for the disposition of such property to a developer to be selected by HPD;

to facilitate development of a four-story building, tentatively known as Cypress Village, with approximately 8 residential units, to be developed under the Department of Housing Preservation and Development's New Foundations Program.

n5-12

**HEARING BY THE COMMITTEE ON RULES,
PRIVILEGES AND ELECTIONS**

THE COMMITTEE ON RULES, PRIVILEGES AND ELECTIONS WILL HOLD A HEARING ON MONDAY, NOVEMBER 16, 2009, AT 10:30 A.M. IN THE COUNCIL CHAMBERS, CITY HALL, NEW YORK, NEW YORK 10007 ON THE FOLLOWING MATTER:

Council Recommendation

● **Pre-considered M**, Kimberley A. Hayes, a candidate for recommendation by the Council to the Youth Board, pursuant to § 734 of the *New York City Charter*. If Ms. Hayes is recommended by the Council and subsequently appointed by the Mayor, she will be eligible to serve for an undefined term.

AND SUCH OTHER BUSINESS AS MAY BE NECESSARY

A Calendar of speakers will be established in advance. Persons interested in being heard should write to the Honorable Christine C. Quinn, Speaker of the City Council, City Hall, New York, New York 10007, setting forth their name, representation and viewpoints.

Michael M. McSweeney
City Clerk, Clerk of the Council

n9-16

CITY PLANNING COMMISSION

■ PUBLIC HEARINGS

NOTICE IS HEREBY GIVEN THAT RESOLUTIONS Have been adopted by the City Planning Commission scheduling public hearings on the following matters to be held at Spector Hall, 22 Reade Street New York, New York, on Wednesday, November 18, 2009, commencing at 10:00 A.M.

**BOROUGH OF THE BRONX
No. 1
WEBSTER AVENUE REZONING**

CD 12 C 090397 ZMX
IN THE MATTER OF an application submitted by Webster Commons, LLC pursuant to Sections 197-c and 201 of the New York City Charter for an amendment of the Zoning Map, Section No. 1d, by changing from an R6 District to an R7X District property bounded by Webster Avenue, a line 1,910 feet northerly of East Gun Hill Road, the westerly boundary of a railroad right-of-way (New York and Harlem Line), and a line 800 feet northerly of East Gun Hill Road, as shown on a diagram (for illustrative purposes only) dated August 17, 2009, and subject to the conditions of CEQR Declaration E-240.

**YVETTE V. GRUEL, Calendar Officer
City Planning Commission
22 Reade Street, Room 2E
New York, New York 10007
Telephone (212) 720-3370**

n4-18

COMMUNITY BOARDS

■ PUBLIC HEARINGS

PUBLIC NOTICE IS HEREBY GIVEN THAT the following matters have been scheduled for public hearing by Community Boards:

BOROUGH OF BROOKLYN

COMMUNITY BOARD NO. 18 - Wednesday, November 18, 2009, 8:00 P.M., Kings Plaza Community Room, Flatbush Avenue and Avenue V, Brooklyn, NY

BSA# 246-09-BZ

Premises affected: 636 Louisiana Avenue
A Public Hearing pursuant to Section 72-21 of the Zoning Resolution for a variance to Sections 23-141, 23-22, and 25-23, to permit a four-story assisted living facility that exceeds the applicable floor area, unit density and parking regulations of the R5 district.

n12-18

BOARD OF EDUCATION RETIREMENT SYSTEM

■ MEETING

The next regular meeting of the Board of Education Retirement System (BERS) of the City of New York Trustees will meet on Thursday, November 12, 2009. This meeting will be held at the Public School 128, 69-10 65th Drive, Queens, New York 11379.

The meeting will convene at 4:30 P.M. An agenda will be distributed to BERS Trustees prior to the meeting.

If you need more information, please contact Noro Healy at (718) 935-4529 or email: nhealy@bers.nyc.gov

n5-12

LANDMARKS PRESERVATION COMMISSION

■ PUBLIC HEARINGS

NOTICE IS HEREBY GIVEN THAT PURSUANT to the provisions of 3020 of the New York City Charter and Chapter 3 of Title 24 of the Administrative Code of the City of New York (Sections 25-303 and 25-313) that on **Tuesday, November 17, 2009**, the Landmarks Preservation Commission will conduct a public hearing in the Public Meeting Room of the Landmarks Preservation Commission, located at The Municipal Building, 1 Centre Street, 9th Floor North, City of New York with respect to the following proposed Landmarks and Landmark Sites. Any person requiring reasonable accommodation in order to participate in the hearing should call or write the Landmarks Preservation Commission, [Municipal Building, 1 Centre Street, 9th Floor North, New York, NY 10007, (212) 669-7700] no later than five (5) business days before the hearing. There will also be a public meeting on that day.

PUBLIC HEARING ITEM NO.1

LP-2376

LOOK BUILDING, 488 Madison Avenue (aka 484-492 Madison Avenue; 15-23 East 51st Street; 24 East 52nd Street), Manhattan
Landmark Site: Borough of Manhattan Tax Map Block 1287, Lot 14

PUBLIC HEARING ITEM NO. 2

LP-2379

(Former) YALE CLUB now PENN CLUB, 30-32 West 44th Street, Manhattan.
Landmark Site: Borough of Manhattan Tax Map Block 1259, Lot 54

PUBLIC HEARING ITEM NO. 3

LP-2385

SPRING MILLS BUILDING, 104 West 40th Street (aka 104-106 West 40th Street; 107-115 West 39th Street), Manhattan.
Landmark Site: Borough of Manhattan Tax Map Block 815, Lot 21

PUBLIC HEARING ITEM NO. 4

LP-2389

UNION LEAGUE CLUB, 38 East 37th Street aka 34-38 East 37th Street; 48 Park Avenue, Manhattan
Landmark Site: Borough of Manhattan Tax Map Block 866, Lot 42

PUBLIC HEARING ITEM NO. 5

LP-2390

PAUL RUDOLPH HOUSE, 23 Beekman Place, Manhattan.
Landmark Site: Borough of Manhattan Tax Map Block 1361, Lot 118

o30-n16

NOTICE IS HEREBY GIVEN that pursuant to the provisions of Title 25, chapter 3 of the Administrative Code of the City of New York (Sections 25-307, 25-308, 25,309, 25-313, 25-318, 25-320) (formerly Chapter 8-A, Sections 207-6.0, 207-7.0, 207-12.0, 207-17.0, and 207-19.0), on Tuesday, **November 24, 2009 at 9:30 A.M.** in the morning of that day, a public hearing will be held in the Conference Room at 1 Centre Street, 9th Floor, Borough of Manhattan with respect to the following properties and then followed by a public meeting. Any person requiring reasonable accommodation in order to participate in the hearing or attend the meeting should call or write the Landmarks Commission no later than five (5) business days before the hearing or meeting.

CERTIFICATE OF APPROPRIATENESS

BOROUGH OF THE BRONX 10-2480 - Block 9501, lot 12 - 780 Hewitt Place - Longwood Historic District
A rowhouse designed by Charles S. Clark and built in 1908. Application is to construct a rear yard addition. Zoned R7-1.

CERTIFICATE OF APPROPRIATENESS

BOROUGH OF THE BRONX 10-3819 - Block 2281, lot 10 - 431-445 East 136th Street - Bertine Block Historic District
Two rows of Renaissance Revival style tenements, designed by Harry T. Howell, built in 1897-98 and 1898-99. Application is to install barrier free access at the areaway and install windows.

CERTIFICATE OF APPROPRIATENESS

BOROUGH OF QUEENS 10-3290 - Block 8023, lot 16 - 330 Knollwood Avenue - Douglaston Historic District
A Colonial Revival style house built in 1941. Application is to legalize work completed in non-compliance with Certificate of Appropriateness 05-7300 and Permit for Minor Work 06-3342, and to legalize the installation of brick piers flanking the front entrance path without Landmarks Preservation Commission permits.

CERTIFICATE OF APPROPRIATENESS

BOROUGH OF QUEENS 10-2735 - Block 1475, lot 55 - 37-45 87th Street - Jackson Heights Historic District
A neo-Georgian style townhouse, designed by C.F. McAvoy and built in 1924. Application is to legalize the construction of an addition, alterations to a retaining wall, and the installation of fencing without Landmarks Preservation Commission permits. Zoned R5.

BINDING REPORT

BOROUGH OF STATEN ISLAND 10-1256 - Block 955, lot 1 - 460 Brielle Avenue - New York City Farm Colony-Seaview Hospital Historic District
A tuberculosis hospital complex constructed between 1908-1937. Application is to construct a new building and parking lot. Zoned R3-2/NA-1.

CERTIFICATE OF APPROPRIATENESS

BOROUGH OF BROOKLYN 10-1395 - Block 1138, lot 1 - 601 Vanderbilt Avenue - Prospect Heights Historic District
An Italianate style store and flats building built in 1878. Application is to install duct work.

CERTIFICATE OF APPROPRIATENESS

BOROUGH OF BROOKLYN 10-3225 - Block 1918, lot 65 - 274 Hall Street - Clinton Hill Historic District
A French Second Empire style carriage house and coachman's residence, designed by Charles Werner and built in 1881. Application is to install storefront infill.

CERTIFICATE OF APPROPRIATENESS

BOROUGH OF BROOKLYN 10-2477 - Block 237, lot 41 - 92 Clark Street - Brooklyn Heights Historic District
A Greek Revival style house built circa 1840. Application is to legalize the installation of a storefront, signage and facade alterations in non-compliance with Certificate of Appropriateness 01-3313.

CERTIFICATE OF APPROPRIATENESS

BOROUGH OF MANHATTAN 10-2796 - Block 181, lot 19 - 175 Franklin Street - Tribeca West Historic District
A Romanesque Revival style store and loft building, designed by Martin V. B. Ferdon, and built in 1889-90. Application is to alter the entrance and remove loading platform.

CERTIFICATE OF APPROPRIATENESS

BOROUGH OF MANHATTAN 10-3698 - Block 229, lot 15 - 18-20 Wooster Street - SoHo-Cast Iron Historic District
A one-story garage altered in 1964 from a five-story building originally constructed in 1890. Application is to retain paint and a stretch banner installed pursuant to Certificate of No Effect 05-3265.

CERTIFICATE OF APPROPRIATENESS

BOROUGH OF MANHATTAN 10-3018 - Block 484, lot 1 - 515 Broadway, aka 513-517 Broadway - SoHo-Cast Iron Historic District
A Queen Anne style commercial building designed by Samuel Warner and built in 1884. Application is to install storefront infill.

CERTIFICATE OF APPROPRIATENESS

BOROUGH OF MANHATTAN 10-3488 - Block 572, lot 11 - 62 West 9th Street - Greenwich Village Historic District
A Greek Revival style rowhouse built in 1839, with a ground floor storefront. Application is to alter the storefront.

CERTIFICATE OF APPROPRIATENESS

BOROUGH OF MANHATTAN 10-2481 - Block 644, lot 41 - 827 Washington Street - Gansevoort Market Historic District
A neo-Grec style market building designed by Joseph M. Dunn, built in 1880, and altered in 1940. Application is to install signage and lighting.

CERTIFICATE OF APPROPRIATENESS

BOROUGH OF MANHATTAN 10-1595 - Block 717, lot 62 - 436 West 20th Street - Chelsea Historic District Extension
A Greek Revival style townhouse built in 1835. Application is to construct a rooftop addition, remove a fire escape, and to apply decorative finishes. Zoned R7-B.

CERTIFICATE OF APPROPRIATENESS

BOROUGH OF MANHATTAN 09-4261 - Block 819, lot 56 - 23 West 17th Street - Ladies' Mile Historic District
A Beaux-Arts style store and loft building designed by Buchman and Fox and built in 1902-04. Application is to install a storefront.

CERTIFICATE OF APPROPRIATENESS

BOROUGH OF MANHATTAN 10-0057 - Block 858, lot 3 - 255-257 Fifth Avenue - Madison Square North Historic District
A neo-classical style store and lofts building, designed by Eisendrath and Horowitz and built in 1919. Application is to replace storefront infill.

CERTIFICATE OF APPROPRIATENESS

BOROUGH OF MANHATTAN 07-3744 - Block 1122, lot 58 - 56 West 70th Street - Upper West Side/Central Park West Historic District
A Renaissance Revival style rowhouse designed by Thom & Wilson and built in 1891-92. Application is to alter the facade and areaway, and replace windows.

CERTIFICATE OF APPROPRIATENESS

BOROUGH OF MANHATTAN 09-7885 - Block 1124, lot 27 - 115 Central Park West - Majestic Apartments - Individual Landmark- Upper West Side/Central Park West Historic District
An Art Deco style towered apartment building designed by Irwin S. Chanin and built in 1930-31. Application is to amend Certificate of Appropriateness 91-0008 for a window master plan.

CERTIFICATE OF APPROPRIATENESS

BOROUGH OF MANHATTAN 10-2335 - Block 1196, lot 26 - 7 West 82nd Street - Upper West Side/Central Park West Historic District
A Renaissance Revival style rowhouse, designed by Thom & Wilson and built in 1886-87. Application is to legalize alterations to the facade without Landmarks Preservation Commission permits.

CERTIFICATE OF APPROPRIATENESS

BOROUGH OF MANHATTAN 10-2534 - Block 1212, lot 64 - 449-455 Amsterdam Avenue, aka 184 West 82nd Street - Upper West Side/Central Park West Historic District
A Romanesque Revival style building designed by Gilbert A. Schellenger and built in 1892-93. Application is to install new storefront infill and an awning, replace a window, and to legalize alterations to a window.

CERTIFICATE OF APPROPRIATENESS

BOROUGH OF MANHATTAN 10-3404 - Block 2062, lot 21 - 433 West 147th Street - Hamilton Heights/Sugar Hill Historic District
A Romanesque Revival style rowhouse, designed by Frederick Browne and built in 1899-1900. Application is to replace windows.

n10-24

■ PUBLIC MEETING

NOTICE IS HEREBY GIVEN THAT PURSUANT to the provisions of Title 25, Chapter 3 of the Administrative Code

of the City of New York that on **Tuesday, November 17, 2009**, there will be a Public Meeting of the Landmarks Preservation Commission in the Public Hearing Chamber at 1 Centre Street, 9th Floor North, Borough of Manhattan, City of New York. For information about the Public Meeting agenda, please contact the Public Information Officer at (212) 669-7817.

n12-16

TRANSPORTATION

■ PUBLIC HEARINGS

NOTICE IS HEREBY GIVEN, pursuant to law, that the following proposed revocable consents, have been scheduled for a public hearing by the New York City Department of Transportation. The hearing will be held at 55 Water Street, 9th Floor, Room 945 commencing at 2:00 P.M. on Wednesday, November 18, 2009. Interested parties can obtain copies of proposed agreements or request sign-language interpreters (with at least seven days prior notice) at 55 Water Street, 9th Floor SW, New York, NY 10041, or by calling (212) 839-6550.

#1 In the matter of a proposed modification of revocable consent authorizing New York University to construct, maintain and use additional conduits, together with a manhole, under, along and across Washington Square South, east of Thompson Street, and under and along Thompson Street, south of Washington Square South, in the Borough of Manhattan. The proposed revocable consent is for a term of one year from the Date of Approval by the Mayor and provides, among other terms and conditions, for compensation payable to the City according to the following schedule:

From the Approval Date to June 30, 2010 - \$15,625 + \$11,034/per annum (prorated from the date of Approval by the Mayor)

the maintenance of a security deposit in the sum of \$15,700, and the filing of an insurance policy in the minimum amount of \$250,000/\$1,000,000 for bodily injury and property damage for each occurrence in the aggregate amount of \$100,000.

#2 In the matter of a proposed modification of revocable consent authorizing The Cooper Union for the Advancement of Science and Art to construct, maintain and use additional conduits under, across and along Third Avenue, between Astor Place and Stuyvesant Street, in the Borough of Manhattan. The proposed revocable consent is for a term of four years from the Date of Approval by the Mayor to June 30, 2013, and provides among other terms and conditions, for compensation payable to the City according to the following schedule:

For the period July 1, 2009 to June 30, 2010 - \$2,710 + \$5,007/per annum (prorated from the date of Approval by the Mayor)
For the period July 1, 2010 to June 30, 2011 - \$7,925
For the period July 1, 2011 to June 30, 2012 - \$8,140
For the period July 1, 2012 to June 30, 2013 - \$8,355

the maintenance of a security deposit in the sum of \$8,400, and the filing of an insurance policy in the minimum amount of \$250,000/\$1,000,000 for bodily injury and property damage for each occurrence in the aggregate amount of \$100,000.

#3 In the matter of a proposed modification of revocable consent authorizing Mount Sinai Hospital to construct, maintain and use an additional tunnel under and across East 101st Street, west of Madison Avenue, in the Borough of Manhattan. The proposed revocable consent is for a term of seven years from the Date of Approval by the Mayor to June 30, 2016, and provides among other terms and conditions, for compensation payable to the City according to the following schedule:

For the period July 1, 2009 to June 30, 2010 - \$17,467 + \$14,448/per annum (prorated from the date of Approval by the Mayor)
For the period July 1, 2010 to June 30, 2011 - \$32,746
For the period July 1, 2011 to June 30, 2012 - \$33,577
For the period July 1, 2012 to June 30, 2013 - \$34,408
For the period July 1, 2013 to June 30, 2014 - \$35,239
For the period July 1, 2014 to June 30, 2015 - \$36,070
For the period July 1, 2015 to June 30, 2016 - \$36,901

the maintenance of a security deposit in the sum of \$37,000, and the filing of an insurance policy in the minimum amount of \$1,250,000/\$5,000,000 for bodily injury and property damage for each occurrence in the aggregate amount of \$1,000,000.

#4 In the matter of a proposed revocable consent authorizing MaxMara Retail, Ltd. to maintain and use a fenced-in area, together with stair on the north sidewalk of East 68th Street, east of Madison Avenue, in the Borough of Manhattan. The proposed revocable consent is for a term of ten years from July 1, 2009 to June 30, 2019 and provides, among other terms and conditions, for compensation payable to the City according to the following schedule:

For the period July 1, 2009 to June 30, 2010 - \$1,500
For the period July 1, 2010 to June 30, 2011 - \$1,545
For the period July 1, 2011 to June 30, 2012 - \$1,590
For the period July 1, 2012 to June 30, 2013 - \$1,635
For the period July 1, 2013 to June 30, 2014 - \$1,680
For the period July 1, 2014 to June 30, 2015 - \$1,725
For the period July 1, 2015 to June 30, 2016 - \$1,770
For the period July 1, 2016 to June 30, 2017 - \$1,815
For the period July 1, 2017 to June 30, 2018 - \$1,860
For the period July 1, 2018 to June 30, 2019 - \$1,905

the maintenance of a security deposit in the sum of \$5,000, and the filing of an insurance policy in the minimum amount of \$250,000/\$1,000,000 for bodily injury and property damage for each occurrence in the aggregate amount of \$100,000.

o27-n18

COURT NOTICE

SUPREME COURT

NOTICE

**RICHMOND COUNTY
IA PART 74
NOTICE OF PETITION
INDEX NUMBER (CY) 4036/09**

In the Matter of Application of the CITY OF NEW YORK relative to acquiring title in fee simple absolute to certain real property where not heretofore acquired for portions of

FURMAN STREET (from Amboy Road to a point approximately 131 feet north westerly therefrom and the northwesterly area of the intersection of Amboy Road and Furman Street),

in the Borough of Staten Island, City and State of New York.

PLEASE TAKE NOTICE that the Corporation Counsel of the City of New York intends to make application to the Supreme Court of the State of New York, Richmond County, IA Part 74, for certain relief.

The application will be made at the following time and place: At the courthouse located at 320 Jay Street, in the Borough of Kings, City and State of New York, on December 11, 2009, at 9:30 A.M., or as soon thereafter as counsel can be heard.

The application is for an order:

- A. authorizing the City to file an acquisition map in the office of the Clerk of Richmond County;
- B. directing that upon the filing of said map, title to the property sought to be acquired shall vest in the City;
- C. providing that just compensation therefor be ascertained and determined by the Supreme Court without a jury; and
- D. providing that notices of claim must be served and filed within one calendar year from the vesting date.
- E. The City of New York, in this proceeding, intends to acquire title in fee simple absolute to certain real property where not heretofore acquired for the same purpose, for the installation of storm and sewage lines, as well as an upgrade to the existing fresh water mains in the Borough of Staten Island, City and State of New York.

The description of the real property to be acquired is as follows:

Damage Parcels 1 and 2

All that certain plot, piece or parcel of land, with the buildings and improvements thereon erected, situate, lying and being in the Borough of Staten Island, County of Richmond, City and State of New York, more particularly bounded and described as follows:

Beginning at a point which is the following 2 courses and distances from the point formed by the intersection of the northeasterly line of Furman Street as mapped to a width of 60 feet with the northwesterly line of Amboy Road as mapped to a width of 80 feet: (1) South 54 degrees 57 minutes 19 seconds West 10.19 feet along the southwesterly prolongation of the northwesterly line of said Amboy Road (2) North 36 degrees 45 minutes 19 seconds West 124.24 feet to a point on the northwesterly line of Tax Lot 25 in Tax Block 6245;

Running thence South 54 degrees 11 minutes 37 seconds West along the northwesterly line of Tax Lot 25 in Tax Block 6245 and through said Furman Street for 42.29 feet to a point on the southwesterly line of Tax Lot 25 in Tax Block 6245, which is also a point on the northeasterly line of Tax Lot 51 in Tax Block 6246;

Thence North 36 degrees 51 minutes 03 seconds West along the northeasterly line of Tax Lot 51 in Tax Block 6246 and through said Furman Street for 7.70 feet to a point;

Thence North 53 degrees 14 minutes 41 seconds East and through said Furman Street for 42.30 feet to a point;

Thence South 36 degrees 45 minutes 19 seconds East and through said Furman Street for 8.40 feet to the point or place of beginning.

Coordinates and bearings are in a system established by the United States Coast and Geodetic Survey for the Borough of Staten Island.

This parcel comprises an area of 340 square feet.

Damage Parcel 3

All that certain plot, piece or parcel of land, with the buildings and improvements thereon erected, situate, lying and being in the Borough of Staten Island, County of Richmond, City and State of New York, more particularly bounded and described as follows:

Beginning at a point which is South 54 degrees 57 minutes 19 seconds West 10.19 feet from the point formed by the intersection of the northeasterly line of Furman Street as mapped to a width of 60 feet with the northwesterly line of Amboy Road as mapped to a width of 80 feet and which is measured along the southwesterly prolongation of the northwesterly line of said Amboy Road, said point of beginning being within Tax Lot 25 in Tax Block 6245;

Running thence South 36 degrees 45 minutes 19 seconds East through Tax Lot 25 in Tax Block 6245 and through said Amboy Road for 25.77 feet to a point on the southeasterly line of Tax Lot 25 in Tax Block 6245;

Thence South 54 degrees 11 minutes 37 seconds West along

the southeasterly line of Tax Lot 25 in Tax Block 6245 and through said Amboy Road for 46.15 feet to a point on the southwesterly line of Tax Lot 25 in Tax Block 6245, which is also a point on the northeasterly line of Tax Lot 56 in Tax Block 6246;

Thence North 35 degrees 15 minutes 03 seconds West along the southwesterly line of Tax Lot 25 in Tax Block 6245, which is also along the northeasterly line of Tax Lot 56 in Tax Block 6246, and through said Amboy Road and said Furman Street, for 147 feet to a point;

Thence North 36 degrees 51 minutes 03 seconds West along the southwesterly line of Tax Lot 25 in Tax Block 6245, which is also along the northeasterly line of Tax Lot 51 in Tax Block 6246, and through said Furman Street, for 3 feet to a point on the northwesterly line of Tax Lot 25 in Tax Block 6245;

Thence North 54 degrees 11 minutes 37 seconds East along the northwesterly line of Tax Lot 25 in Tax Block 6245 and through said Furman Street for 42.29 feet to a point;

Thence South 36 degrees 45 minutes 19 seconds East through Tax Lot 25 in Tax Block 6245 and through said Furman Street for 124.24 feet to the point or place of beginning.

Coordinates and bearings are in a system established by the United States Coast and Geodetic Survey for the Borough of Staten Island.

This parcel consists of part of Tax Lot 25 in Tax Block 6245 as shown on the tax map of the Borough of Staten Island and comprises an area of 6,627 square feet.

Damage Parcel 4

All that certain plot, piece or parcel of land, with the buildings and improvements thereon erected, situate, lying and being in the Borough of Staten Island, County of Richmond, City and State of New York, more particularly bounded and described as follows:

Beginning at a point which is the following 2 courses and distances from the point formed by the intersection of the northeasterly line of Furman Street as mapped to a width of 60 feet with the northwesterly line of Amboy Road as mapped to a width of 80 feet: 1) South 54 degrees 57 minutes 19 seconds West 10.19 feet along the southwesterly prolongation of the northwesterly line of said Amboy Road 2) South 36 degrees 45 minutes 19 seconds East 25.77 feet to a point on the southeasterly line of Tax Lot 25 in Tax Block 6245;

Running thence South 54 degrees 11 minutes 37 seconds West along the southeasterly line of Tax Lot 25 in Tax Block 6245 and through said Amboy Road for 46.15 feet to a point on the southwesterly line of Tax Lot 25 in Tax Block 6245, which is also a point on the northeasterly line of Tax Lot 56 in Tax Block 6246;

Thence South 35 degrees 15 minutes 03 seconds East and through said Amboy Road for 5.83 feet to a point;

Thence North 55 degrees 17 minutes 38 seconds East and through said Amboy Road for 46.33 feet to a point;

Thence North 36 degrees 45 minutes 19 seconds West and through said Amboy Road for 6.72 feet to the point or place of beginning.

Coordinates and bearings are in a system established by the United States Coast and Geodetic Survey for the Borough of Staten Island.

This parcel comprises an area of 290 square feet.

Surveys, maps or plans of the property to be acquired are on file in the office of the Corporation Counsel of the City of New York, 100 Church Street, New York, New York 10007.

PLEASE TAKE FURTHER NOTICE THAT, pursuant to EDPL § 402(B)(4), any party seeking to oppose the acquisition must interpose a verified answer, which must contain specific denial of each material allegation of the petition controverted by the opponent, or any statement of new matter deemed by the opponent to be a defense to the proceeding. Pursuant to CPLR 403, said answer must be served upon the office of the Corporation Counsel at least seven (7) days before the date that the petition is noticed to be heard.

Dated: October 22, 2009, New York, New York
MICHAEL A. CARDOZO
Corporation Counsel of the City of New York
100 Church Street, Room 5-235
New York, New York 10007
Tel. (212) 788-0710

SEE MAP ON BACK PAGES

n12-25

PROPERTY DISPOSITION

CITYWIDE ADMINISTRATIVE SERVICES

DIVISION OF MUNICIPAL SUPPLY SERVICES

SALE BY SEALED BID

SALE OF: SANITATION COLLECTION TRUCKS, SWEEPERS AND FRONT END LOADERS, USED.

S.P.#: 10007 **DUE:** November 17, 2009

Use the following address unless otherwise specified in notice, to secure, examine or submit bid/proposal documents, vendor pre-qualification and other forms; specifications/

blueprints; other information; and for opening and reading of bids at date and time specified above.
DCAS, Division of Municipal Supply Services, 18th Floor Bid Room, Municipal Building, New York, NY 10007.
For sales proposal contact Gladys Genoves McCauley at (718) 417-2156.

n2-17

SALE OF: 3 LOTS OF MISCELLANEOUS EQUIPMENT, USED.

S.P.#: 10008

DUE: November 24, 2009

Use the following address unless otherwise specified in notice, to secure, examine or submit bid/proposal documents, vendor pre-qualification and other forms; specifications/blueprints; other information; and for opening and reading of bids at date and time specified above.
DCAS, Division of Municipal Supply Services, 18th Floor, Bid Room, Municipal Building, New York, NY 10007.
For sales proposal contact Gladys Genoves - McCauley (718) 417-2156.

n10-24

POLICE

OWNERS ARE WANTED BY THE PROPERTY CLERK DIVISION OF THE NEW YORK CITY POLICE DEPARTMENT.

The following listed property is in the custody, of the Property Clerk Division without claimants.

Recovered, lost, abandoned property, property obtained from prisoners, emotionally disturbed, intoxicated and deceased persons; and property obtained from persons incapable of caring for themselves.
Motor vehicles, boats, bicycles, business machines, cameras, calculating machines, electrical and optical property, furniture, furs, handbags, hardware, jewelry, photographic equipment, radios, robes, sound systems, surgical and musical instruments, tools, wearing apparel, communications equipment, computers, and other miscellaneous articles.

INQUIRIES

Inquiries relating to such property should be made in the Borough concerned, at the following office of the Property Clerk.

FOR MOTOR VEHICLES

(All Boroughs):

- * College Auto Pound, 129-01 31 Avenue, College Point, NY 11354, (718) 445-0100
- * Gowanus Auto Pound, 29th Street and 2nd Avenue, Brooklyn, NY 11212, (718) 832-3852
- * Erie Basin Auto Pound, 700 Columbia Street, Brooklyn, NY 11231, (718) 246-2029

FOR ALL OTHER PROPERTY

- * Manhattan - 1 Police Plaza, New York, NY 10038, (212) 374-4925.
- * Brooklyn - 84th Precinct, 301 Gold Street, Brooklyn, NY 11201, (718) 875-6675.
- * Bronx Property Clerk - 215 East 161 Street, Bronx, NY 10451, (718) 590-2806.
- * Queens Property Clerk - 47-07 Pearson Place, Long Island City, NY 11101, (718) 433-2678.
- * Staten Island Property Clerk - 1 Edgewater Plaza, Staten Island, NY 10301, (718) 876-8484.

j1-d31

PROCUREMENT

"The City of New York is committed to achieving excellence in the design and construction of its capital program, and building on the tradition of innovation in architecture and engineering that has contributed to the City's prestige as a global destination. The contracting opportunities for construction/construction services and construction-related services that appear in the individual agency listings below reflect that commitment to excellence."

AGING

AWARDS

Goods & Services

SERVICES FOR SENIOR CITIZENS – BP/City Council Discretionary –
Bronx Jewish Community Council Inc.
2930 Wallace Avenue, Bronx, NY 10467
PIN#: 12510DISC1WQ - Contract Amount: \$246,972

Ridgewood Bushwick Senior Citizens Council Inc.
555 Bushwick Avenue, Brooklyn, NY 11206
PIN#: 12510DISC2GC - Contract Amount: \$46,333

Bergen Beach Youth Organization Inc.
P.O. Box 340-167 Ryder Station, Brooklyn, NY 11234
PIN#: 12510DISC2YF - Contract Amount: \$95,000

Older Adults Technology Services Inc.
1713 Eighth Avenue #8, Brooklyn, NY 11215
PIN#: 12510DISC2Z9 - Contract Amount: \$261,187

Jewish Association for Services for the Aged
132 West 31st Street, 10th Floor, New York, NY 10001
PIN#: 12510DISC3E1 - Contract Amount: \$93,680

Jewish Association for Services for the Aged
132 West 31st Street, 10th Floor, New York, NY 10001
PIN#: 12510DISC4E1 - Contract Amount: \$92,629

Jewish Association for Services for the Aged
132 West 31st Street, 10th Floor, New York, NY 10001
PIN#: 12510DISC4E2 - Contract Amount: \$93,638

Queens Interagency Council on the Aging Inc.

120-55 Queens Blvd., Room 319, Kew Gardens, NY 11424
PIN#: 12510DISC4XT - Contract Amount: \$126,000

n12

CITYWIDE ADMINISTRATIVE SERVICES

DIVISION OF MUNICIPAL SUPPLY SERVICES

AWARDS

Goods

FORKLIFTS, VARIOUS SIZES - DCAS – Competitive Sealed Bids – PIN# 857900667 – AMT: \$663,525.00 – TO: Viccaro Equipment, Corp., 1818 Pacific Street, Suite 1, Hauppauge, NY 11788.

n12

VENDOR LISTS

Goods

ACCEPTABLE BRAND LIST – In accordance with PPB Rules, Section 2-05(c)(3), the following is a list of all food items for which an Acceptable Brands List has been established.

1. Mix, Biscuit - AB-14-1:92
2. Mix, Bran Muffin - AB-14-2:91
3. Mix, Corn Muffin - AB-14-5:91
4. Mix, Pie Crust - AB-14-9:91
5. Mixes, Cake - AB-14-11:92A
6. Mix, Egg Nog - AB-14-19:93
7. Canned Beef Stew - AB-14-25:97
8. Canned Ham Shanks - AB-14-28:91
9. Canned Corned Beef Hash - AB-14-26:94
10. Canned Boned Chicken - AB-14-27:91
11. Canned Corned Beef - AB-14-30:91
12. Canned Ham, Cured - AB-14-29:91
13. Complete Horse Feed Pellets - AB-15-1:92
14. Canned Soups - AB-14-10:92D
15. Infant Formula, Ready to Feed - AB-16-1:93
16. Spices - AB-14-12:95
17. Soy Sauce - AB-14-03:94
18. Worcestershire Sauce - AB-14-04:94

Application for inclusion on the above enumerated Acceptable Brand Lists for foods shall be made in writing and addressed to: Purchase Director, Food Unit, Department of Citywide Administrative Services, Division of Municipal Supply Services, 1 Centre Street, 18th Floor, New York, NY 10007. (212) 669-4207.

jy17-j4

EQUIPMENT FOR DEPARTMENT OF SANITATION

In accordance with PPB Rules, Section 2.05(c)(3), an acceptable brands list will be established for the following equipment for the Department of Sanitation:

- A. Collection Truck Bodies
- B. Collection Truck Cab Chassis
- C. Major Component Parts (Engine, Transmission, etc.)

Applications for consideration of equipment products for inclusion on the acceptable brands list are available from: Vendor Relations, Department of Citywide Administrative Services, Division of Municipal Supply Services, 1 Centre Street, 18th Floor, New York, NY 10007. (212) 669-8610.

jy17-j4

OPEN SPACE FURNITURE SYSTEMS - CITYWIDE – In accordance with PPB Rules, Section 2.05(c)(3), an Acceptable Brands List, #AB-17W-1:99, has been established for open space furniture systems.

Application for consideration of product for inclusion on this acceptable brands list shall be made in writing and addressed to: Vendor Relations, Department of Citywide Administrative Services, Division of Municipal Supply Services, 1 Centre Street, 18th Floor, New York, NY 10007, (212) 669-8610.

jy17-j4

CORRECTION

CENTRAL OFFICE OF PROCUREMENT

SOLICITATIONS

Goods & Services

CLEANING AND MAINTENANCE OF GREASE TRAPS AND GREASE REMOVAL BINS – Competitive Sealed Bids – PIN# 072201032EHS – DUE 12-01-09 AT 11:00 A.M.

Use the following address unless otherwise specified in notice, to secure, examine or submit bid/proposal documents, vendor pre-qualification and other forms; specifications/blueprints; other information; and for opening and reading of bids at date and time specified above.

Department of Correction, 75-20 Astoria Boulevard, Suite 160, East Elmhurst, NY 11370.
Cassandra Dunham (718) 546-0766,
cassandra.dunham@doc.nyc.gov

n12

DESIGN & CONSTRUCTION

AWARDS

Construction / Construction Services

RENEWAL CONTRACT: SEN-SURV3, SURVEYING SERVICES – Renewal – PIN# 8502006PW0012P – AMT: \$500,000.00 – TO: Nelson and Pope Engineers Land Surveyors, PLLC, 572 Walt Whitman Road, Melville, NY 11747. SEN-SURV3, Requirements contracts of surveying services for various projects, Manhattan.

n12

CONTRACT SECTION

AWARDS

Construction / Construction Services

RECONSTRUCTION OF NASSAU STREET FROM FULTON STREET TO MAIDEN LANE - PHASE III, MANHATTAN – Competitive Sealed Bids – PIN# 8502008HW0068 – AMT: \$.00 – P and T Contracting Corporation, 2417 Jericho Turnpike, Garden City, NY 11040. PROJECT NO.: HWM1165. Contract Amount: Bid multiplier 1.0675*.

n12

EDUCATION

DIVISION OF CONTRACTS AND PURCHASING

SOLICITATIONS

Goods & Services

FURNISH, DELIVER AND INSTALL SHEET METAL LOCKERS – Competitive Sealed Bids – PIN# B0862040 – DUE 12-17-09 AT 5:00 P.M. – If you cannot download this bid, please send an e-mail to VendorHotline@schools.nyc.gov with the bid number and title in the subject line of your e-mail. For all questions related to this bid, please send an e-mail to lroth@schools.nyc.gov with the bid number and title in the subject line of your e-mail. There will be a pre-bid conference on November 23rd, 2009 at 2:00 P.M. at 65 Court Street, Conference Room 1201, Brooklyn, NY 11201. Bid opening: Friday, December 18th, 2009 at 11:00 A.M.

Use the following address unless otherwise specified in notice, to secure, examine or submit bid/proposal documents, vendor pre-qualification and other forms; specifications/blueprints; other information; and for opening and reading of bids at date and time specified above.
Department of Education, 65 Court Street, Room 1201, Brooklyn, NY 11201. Vendor Hotline (718) 935-2300, vendorhotline@schools.nyc.gov

n12

ENVIRONMENTAL PROTECTION

BUREAU OF WATER AND SEWER OPERATIONS

SOLICITATIONS

Services (Other Than Human Services)

CORRECTION: ENVIRONMENTAL HEALTH AND SAFETY MANAGEMENT CONSULTANT – Request for Proposals – PIN# 82610ECOSE10 – DUE 01-25-10 AT 4:00 P.M. – EHSCONS-10. Provide all aspects of environmental, health and safety services related to the BWSO EHS programs, permits, storage tanks, and remediation projects. MINIMUM QUALIFICATION REQUIREMENTS: Staffing must include at least four (4) Certified Safety Professionals (CSP), at least 2 Certified Industrial Hygienists (CIH). Pre-proposal Conference: Tuesday, December 15, 2009, 11:00 A.M., 96-05 Horace Harding Expressway, 3rd Floor, Low Rise Conference Room 1., Corona, NY 11368.

Use the following address unless otherwise specified in notice, to secure, examine or submit bid/proposal documents, vendor pre-qualification and other forms; specifications/blueprints; other information; and for opening and reading of bids at date and time specified above.
Department of Environmental Protection, 96-05 Horace Harding Expressway, 3rd Floor.
Shay Mcatamney (718) 595-4618, smcatamney@dep.nyc.gov
59-17 Junction Boulevard, 17th Fl. Bid Room, Flushing, NY 11373.

n12

HEALTH AND HOSPITALS CORPORATION

The New York City Health and Hospitals Corporation is regularly soliciting bids for supplies and equipment at its Central Purchasing Offices, 346 Broadway, New York City, Room 516, for its Hospitals and Diagnostic and Treatment Centers. All interested parties are welcome to review the bids that are posted in Room 516 weekdays between 9:00 a.m. and 4:30 p.m. For information regarding bids and the bidding process, please call (212) 442-3863.

j1-d31

SOLICITATIONS

Goods

SHARPOINT NYLON SUTURE – Competitive Sealed Bids – PIN# 000011110070 – DUE 11-25-09 AT 3:00 P.M.
● **PROXENON HEADLIGHT FIBER, COOL VENT HEADLIGHT, ETC** – Competitive Sealed Bids – PIN# 000011110071 – DUE 11-30-09 AT 3:00 P.M

Use the following address unless otherwise specified in notice, to secure, examine or submit bid/proposal documents, vendor pre-qualification and other forms; specifications/blueprints; other information; and for opening and reading of bids at date and time specified above.
Bellevue Hospital Center, Purchasing, 462 First Avenue, Room# 12 East 32, New York, NY 10016. Melissa Cordero (212) 562-2016, melissa.cordero@bellevue.nychhc.org

n12

ADVANCED MEDICAL OPTICS MEDICAL SUPPLIES

– Sole Source – Available only from a single source - PIN# 231-10-034SS – DUE 11-17-09 AT 1:00 P.M. – The North Brooklyn Health Network (NBHN) intends to enter into a sole source contract for Flo Phaco tip 20 gauge and vitrectomy cutter with Advanced Medical Optics, 1700 E. St. Andrew Place, Santa Ana, CA 92799.

Any other supplier who is capable of providing this product for the NBHN may express their interest in doing so by writing to Abraham Caban, Procurement Analyst, 100 North Portland Avenue, Room C-32, Brooklyn, NY 11205 or abraham.caban@nychhc.org on or before 1:00 P.M., Tuesday, November 17, 2009.

n9-16

ESSURE PERMANENT BIRTH CONTROL SYSTEM

– Sole Source – Available only from a single source -

PIN# 231-10-035SS – DUE 01-04-10 AT 10:00 A.M. – The North Brooklyn Health Network intends to enter into a sole source contract for Essure Permanent Birth Control System with Conceptus Inc., 1021 Howard Avenue, San Carlos, CA 94070.

Any other supplier who is capable of providing this product for the NBHN may express their interest in doing so by writing to Abraham Caban, Procurement Analyst, 100 North Portland Avenue, Room C-32, Brooklyn, NY 11205 or abraham.caban@nychhc.org on or before 10:00 A.M., Tuesday, November 17, 2009.

Use the following address unless otherwise specified in notice, to secure, examine or submit bid/proposal documents, vendor pre-qualification and other forms; specifications/blueprints; other information; and for opening and reading of bids at date and time specified above.
North Brooklyn Health Network, 100 North Portland Avenue, C-32, Brooklyn, NY 11205. Abraham Caban (718) 260-7759,

n9-16

Goods & Services

FURNISH AND SUPPLY HVAC RADIATOR COVERS – Competitive Sealed Bids – PIN# 22210031 – DUE 11-19-09 AT 3:00 P.M.

Use the following address unless otherwise specified in notice, to secure, examine or submit bid/proposal documents, vendor pre-qualification and other forms; specifications/blueprints; other information; and for opening and reading of bids at date and time specified above.
Lincoln Hospital Center, 234 East 149th Street, Bronx, New York 10451. Eleanor Munnerlyn (718) 579-5999, eleanor.munnerlyn@nychhc.org

n12

FURNISH AND INSTALL CERAMIC TILES IN TWO BATHROOMS

– Competitive Sealed Bids – PIN# 11210031 – DUE 11-23-09 AT 3:00 P.M. – Mandatory site visit scheduled for both 11/18/09 and 11/19/09, at 9:30 A.M. at Lower Washington Heights Clinic, 1727 Amsterdam Avenue, NY, NY 10037.

Use the following address unless otherwise specified in notice, to secure, examine or submit bid/proposal documents, vendor pre-qualification and other forms; specifications/blueprints; other information; and for opening and reading of bids at date and time specified above.
Lincoln Hospital Center, 234 East 149th Street, Bronx, NY 10451. Jannet Olivera (718) 579-5992, jannet.olivera@nychhc.org

n12

SUPPLY AND INSTALL 2 STANLEY SINGLE MAGIC ELECTRO MECHANICAL SWING

– Competitive Sealed Bids – PIN# 11210030 – DUE 11-23-09 AT 3:30 P.M. – Mandatory site visit for 11/18/09 and 11/19/09 at 10:30 A.M. at Harlem Hospital Center, 506 Lenox Avenue, NY, NY 10037, on the 3rd Floor of the Old Nurses Residence.

Use the following address unless otherwise specified in notice, to secure, examine or submit bid/proposal documents, vendor pre-qualification and other forms; specifications/blueprints; other information; and for opening and reading of bids at date and time specified above.
Lincoln Hospital Center, 234 East 149th Street, Bronx, NY 10451. Jannet Olivera (718) 579-5992, jannet.olivera@nychhc.org

n12

Services (Other Than Human Services)

MEDICARE OTC BENEFIT CARD SERVICES – Request for Proposals – PIN# 100912R063 – DUE 12-21-09 AT 4:00 P.M.

Use the following address unless otherwise specified in notice, to secure, examine or submit bid/proposal documents, vendor pre-qualification and other forms; specifications/blueprints; other information; and for opening and reading of bids at date and time specified above.
MetroPlus Health Plan, 160 Water Street, 3rd Floor, New York, NY 10038. Kathleen Nolan (212) 908-8730, nolank@nychhc.org

n12

HOMELESS SERVICES

SOLICITATIONS

Services (Other Than Human Services)

ON-CALL PORTABLE COOLING SYSTEMS, CITYWIDE – Competitive Sealed Bids – PIN# 07109S021411 – DUE 12-14-09 AT 11:00 A.M. – Period of Performance: Thirty-six (36) months from date of notice to commence work.

Mandatory pre-bid conference and site visit Tuesday, November 24, 2009 at 10:30 A.M. to be held at the Central Warehouse located at 101-07 Farragut Road, Brooklyn, NY 11236. For more information on how to get there, this is the phone number to the Warehouse: (718) 688-8539. Vendor Source ID#: 64285.

Use the following address unless otherwise specified in notice, to secure, examine or submit bid/proposal documents, vendor pre-qualification and other forms; specifications/blueprints; other information; and for opening and reading of bids at date and time specified above.
Homeless Services, 33 Beaver Street, New York, NY 10004. Barry Gabriel (212) 361-8438, bgabriel@dhs.nyc.gov

n12

OFFICE OF CONTRACTS AND PROCUREMENT

SOLICITATIONS

Human / Client Service

TRANSITIONAL RESIDENCES FOR HOMELESS/DROP-IN CENTERS – Competitive Sealed Proposals – Judgment required in evaluating proposals - PIN# 071-00S-003-262Z – DUE 06-25-10 AT 10:00 A.M. The Department of Homeless Services is soliciting proposals from organizations interested in developing and operating

transitional residences for homeless adults and families including the Neighborhood Based Cluster Residence and drop-in centers for adults. This is an open-ended solicitation; there is no due date for submission.

Use the following address unless otherwise specified in notice, to secure, examine or submit bid/proposal documents, vendor pre-qualification and other forms; specifications/blueprints; other information; and for opening and reading of bids at date and time specified above.
 Department of Homeless Services, 33 Beaver Street, 13th Floor, New York, NY 10004. Marta Zmoira (212) 361-0888, mzmaira@dhs.nyc.gov

j12-24

HOUSING AUTHORITY

■ SOLICITATIONS

Construction / Construction Services

REPLACEMENT OF UNDERGROUND STEAM DISTRIBUTION SYSTEM AT GRANT HOUSES – Competitive Sealed Bids – PIN# HE9011040 – DUE 11-30-09 AT 10:30 A.M. – Bid documents are available Monday through Friday, 9:00 A.M. to 4:00 P.M., for a \$25.00 fee in the form of a money order or certified check made payable to NYCHA.

Use the following address unless otherwise specified in notice, to secure, examine or submit bid/proposal documents, vendor pre-qualification and other forms; specifications/blueprints; other information; and for opening and reading of bids at date and time specified above.
 Housing Authority, 90 Church Street, 11th Floor, New York, NY 10007. Gloria Guillo, MPA, CPPO, (212) 306-3121, gloria.guillo@nycha.nyc.gov

n6-13

ROOFING REPLACEMENT AND ASBESTOS ABATEMENT AT BETANCES II – Competitive Sealed Bids – PIN# RF9016879 – DUE 11-20-09 AT 10:00 A.M. – Bid documents are available Monday through Friday, 9:00 A.M. to 4:00 P.M., for a \$25.00 fee in the form of a money order or certified check made payable to NYCHA.

Use the following address unless otherwise specified in notice, to secure, examine or submit bid/proposal documents, vendor pre-qualification and other forms; specifications/blueprints; other information; and for opening and reading of bids at date and time specified above.
 Housing Authority, 90 Church Street, 11th Floor, New York, NY 10007. Gloria Guillo, MPA, CPPO, (212) 306-3121, gloria.guillo@nycha.nyc.gov

n6-13

PURCHASING DIVISION

■ SOLICITATIONS

Goods & Services

SPENCE ENGINEERING REGULATORS/VALVES/PARTS – Competitive Sealed Bids – RFQ# 7530 HS – DUE 12-01-09 AT 10:40 A.M.

Use the following address unless otherwise specified in notice, to secure, examine or submit bid/proposal documents, vendor pre-qualification and other forms; specifications/blueprints; other information; and for opening and reading of bids at date and time specified above.
 Housing Authority, 23-02 49th Avenue, 5th Floor SCOD Long Island City, NY 11101. Bid documents available via internet ONLY:
http://www.nyc.gov/html/nycha/html/business/goods_materials.shtml
 Harvey Sherkman (718) 707-5466.

n12

HOUSING PRESERVATION & DEVELOPMENT

■ SOLICITATIONS

Construction / Construction Services

PLUMBING REPIPE WORK AT 1804 WEEKS AVENUE, BRONX, N.Y. – Competitive Sealed Bids – PIN# CM500E936716R – DUE 11-20-09 AT 11:00 A.M. This solicitation is subject to City of New York Local Law 129 of 2005. Minority owned and Women-Owned Business Enterprises (M/WBEs) are encouraged to bid and subcontracting is subject to M/WBE participation goals. Non-refundable bid documents cost \$40.00. Payable by money order, bank check or certified check made payable to Melcara Corp. Site walk-through 11/18/09 at 2:00 P.M., mandatory for all bidders. Call (212) 387-0016 for information.

Use the following address unless otherwise specified in notice, to secure, examine or submit bid/proposal documents, vendor pre-qualification and other forms; specifications/blueprints; other information; and for opening and reading of bids at date and time specified above.
 Melcara Corporation, 420 Lexington Avenue, Suite 414, New York, NY 10170. Peter Clements (212) 861-8025 or (212) 387-0016, peterc@prcny.com
 HPD, 100 Gold Street, Room 6F3, New York, NY 10038.

n12

■ AWARDS

Services (Other Than Human Services)

NON-RECRUITMENT ADVERTISING – Competitive Sealed Bids – PIN# 806091000721 – AMT: \$850,000.00 – TO: Miller Advertising Agency, 71 Fifth Avenue, New York, NY 10003.

n12

DIVISION OF MAINTENANCE

■ AWARDS

Construction / Construction Services

NON-EMERGENCY DEMOLITION OF ONE (1) BUILDING – Competitive Sealed Bids/Pre-Qualified List – Available only from a single source - PIN# 806088701836 – AMT: \$179,969.00 – TO: Gateway Demolition Corp., 134-22 32nd Avenue, Flushing, NY 11354.

n12

INFORMATION TECHNOLOGY AND TELECOMMUNICATIONS

■ AWARDS

Goods & Services

TREND ANTIVIRUS GATEWAY MAINTENANCE SERVICES – Intergovernmental Purchase – PIN# 85809OGS0037 – AMT: \$348,600.00 – TO: Dini Communications, Inc., 344 Raritan Center Parkway, Edison, NJ 08837. This award was procured through the NYS OGS; therefore, the agency must follow the State procurement policy.

n12

JUVENILE JUSTICE

■ SOLICITATIONS

Human / Client Service

PROVISION OF NON-SECURE DETENTION GROUP HOMES – Negotiated Acquisition – Judgment required in evaluating proposals - PIN# 13010DJJ000 – DUE 06-30-11 AT 2:00 P.M. – The Department of Juvenile Justice is soliciting applications from organizations interested in operating non-secure detention group homes in New York City. This is an open-ended solicitation; applications will be accepted on a rolling basis until 2:00 P.M. on 6/30/11.

Use the following address unless otherwise specified in notice, to secure, examine or submit bid/proposal documents, vendor pre-qualification and other forms; specifications/blueprints; other information; and for opening and reading of bids at date and time specified above.
 Department of Juvenile Justice, 110 William Street, 14th Floor, New York, NY 10038. Chuma Uwechia (212) 442-7716, cuwechia@djj.nyc.gov

ny1-d16

PARKS AND RECREATION

CONTRACT ADMINISTRATION

■ SOLICITATIONS

Construction / Construction Services

CONSTRUCTION OF A PLAYGROUND – Competitive Sealed Bids – PIN# 8462010X348C01 – DUE 12-11-09 AT 10:30 A.M. – At the Northeast corner of East 157th Street and River Avenue, The Bronx, known as Contract #X348-109MA. Vendor Source ID#: 64765. This procurement is subject to participation goals for MBEs and/or WBEs as required by Local Law 129 of 2005.

Bid documents are available for a fee of \$25.00 in the Blueprint Room, Room #64, Olmsted Center, from 8:00 A.M. to 3:00 P.M. The fee is payable by company check or money order to the City of NY, Parks and Recreation. A separate check/money order is required for each project. The Company name, address and telephone number as well as the project contract number must appear on the check/money order. Bidders should ensure that the correct company name, address, telephone and fax numbers are submitted by your company/messenger service when picking up bid documents.

Use the following address unless otherwise specified in notice, to secure, examine or submit bid/proposal documents, vendor pre-qualification and other forms; specifications/blueprints; other information; and for opening and reading of bids at date and time specified above.
 Parks and Recreation, Olmsted Center, Room 64, Flushing Meadows Corona Park, Flushing, NY 11368.
 Juan Alban (718) 760-6771, Juan.Alban@parks.nyc.gov

n12

■ AWARDS

Construction / Construction Services

PLUMBING WORK IN CONNECTION WITH THE CONSTRUCTION OF A COMFORT STATION IN THE PORTION OF FERRY POINT PARK – Competitive Sealed Bids – PIN# 8462008X126C05 – AMT: \$467,515.00 – TO: Pacific Plumbing and Heating Corp., 378 McGuinness Blvd., Brooklyn, NY 11222. The Bronx, known as Contract #X126-306M.

n12

SCHOOL CONSTRUCTION AUTHORITY

CONTRACT ADMINISTRATION

■ SOLICITATIONS

Construction / Construction Services

FLOOR REPLACEMENT – Competitive Sealed Bids – PIN# SCA10-12501D-1 – DUE 12-01-09 AT 10:00 A.M. Non-refundable Bid Document Charge: \$100.00, certified check or money order only. Make payable to the New York City School Construction Authority. Bidders must be Pre-Qualified by the SCA.

Use the following address unless otherwise specified in notice, to secure, examine or submit bid/proposal documents, vendor pre-qualification and other forms; specifications/blueprints; other information; and for opening and reading of bids at date and time specified above.
 School Construction Authority, Plans Room Window, Room #1046, 30-30 Thomson Avenue, 1st Floor, Long Island City, NY 11101. Stacia Edwards (718) 752-5849, sedwards@nycsca.org

n12-18

AUDITORIUM UPGRADE – Competitive Sealed Bids – PIN# SCA10-12001D-1 – DUE 12-03-09 AT 11:00 A.M. Project Range: \$1,610,000 to \$1,700,000. Non-refundable Bid Document Charge: \$100.00, certified check or money order only. Make payable to the New York City School Construction Authority. Bidders must be Pre-Qualified by the Authority.

Use the following address unless otherwise specified in notice, to secure, examine or submit bid/proposal documents, vendor pre-qualification and other forms; specifications/blueprints; other information; and for opening and reading of bids at date and time specified above.
 School Construction Authority, 30-30 Thomson Avenue, Plans Room Window, Room #1046, 1st Floor, Long Island City, NY 11101.
 K. Idlett (718) 472-8360, kidlett@nycsca.org

n12-18

CONTRACT SERVICES

■ SOLICITATIONS

Construction / Construction Services

REPAIR SINK HOLE – Competitive Sealed Bids – PIN# SCA10-12423D-1 – DUE 12-01-09 AT 10:30 A.M. P.S. 98 (Manhattan). Project Range: \$1,170,000.00 - \$1,240,000.00. Non-refundable bid document charge: \$100.00 certified check or money order only. Make payable to New York City School Construction Authority. Bidders must be pre-qualified by the SCA.

Use the following address unless otherwise specified in notice, to secure, examine or submit bid/proposal documents, vendor pre-qualification and other forms; specifications/blueprints; other information; and for opening and reading of bids at date and time specified above.
 School Construction Authority, 30-30 Thomson Avenue, Long Island City, NY 11101. Lily Persaud (718) 752-5852, lpersaud@nycsca.org

n10-17



CITYWIDE ADMINISTRATIVE SERVICES

DIVISION OF REAL ESTATE SERVICES

■ NOTICE

NOTICE OF INTENT TO ENTER INTO NEGOTIATIONS

Pursuant to Section 1-14 (f) of the Concession Rules of the City of New York, the Department of Citywide Administrative Services, Division of Real Estate Services (DCAS/DRES) intends to enter into negotiations with Villa Marin GMC, Inc. ("Villa Marin") to utilize approximately 60,800 square feet of waterfront property located approximately 50 feet north and approximately 244 feet west of the south west corner of Housman Avenue and Richmond Terrace, known as block 1109, portion of lots 8, 14, 18, 23. This concession term is for one (1) year with two (2) one year renewal options, exercisable at the City's sole discretion. The property will be utilized pursuant to an occupancy permit issued by DCAS/DRES; no leasehold or other proprietary right is offered. The concession term will commence approximately January 1, 2010. DCAS/DRES projects approximately \$56,400 in annual concession revenue to the City.

DCAS has determined that it is not in the best interest of the City to award this concession pursuant to a competitive process because of the unique location of the property. The concession agreement will authorize Villa Marin to continue to use this property for storage of trailers and vehicle parking in conjunction with Villa Marin's car dealership business located on the adjacent lot.

Instructions and information for potential concessionaries concerning how they may express interest in the proposed concession and/or how they may obtain additional information concerning the proposed concession should be directed to Margie Harris, Director, Division of Real Estate Services at (212) 669-4241 or via email at mharris@dcas.nyc.gov. To ensure the consideration by DCAS/DRES of any "expressions of interest" resulting from this notification please contact Ms. Harris by November 26, 2009. Ms. Harris may also be contacted with any questions and/or correspondence relating to the potential concession award. DCAS will evaluate any proposals received in response to this solicitation on the basis of the fee offered and the intended use of the concession property by the proposed concessionaire. Where applicable, DCAS/DRES may condition the award of this concession upon the successful completion of VENDEX Questionnaires (Vendor and Principal Questionnaires) and review of that information by the Department of Investigation.

This concession is subject to applicable provisions of Federal, State, and Local laws and executive orders requiring affirmative action and equal employment opportunity. Please note that the New York City Comptroller is charged with the audit of concession agreements in New York City. Any person or entity who believes that there has been unfairness, favoritism or impropriety in the proposal process should inform the Comptroller, Office of Contract Administration, 1 Centre Street, New York, New York 10007, telephone number (212) 669-2323.

n9-16

COMPTROLLER

■ NOTICE

NOTICE OF ADVANCE PAYMENT OF AWARDS PURSUANT TO THE STATUTES IN SUCH cases made and provided, notice is hereby given that the Comptroller of the City of New York, will be ready to pay, at 1 Centre St., Rm.

629, New York, NY 10007 on November 19, 2009, to the person or persons legally entitled an amount as certified to the Comptroller by the Corporation Counsel on damage parcels, as follows:

| Damage Parcel No. | Block | Lot |
|---------------------|-------|----------------|
| 170,170A | 3790 | 15 |
| 182,183,184,185,186 | 3723 | 25,31,13,33,10 |
| 187,188,189 | | 35,36,4 |
| 197 | 3722 | 27 |
| 199 | 3722 | 31 |
| 200 | 3722 | 35 |

Acquired in the proceeding, entitled: NEW CREEK BLUEBELT, PHASE 4, subject to any liens and encumbrances of record on such property. The amount shall cease to bear interest on the specified date above.

William C. Thompson, Jr.
Comptroller

n4-19

NOTICE OF ADVANCE PAYMENT OF AWARDS PURSUANT TO THE STATUTES IN SUCH cases made and provided, notice is hereby given that the Comptroller of the City of New York, will be ready to pay, at 1 Centre Street, Rm. 629, New York, NY 10007 on November 17, 2009 to the person or persons legally entitled an amount as certified to the Comptroller by the Corporation Counsel on damage parcels, as follows:

| Damage Parcel No. | Block | Lot |
|-------------------|-------|-----|
| 12 | 146 | 29 |

Acquired in the proceeding, entitled: FIFTH AMENDED BROOKLYN CENTER URBAN RENEWAL PROJECT, PHASE 2 subject to any liens and encumbrances on such property. The amount advanced shall cease to bear interest on the specified date above.

William C. Thompson, Jr.
Comptroller

n2-17

NOTICE OF ADVANCE PAYMENT OF AWARDS PURSUANT TO THE STATUTES IN SUCH cases made and provided, notice is hereby given that the Comptroller of the City of New York, will be ready to pay, at 1 Centre St., Rm. 629, New York, NY 10007 on November 12, 2009 to the person or persons legally entitled an amount as certified to the Comptroller by the Corporation Counsel on damage parcels, as follows:

| Damage Parcel No. | Block | Lot |
|-------------------|-------|----------------------|
| 132 | 3760 | 27 |
| 131 | 3760 | 40 |
| 135,136 | 3766 | 11,8 |
| 138 | 3766 | 1 |
| 141,142 | 3791 | 34,37 |
| 146,148,149,150 | 3764 | 4,40,39,88 |
| 147 | 3764 | 1 |
| 161,162,163 | 3790 | 23,22,45,21,20,19,18 |
| 164,16 5,166 | | |
| 167 | | |

Acquired in the proceeding, entitled: NEW CREEK BLUEBELT, PHASE 4 subject to any liens and encumbrances of record on such property. The amount advanced shall cease to bear interest on the specified date above.

William C. Thompson, Jr.
Comptroller

o28-n12

HOUSING PRESERVATION & DEVELOPMENT

■ NOTICE

**OFFICE OF PRESERVATION SERVICES
CERTIFICATION OF NO HARASSMENT UNIT**

**REQUEST FOR COMMENT ON APPLICATION FOR
CERTIFICATION OF NO HARASSMENT PURSUANT
TO LOCAL LAW 19 OF 1983**

DATE OF NOTICE: November 9, 2009

TO: OCCUPANTS, FORMER OCCUPANTS AND OTHER INTERESTED PARTIES OF

| Address | Application # | Inquiry Period |
|----------------------------------|---------------|-----------------------------|
| 200 Washington Park, Brooklyn | 95/09 | October 16, 2006 to Present |
| 587 Putnam Avenue, Brooklyn | 96/09 | October 19, 2006 to Present |
| 228 West 132nd Street, Manhattan | 98/09 | October 29, 2006 to Present |
| 356 West 123rd Street, Manhattan | 100/09 | October 30, 2006 to Present |

The Department of Housing Preservation and Development has received an application for a certification that during the inquiry period noted for the premises above, that no harassment has occurred at such premises in the form of threats, use of physical force, deprivation of essential services such as heat, water, gas or electric, or by any other conduct intended to cause persons to vacate the premises or waive rights related to their occupancy. Upon the issuance of a Certification, an owner can legally convert the premises to non-single room occupancy use.

Comments as to whether harassment has occurred at the premises should be submitted to the Anti-Harassment Unit, 100 Gold Street, 3rd Floor, New York, NY 10038, by letter postmarked not later than 30 days from the date of this notice or by an in-person statement made within the same period. To schedule an appointment for an in-person statement please call (212) 863-8272.

n9-17

**OFFICE OF PRESERVATION SERVICES
CERTIFICATION OF NO HARASSMENT UNIT**

**REQUEST FOR COMMENT ON APPLICATION FOR
CERTIFICATION OF NO HARASSMENT PURSUANT
TO THE SPECIAL GREENPOINT-WILLIAMSBURG
DISTRICT PROVISIONS OF THE ZONING
RESOLUTION**

DATE OF NOTICE: November 9, 2009

TO: OCCUPANTS, FORMER OCCUPANTS AND OTHER INTERESTED PARTIES OF

| Address | Application # | Inquiry Period |
|---------------------------|---------------|----------------------------|
| 46 Grand Street, Brooklyn | 92/09 | October 4, 2004 to Present |
| 50 Grand Street, Brooklyn | 93/09 | October 4, 2004 to Present |

Prior to the issuance of a permit by the Department of Buildings for the alteration or demolition of residential buildings in certain areas of the **Special Greenpoint-Williamsburg District**, the Department of Housing Preservation and Development is required to certify that: 1) prior to evicting or otherwise terminating the occupancy of any tenant preparatory to alteration or demolition, the owner shall have notified HPD of the owner's intention to alter or demolish the building and 2) the eviction and relocation practices followed by the owner of the building satisfy all applicable legal requirements and that no harassment has occurred.

The owner of the building located at the above-referenced address seeks the issuance of an HPD Certification. The owner has represented and certified to HPD of the owner's intention to alter or demolish the building and that the eviction and relocation practices followed by the owner satisfy all applicable legal requirements and that no harassment has occurred. For your information HPD considers harassment to include, but not be limited to, the threatened or actual use of physical force, deprivation of essential services such as heat, water, gas or electric, or any other conduct intended to cause persons to vacate the premises or waive rights related to their occupancy.

HPD requests that if you have any comments or evidence of unlawful eviction and relocation practices or harassment occurring at the above referenced premises that you notify the Anti-Harassment Unit, 3rd Floor, 100 Gold Street, New York, NY 10038, by letter postmarked not later than 30 days from the date of this notice or by an in-person statement made within the same period. To schedule an appointment for an in-person statement please call (212) 863-8272.

n9-17

**OFFICE OF PRESERVATION SERVICES
CERTIFICATION OF NO HARASSMENT UNIT**

**REQUEST FOR COMMENT ON APPLICATION FOR
CERTIFICATION OF NO HARASSMENT PURSUANT
TO THE SPECIAL HUDSON YARD DISTRICT
PROVISIONS OF THE ZONING RESOLUTION**

DATE OF NOTICE: November 9, 2009

TO: OCCUPANTS, FORMER OCCUPANTS AND OTHER INTERESTED PARTIES OF

| Address | Application # | Inquiry Period |
|---------------------------|---------------|--------------------------|
| 506 9th Avenue, Manhattan | 97/09 | June 21, 2004 to Present |

Prior to the issuance of a permit by the Department of Buildings for the alteration or demolition of residential buildings in certain areas of the **Special Hudson Yard District**, the Department of Housing Preservation and Development is required to certify that: 1) prior to evicting or otherwise terminating the occupancy of any tenant preparatory to alteration or demolition, the owner shall have notified HPD of the owner's intention to alter or demolish the building and 2) the eviction and relocation practices followed by the owner of the building satisfy all applicable legal requirements and that no harassment has occurred.

The owner of the building located at the above-referenced address seeks the issuance of an HPD Certification. The owner has represented and certified to HPD of the owner's intention to alter or demolish the building and that the eviction and relocation practices followed by the owner satisfy all applicable legal requirements and that no harassment has occurred. For your information HPD considers harassment to include, but not be limited to, the threatened or actual use of physical force, deprivation of essential services such as heat, water, gas or electric, or any other conduct intended to cause persons to vacate the premises or waive rights related to their occupancy.

HPD requests that if you have any comments or evidence of unlawful eviction and relocation practices or harassment occurring at the above referenced premises that you notify the Anti-Harassment Unit, 3rd Floor, 100 Gold Street, New York, NY 10038, by letter postmarked not later than 30 days from the date of this notice or by an in-person statement made within the same period. To schedule an appointment for an in-person statement please call (212) 863-8272.

n9-17

LATE NOTICES

DESIGN COMMISSION

■ MEETING

**Design Commission Meeting Agenda
Monday, November 16, 2009**

Public Meeting

12:45 p.m. Consent Items

- 23721: Reconstruction of the south and east entryways as Phase II of the rehabilitation of Queens Borough Hall, 120-55 Queens Boulevard, Queens. (Preliminary and Final) (CC 29, CB 9) DCAS
- 23722: Installation of *Quilt* by Ellen Harvey, Marcy Plaza, Fulton Street and Marcy Avenue, Bedford-Stuyvesant, Brooklyn. (Conceptual) (CC 36, CB 3) DCulA%/EDC/DOT

- 23723: Reconstruction of a retaining wall, Decatur Avenue at East 197th Street, Bronx. (Final) (CC 15, CC 7) DDC/DOT
- 23724: Construction of a plaza, Warren Weaver Hall, New York University, Mercer Street between West Third Street and West Fourth Street, Manhattan. (Final) (CC 1, CB 2) DOT
- 23725: Reconstruction of Far Rockaway Park, Phase IA, including the construction of a comfort station, a playground and adjacent site work, Rockaway Beach between Beach 28th Street and Beach 32nd Street, Queens. (Final) (CC 31, CB 14) DPR
- 23726: Reconstruction of Highland Park at Ridgewood Reservoir, Phase I, Jackie Robinson Parkway, Jamaica Avenue, Vermont Place and Cypress Hill Street, Brooklyn and Queens. (Final) (CC B37 & Q30, CB B5 & Q5) DPR
- 23727: Design of a prototypical drinking fountain for installation in parks citywide. (Final) DPR
- 23728: Reconstruction of Soundview Park, Phase II, including the reconstruction of a track and field, construction of a playground and comfort station and restoration of landscaping, Lafayette Avenue, Metcalf Avenue, Bronx River Avenue, the Bronx River and the East River, Bronx. (Preliminary) (CC 18, CB 9) DPR
- 23729: Installation of an artificial turf athletic field as part of PlaNYC's Asphalt-to-Turf initiative, Corlears Hook Park, Cherry Street, Jackson Street and the FDR Drive, Manhattan. (Preliminary and Final) (CC 2, CB 3) DPR
- 23730: Reconstruction of the boardwalk, Phase I, including the installation of 1964 World's Fair benches, Rockaway Beach, Beach 23rd Street to Beach 27th Street, Beach 44th Street to Beach 60th Street, and Beach 77th Street to Beach 81st Street, Queens. (Preliminary and Final) (CC 32, CB 14) DPR
- 23731: Reconstruction of the Riegelmann Boardwalk, Phase I, including the installation of Fifth Avenue light poles, Coney Island Beach, Ocean Parkway to Brighton 2nd Street, Stillwell Avenue to West 15th Street, the Steeplechase Pier, and West 31st Street to West 37th Street, Brooklyn. (Preliminary and Final) (CC 47, CB 13) DPR
- 23732: Construction of an NYPD vehicle impound facility and adjacent site work, Rockaway Boulevard, Guy Brewer Boulevard, Farmers Boulevard, JFK International Airport, Queens. (Preliminary) (CC 31, CB 13) EDC/DCAS
- 23733: Installation of signage as a part of the construction of Hunts Point Landing waterfront park, South Bronx Greenway, Farragut Street and the Bronx River off of Food Center Drive, Hunts Point, Bronx. (Final) (CC 17, CB 2) EDC
- 23734: Removal and conservation of an untitled mosaic mural (ca. 1972) by an unknown artist, 13th Floor, Gouverneur Healthcare Services, 227 Madison Avenue, Manhattan. (CC 3, CB 6) HHC

Public Hearing

- 12:50 p.m.
23735: Rehabilitation of Chelsea District Health Center, 303 Ninth Avenue, Manhattan. (Preliminary) (CC 3, CB 4) DDC
- 1:10 p.m.
23736: Construction of a municipal recycling facility, South Brooklyn Marine Terminal, 30th Street Pier, Brooklyn. (Preliminary) (CC 38, CB 7) EDC
- 1:35 p.m.
23490: Reconstruction of Riverside Park and Fort Washington Park, including the construction of a comfort station, rehabilitation of the Ten Mile River House and an existing comfort station, and reconstruction of the greenway, West 145th Street to 180th Street as Phase IA of the reconstruction of Riverside Park north of West 135th Street, Fort Washington Park, and Inwood Hill Park west of the Amtrak rail lines, Manhattan. (Preliminary) (CC 7, CB 9 & 12) DPR
- 23737: Reconstruction of the greenway between West 187th Street and Dyckman Street as Phase IB of the reconstruction of Riverside Park north of West 135th Street, Fort Washington Park, and Inwood Hill Park west of the Amtrak rail lines, Manhattan. (Preliminary) (CC 7, CB 12) DPR
- 23738: Reconstruction of the greenway between Riverside Drive and West 214th Street, including the construction of a ramp connection at Dyckman Street, as Phase IC of the reconstruction of Riverside Park north of West 135th Street, Fort Washington Park, and Inwood Hill Park west of the Amtrak rail lines, Manhattan. (Preliminary) (CC 7, CB 12) DPR
- 23739: Reconstruction of the West 181st Street Pedestrian Bridge over the Amtrak rail lines as Phase ID of the reconstruction of Riverside Park north of West 135th Street, Fort Washington Park, and Inwood Hill Park west of the Amtrak rail lines, Manhattan. (Preliminary) (CC 7, CB 12) DPR/DOT

Design Commission meetings are held in the conference room on the third floor of City Hall, unless otherwise indicated. Please note that all times are approximate and subject to change without notice.

Members of the public who plan to attend are encouraged to arrive at least 45 minutes in advance of the estimated time; those who also plan to testify are encouraged to submit their testimony in writing at least three (3) business days in advance of the meeting date.

Any person requiring reasonable accommodation in order to participate should contact the Design Commission at least three (3) business days in advance of the meeting date.

Design Commission
City Hall, Third Floor
New York, NY 10007
Phone: (212) 788-3071
Fax: (212) 788-3086

Upper Manhattan Empowerment Zone, Chief Operating
Officer, 290 Lenox Avenue, 3rd Floor New York, NY 10027.
Hope Knight (212) 410-0030, hknight@umez.org

Stamps. The contract term shall be from April 1, 2009 to
August 31, 2011 with no options to renew.

UPPER MANHATTAN EMPOWERMENT ZONE

SOLICITATIONS

Human/Client Service

BID EXTENSION: SECTOR EMPLOYMENT PROGRAMS – Request for Proposals –
PIN# 11111111111 – DUE 12-03-09 AT 5:00 P.M.

Use the following address unless otherwise specified in notice, to secure, examine or submit bid/proposal documents, vendor pre-qualification and other forms; specifications/blueprints; other information; and for opening and reading of bids at date and time specified above.

HUMAN RESOURCES ADMINISTRATION

PUBLIC HEARING

NOTICE IS HEREBY GIVEN that a Contract Public Hearing will be held on Thursday, November 19, 2009, in Spector Hall, 22 Reade Street, Main Floor, Borough of Manhattan, commencing at 10:00 A.M. on the following:

IN THE MATTER of a proposed contract between the Human Resources Administration of the City of New York and the contractor listed below, for the provision of performing outreach to individuals enrolled in Senior Citizens Rent Increase Exemption (SCRIE) program who are potentially eligible for Food Stamps but are not receiving Food

Contractor/Address

Food Bank for New York City Food for Survival
Hunts Point, Coop Market
355 Food Center Drive, Bronx, NY 10474

PIN# 069091103084


Amount \$136,358.00

Service Area Citywide

The proposed contractor has been selected through Required Authorized Source procurement method, pursuant to Section 1-02 (d)(2) of the Procurement Policy Board (PPB) Rules.

A draft copy of the proposed contract is available for public inspection at the Human Resources Administration of the City of New York, 180 Water Street, Room 1422, New York, NY 10038, on business days, from November 12, 2009 to November 19, 2009, excluding Holidays, from 10:00 A.M. to 5:00 P.M.

COURT NOTICE MAP FOR FURMAN STREET (FROM AMBOY ROAD TO A POINT APPROXIMATELY 131 FEET NORTH WESTERLY THEREFROM AND THE NORTHWESTERLY AREA OF THE INTERSECTION OF AMBOY ROAD AND FURMAN STREET),



READER'S GUIDE

The City Record (CR) is, published each business day and includes notices of proposed New York City procurement actions, contract awards, and other procurement-related information. Solicitation notices for most procurements valued at or above \$100,000 for information technology and for construction and construction related services, above \$50,000 for other services, and above \$25,000 for other goods are published for at least one day. Other types of procurements, such as sole source, require notice in the City Record for five consecutive days. Unless otherwise specified, the agencies and offices listed are open for business Mondays thru Fridays from 9:00 A.M. to 5:00 P.M. except legal holidays.

NOTICE TO ALL NEW YORK CITY CONTRACTORS

The New York State Constitution ensures that all laborers, workers or mechanics employed by a contractor or subcontractor doing public work are to be paid the same wage rate that prevails in the trade where the public work is being done. Additionally, New York State Labor Law §§ 220 and 230 provide that a contractor or subcontractor doing public work in construction or building service must pay its employees no less than the prevailing wage. Section 6-109 (the Living Wage Law) of the New York City Administrative Code also provides for a "living wage", as well as prevailing wage, to be paid to workers employed by City contractors in certain occupations. The Comptroller of the City of New York is mandated to enforce prevailing wage. Contact the NYC Comptrollers Office at www.comptroller.nyc.gov, click on Labor Law Schedules to view rates.

New York City's "Burma Law" (Local Law No. 33 of 1997) No Longer to be Enforced. In light of the United States Supreme Court's decision in **Crosby v. National Foreign Trade Council**, 530 U.S. 363 (2000), the City has determined that New York City's Local Law No. 33 of 1997 (codified in Administrative Code Section 6-115 and Charter Section 1524), which restricts City business with banks and companies doing business in Burma, is unconstitutional. This is to advise, therefore, that the language relating to Burma contained in existing New York City contracts may not be enforced.

CONSTRUCTION/CONSTRUCTION SERVICES OR CONSTRUCTION RELATED SERVICES

The City of New York is committed to achieving excellence in the design and construction of its capital program, and building on the tradition of innovation in architecture and engineering that has contributed to the City's prestige as a global destination.

VENDOR ENROLLMENT APPLICATION

New York City procures approximately \$7 billion worth of goods, services, construction and construction-related services every year. The NYC Procurement Policy Board Rules require that agencies primarily solicit from established mailing lists called bidder/proposer lists. To register for these lists-free of charge-, prospective suppliers should fill out and submit the NYC-FMS Vendor Enrollment application.

- Online at <http://nyc.gov/selltonyc>

- To request a hardcopy application, call the Vendor Enrollment Center at (212) 857-1680.

Attention Existing Suppliers:

Even if you already do business with NYC agencies, be sure to fill out an application. We are switching over to citywide, centralized Bidders Lists instead of the agency-specific lists previously used to issue notices about upcoming contract opportunities. To continue receiving notices of New York City contract opportunities, you must fill out and submit a NYC-FMS Vendor Enrollment application.

If you are uncertain whether you have already submitted an application, call us at (212) 857-1680.

SELLING TO GOVERNMENT TRAINING WORKSHOP

New and experienced vendors are encouraged to register for a free training course on how to do business with New York City. "Selling to Government" workshops are conducted by the Department of Small Business Services, 110 William Street, New York, NY 10038. Morning and afternoon sessions are convened on the first Tuesday of each month. For more information, and to register, call (212) 618-8845.

PRE-QUALIFIED LIST

New York City procurement policy permits agencies to develop and solicit from pre-qualified lists of vendors, under prescribed circumstance. When it is decided by an agency to develop a pre-qualified list, criteria for pre-qualification must be clearly explained in the solicitation and notice of the opportunity to pre-qualify for that solicitation must be published in at least five issues of the CR.

Information and qualification questionnaires for inclusion on such list may be obtained directly from the Agency Chief Contracting Officer at each agency, (see Vendor Information Manual). A completed qualification Questionnaire may be submitted to the Chief Contracting Officer at any time, unless otherwise indicated and action (approval or denial) shall be taken by the agency within 90 days from the date of submission. Any denial or revocation of pre-qualified status can be appealed to the Office of Administrative Trials and Hearings, (OATH), Section 3-11 of the Procurement Policy Board Rules describes the criteria for the general use of pre-qualified lists.

NON-MAYORAL ENTITIES

The following agencies are not subject to Procurement Policy Board rules and do not follow all of the above procedures: City University, Department of Education, Metropolitan Transportation Authority, Health & Hospitals Corporation, Housing Authority. Suppliers interested in applying for inclusion on bidders list should contact these entities directly (see Vendor Information Manual) at the addresses given.

PUBLIC ACCESS CENTER

The Public Access Center is available to suppliers and the public as a central source for supplier-related information through on-line computer access. The Center is located at 253 Broadway, 9th floor, in lower Manhattan, and is open Monday through Friday from 10:00 A.M to 3:00 P.M. For information, contact the Mayor's Office of Contract Services at (212) 788-0010.

ATTENTION: NEW YORK CITY MINORITY AND WOMEN OWNED BUSINESS ENTERPRISES

Join the growing number of Minority and Women Owned Business Enterprises (M/WBEs) that are competing for New York City's business. In order to become certified for the program, your company must substantiate that it: (1) is at least fifty-one percent (51%) owned, operated and controlled by a minority or woman and (2) is either located in New York City or has a significant tie to New York City's business community. To obtain a copy of the certification application and to learn more about the program, contact the New York City Department of Small Business Services, 110 William Street, 2nd Floor, New York, New York 10038 (212) 513-6311.

PROMPT PAYMENT

It is the policy of the City of New York to pay its bills promptly. The Procurement Policy Board Rules generally require that the City pay its bills within 30 days after the receipt of a proper invoice. The City now pays interest on all late invoices. The grace period that formerly existed was eliminated on July 1, 2000. However, there are certain types of payments that are not eligible for interest. These are listed in Section 4-06 of the Procurement Policy Board Rules. The Comptroller and OMB determine the interest rate on late payments twice a year, in January and in July.

PROCUREMENT POLICY BOARD RULES

The Rules may also be accessed on the City Website, <http://nyc.gov/selltonyc>

COMMON ABBREVIATIONS USED IN THE CR

The CR contains many abbreviations. Listed below are simple explanations of some of the most common ones appearing in the CR:

- AB Acceptable Brands List
- AC Accelerated Procurement
- AMT Amount of Contract
- BL Bidders List
- CSB Competitive Sealed Bidding (including multi-step)
- CB/PQ CB from Pre-qualified Vendor List
- CP Competitive Sealed Proposal (including multi-step)
- CP/PQ CP from Pre-qualified Vendor List
- CR The City Record newspaper
- DA Date bid/proposal documents available
- DUE Bid/Proposal due date; bid opening date
- EM Emergency Procurement
- IG Intergovernmental Purchasing
- LBE Locally Based Business Enterprise
- M/WBE Minority/Women's Business Enterprise
- NA Negotiated Acquisition
- NOTICE....Date Intent to Negotiate Notice was published in CR
- OLB.....Award to Other Than Lowest Responsible & Responsive Bidder/Proposer
- PIN.....Procurement Identification Number
- PPB Procurement Policy Board
- PQ Pre-qualified Vendors List
- RS.....Source required by state/federal law or grant
- SCE.....Service Contract Short-Term Extension
- DP Demonstration Project
- SS Sole Source Procurement
- ST/FED.....Subject to State &/or Federal requirements

KEY TO METHODS OF SOURCE SELECTION

The Procurement Policy Board (PPB) of the City of New York has by rule defined the appropriate methods of source selection for City procurement and reasons justifying their use. The CR procurement notices of many agencies include an abbreviated reference to the source selection method utilized. The following is a list of those methods and the abbreviations used:

- CSB **Competitive Sealed Bidding** (including multi-step)
Special Case Solicitations / Summary of Circumstances:
- CP **Competitive Sealed Proposal** (including multi-step)
- CP/1 Specifications not sufficiently definite
- CP/2 Judgement required in best interest of City
- CP/3 Testing required to evaluate
- CB/PQ/4
- CP/PQ/4 **CB or CP from Pre-qualified Vendor List/** Advance qualification screening needed
- DP Demonstration Project
- SS **Sole Source Procurement/**only one source
- RS.....Procurement from a Required Source/ST/FED
- NA.....Negotiated Acquisition
For ongoing construction project only:
- NA/8 Compelling programmatic needs

- NA/9New contractor needed for changed/additional work
- NA/10.....Change in scope, essential to solicit one or limited number of contractors
- NA/11.....Immediate successor contractor required due to termination/default
For Legal services only:
- NA/12.....Specialized legal devices needed; CP not advantageous
- WA **Solicitation Based on Waiver/Summary of Circumstances** (Client Services/BSB or CP only)
- WA1Prevent loss of sudden outside funding
- WA2Existing contractor unavailable/immediate need
- WA3Unsuccessful efforts to contract/need continues
- IG **Intergovernmental Purchasing** (award only)
- IG/F.....Federal
- IG/S.....State
- IG/OOther
- EM **Emergency Procurement** (award only) An unforeseen danger to:
- EM/A.....Life
- EM/B.....Safety
- EM/C.....Property
- EM/D.....A necessary service
- AC **Accelerated Procurement/**markets with significant short-term price fluctuations
- SCE..... **Service Contract Extension/**insufficient time; necessary service; fair price
Award to Other Than Lowest Responsible & Responsive Bidder or Proposer / Reason (award only)
- OLB/a.....anti-apartheid preference
- OLB/b.....local vendor preference
- OLB/crecycled preference
- OLB/d.....other: (specify)

HOW TO READ CR PROCUREMENT NOTICES

Procurement Notices in the CR are arranged by alphabetically listed Agencies, and within Agency, by Division if any. The notices for each Agency (or Division) are further divided into three subsections: Solicitations, Awards; and Lists & Miscellaneous notices. Each of these subsections separately lists notices pertaining to Goods, Services, or Construction.

Notices of Public Hearings on Contract Awards appear at the end of the Procurement Section. At the end of each Agency (or Division) listing is a paragraph giving the specific address to contact to secure, examine and/or to submit bid or proposal documents, forms, plans, specifications, and other information, as well as where bids will be publicly opened and read. This address should be used for the purpose specified UNLESS a different one is given in the individual notice. In that event, the directions in the individual notice should be followed. The following is a SAMPLE notice and an explanation of the notice format used by the CR.

SAMPLE NOTICE:

POLICE

DEPARTMENT OF YOUTH SERVICES

■ SOLICITATIONS

Services (Other Than Human Services)

BUS SERVICES FOR CITY YOUTH PROGRAM – Competitive Sealed Bids – PIN# 056020000293 – DUE 04-21-03 AT 11:00 A.M.

Use the following address unless otherwise specified in notice, to secure, examine or submit bid/proposal documents, vendor pre-qualification and other forms; specifications/blueprints; other information; and for opening and reading of bids at date and time specified above.
NYPD, Contract Administration Unit, 51 Chambers Street, Room 310, New York, NY 10007. Manuel Cruz (646) 610-5225.

☛ m27-30

| ITEM | EXPLANATION |
|---|--|
| POLICE DEPARTMENT | Name of contracting agency |
| DEPARTMENT OF YOUTH SERVICES | Name of contracting division |
| ■ SOLICITATIONS | Type of Procurement action |
| <i>Services (Other Than Human Services)</i> | Category of procurement |
| BUS SERVICES FOR CITY YOUTH PROGRAM | Short Title |
| CSB | Method of source selection |
| PIN # 056020000293 | Procurement identification number |
| DUE 04-21-03 AT 11:00 am | Bid submission due 4-21-03 by 11:00 am; bid opening date/time is the same. |
| <i>Use the following address unless otherwise specified in notice, to secure, examine-submit bid/proposal documents; etc.</i> | Paragraph at the end of Agency Division listing giving contact information, or submit bid/information and Agency Contact address |
| | NYPD, Contract Administration Unit 51 Chambers Street, Room 310 New York, NY 10007. Manuel Cruz (646) 610-5225. |
| ☛ | Indicates New Ad |
| m27-30 | Date that notice appears in City Record |

NUMBERED NOTES

Numbered Notes are Footnotes. If a Numbered Note is referenced in a notice, the note so referenced must be read as part of the notice. **1.** All bid deposits must be by company certified check or money order made payable to Agency or Company.