

TABLE OF CONTENTS  
 Vital and Service Statistics  
 Health Center Districts, New York City  
 1966

VITAL STATISTICS\*

	<u>Page No.</u>
<u>Population</u>	
New York City by District; April 1, 1960 and July 1, 1966	1
 <u>Natality</u>	
Live Births by Color and to Puerto Rican Mothers	2
Live Births by Type of Service, late or No Prenatal Care, Prematurity, and Out-of-Wedlock	3
Fetal Deaths, Numbers and Ratios, by Color and Period of Gestation	5
 <u>Infant and Puerperal Mortality</u>	
Infant, Neonatal, Postneonatal, Perinatal and Puerperal Deaths Number and Rates	7
Infant Deaths and Live Births by Ethnic Group, Numbers and Rates	8
Infant Deaths by Ethnic Group and Age	9
Infant Death Rates by ethnic Group and Age	11
Infant Deaths by Cause	13
Infant Deaths by Color and Weight at Birth, Numbers and Rates	15
 <u>Mortality</u>	
Deaths Due to Accidents:	
By Type of Accident and District Occurrence	17
By Type of Accident and District of Residence, Numbers and Rates	18
Deaths, Total and Selected Causes, Numbers and Rates	19
Leading Causes of Death by Color, Sex and Rank, New York City	21
Deaths Due to Tuberculosis – All Forms, by Age, Sex, and Ethnic Group New York City	23

\*The vital statistics tables reported were obtained from "Service & Vital Statistics Tables 1966 Health Center Districts New York City"

Population according to health center districts: New York City, 1960 - 1966

Geographical unit	April, 1960	(Estimate) July, 1966
<b>NEW YORK CITY</b>	<b>7,781,984</b>	<b>8,040,000</b>
<b>Manhattan</b>	<b>1,698,281</b>	<b>1,725,000</b>
Central Harlem	232,792	233,000
East Harlem	177,765	182,000
Kips Bay-Yorkville	215,192	237,000
Lower East Side	271,896	276,000
Lower West Side	262,751	267,000
Riverside	268,608	269,000
Washington Heights	269,277	261,000
<b>Bronx</b>	<b>1,424,815</b>	<b>1,460,000</b>
Fordham-Riverdale	231,931	234,000
Morrisania	262,436	263,000
Mott Haven	223,703	224,000
Pelham Bay	184,451	197,000
Tremont	263,295	265,000
Westchester	258,999	277,000
<b>Brooklyn</b>	<b>2,627,319</b>	<b>2,640,000</b>
Bay Ridge	290,395	285,000
Bedford	286,764	285,000
Brownsville	298,473	309,000
Bushwick	216,744	205,000
Flatbush	475,715	496,000
Fort Greene	215,314	207,000
Gravesend	296,430	326,000
Red Hook-Gowanus	162,125	154,000
Sunset Park	192,702	185,000
Williamsburg-Greenpoint	192,657	188,000
<b>Queens</b>	<b>1,809,578</b>	<b>1,955,000</b>
Astoria - L.I. City	255,464	253,000
Corona	217,984	245,000
Flushing	452,204	511,000
Jamaica East	293,342	315,000
Jamaica West	309,061	340,000
Maspeth-Forest Hills	281,523	291,000
<b>Richmond</b>	<b>221,991</b>	<b>260,000</b>

Bureau of Records and Statistics  
FN/hn

Department of Health, The City of New York  
1.

Live births by color and to Puerto Rican mothers  
health center districts, New York City, 1966

Geographical unit	Population July 1, 1966	Live births				Births to Puerto Rican mothers	
		Total	Rate	White	Non- white	Number	Percent of total
NEW YORK CITY	8,040,000	153,334	19.1	112,219	41,115	23,907	15.6
New York City (Res.)		142,700	17.7	102,154	40,546	23,802	16.7
Manhattan	1,725,000	25,048	14.5	15,993	9,055	5,777	23.1
Central Harlem	233,000	4,205	18.0	246	3,959	205	4.9
East Harlem	182,000	3,749	20.6	2,395	1,354	1,803	48.1
Kips Bay-Yorkville	237,000	2,311	9.8	2,204	107	44	1.9
Lower East Side	276,000	4,235	15.3	3,479	756	1,888	44.6
Lower West Side	267,000	2,929	11.0	2,480	449	569	19.4
Riverside	269,000	3,605	13.4	2,397	1,208	631	17.5
Washington Heights	261,000	4,014	15.4	2,792	1,222	637	15.9
Bronx	1,460,000	28,356	19.5	20,118	8,238	8,259	29.1
Fordham-Riverdale	234,000	3,799	16.2	3,492	307	211	5.6
Morrisania	263,000	6,597	25.1	3,432	3,165	2,595	39.3
Mott Haven	224,000	5,817	26.0	3,821	1,996	3,317	57.0
Felham Bay	197,000	2,640	13.4	1,989	651	102	3.9
Tremont	265,000	5,031	19.0	3,400	1,631	1,528	30.4
Westchester	277,000	4,472	16.1	3,984	488	506	11.3
Brooklyn	2,640,000	52,631	19.9	35,428	17,203	9,170	17.4
Bay Ridge	285,000	4,570	16.0	4,502	68	101	2.2
Bedford	285,000	6,907	24.2	992	5,915	440	6.4
Brownsville	309,000	8,221	26.6	4,308	3,913	1,895	23.1
Bushwick	205,000	5,410	26.4	3,241	2,169	1,448	26.8
Flatbush	496,000	6,973	14.1	6,466	507	159	2.3
Fort Greene	207,000	5,103	24.7	1,993	3,110	1,147	22.5
Gravesend	326,000	5,000	15.3	4,754	246	212	4.2
Red Hook-Gowanus	154,000	3,129	20.3	2,384	745	1,036	33.1
Sunset Park	185,000	3,205	17.3	3,133	72	699	21.8
Wmsbrg.-Greenpoint	188,000	4,113	21.9	3,655	458	2,033	49.4
Queens	1,955,000	31,794	16.3	26,105	5,689	542	1.7
Astoria-L.I. City	253,000	4,125	16.3	3,796	329	133	3.2
Corona	245,000	4,531	18.5	3,846	685	103	2.3
Flushing	511,000	6,861	13.4	6,524	337	61	0.9
Jamaica East	315,000	5,710	18.1	2,376	3,334	83	1.5
Jamaica West	340,000	5,976	17.6	5,051	925	131	2.2
Maspeth-For. Hills	291,000	4,591	15.8	4,512	79	31	0.7
Richmond	260,000	4,871	18.7	4,510	361	54	1.1
Non-Resident		9,191		8,906	285	83	
Res. Unknown		1,443		1,159	284	22	

Bureau of Records and Statistics  
CH/ls - 12/14/67

Department of Health, The City of New York  
2.

Live births by type of service, birth weight under 2501 grams, late and

Geographical unit	Private service		General service(1)	
	Number	% of Total births	Number	% of Total births
NEW YORK CITY	79,905	52.1	71,878	46.9
Residents	71,384	50.0	69,786	46.9
Manhattan	8,251	32.9	16,512	65.9
Central Harlem	196	4.7	3,934	93.6
East Harlem	479	12.8	3,208	85.6
Kips Bay-Yorkville	1,969	85.2	334	14.5
Lower East Side	1,368	32.3	2,824	66.7
Lower West Side	1,414	48.3	1,486	50.7
Riverside	1,344	37.3	2,217	61.5
Washington Heights	1,481	36.9	2,509	62.5
Bronx	10,910	38.2	17,061	59.8
Fordham-Riverdale	2,994	78.8	785	20.7
Morrisania	876	13.3	5,583	84.6
Mott Haven	501	8.6	5,201	89.4
Pelham Bay	1,792	67.9	831	31.5
Tremont	1,676	33.3	3,282	65.2
Westchester	3,071	68.7	1,379	30.8
Brooklyn	23,985	45.6	27,981	53.2
Bay Ridge	3,896	85.2	668	14.6
Bedford	1,073	15.5	5,731	83.0
Brownsville	2,490	30.3	5,567	67.7
Bushwick	1,598	29.5	3,703	68.4
Flatbush	5,841	83.8	1,103	15.8
Fort Greene	885	17.3	4,126	80.9
Gravesend	4,036	80.7	945	18.9
Red Hook-Gowanus	1,048	33.5	2,040	65.2
Sunset Park	1,86	58.2	1,324	41.3
Wmsbrg.-Greenpoint	1,25	30.5	2,774	67.6
Queens	24,270	76.3	7,349	23.1
Astoria-L.I. City	3,081	74.7	1,027	24.9
Corona	3,251	71.7	1,258	27.8
Flushing	6,215	91.0	619	9.0
Jamaica East	2,787	48.8	2,849	49.9
Jamaica West	4,653	77.9	1,301	21.8
Maspeth-Forest Hills	4,283	93.3	295	6.4
Richmond	3,968	81.5	883	18.1
Non-residents	8,469		716	
Residents unknown	52		1,376	

(1) General service includes delivery by nurse midwives

Bureau of Records and Statistics  
 CH/na 12/1/55

no prenatal care and out-of-wedlock, health center districts, New York City, 1966

Births under 2501 grams		Late prenatal care		No prenatal care		Out-of-wedlock	
Number	% of Total Births	Number	% of Total Births	Number	% of Total Births	Number	% of Total Births
15,995	10.4	26,660	17.4	7,098	4.6	22,714	14.8
15,188	10.6	25,372	17.6	6,944	4.9	21,070	14.8
3,072	12.3	4,868	19.4	1,306	5.2	6,048	24.1
754	17.9	1,097	26.1	410	9.8	2,109	50.2
495	13.2	823	22.0	240	6.4	1,103	29.4
184	8.0	200	8.7	42	1.8	188	8.1
466	11.0	796	18.8	143	3.4	786	18.6
307	10.5	574	19.6	128	4.4	458	15.6
433	12.0	707	19.6	178	4.9	778	21.6
433	10.8	671	16.7	165	4.1	626	15.6
3,100	10.9	5,459	19.1	1,558	5.5	4,571	16.1
292	7.7	332	8.7	58	1.5	183	4.8
887	13.4	1,729	26.2	546	8.3	1,691	25.6
765	13.2	1,596	27.4	555	9.5	1,472	25.3
239	9.1	302	11.4	83	3.1	172	6.5
577	11.5	1,041	20.7	243	4.8	855	17.0
340	7.6	459	10.3	73	1.6	198	4.4
5,873	11.2	10,967	20.8	3,186	6.1	8,273	15.7
335	7.3	311	6.8	64	1.4	69	1.5
1,044	15.1	2,308	33.4	701	10.1	2,239	32.4
1,070	13.0	2,175	26.5	735	8.9	1,729	21.0
662	12.2	1,628	30.1	411	7.6	1,102	20.4
560	8.0	509	7.3	172	2.5	184	2.6
738	14.5	1,478	29.0	395	7.7	1,439	28.2
410	8.2	379	7.6	109	2.2	209	4.2
330	10.5	669	21.4	190	6.1	509	16.3
299	9.3	475	14.8	125	3.9	165	5.1
425	10.3	1,035	25.2	284	6.9	628	15.3
2,785	8.8	3,671	11.5	814	2.6	1,994	6.3
325	7.9	490	11.9	152	3.7	165	4.0
352	7.8	542	12.0	153	3.4	301	6.6
529	7.7	420	6.1	86	1.3	141	2.1
667	11.7	1,212	21.2	233	4.1	968	17.0
570	9.5	728	12.2	148	2.5	362	6.1
342	7.4	279	6.1	42	0.9	57	1.2
358	7.3	407	8.4	80	1.6	184	3.8
652		470		103		226	
155		818		51		1,418	

Fetal deaths by color and period of gestation and for  
Health center districts, New York City

Geographical unit	Fetal deaths		White				
	Total	Ratio <sup>(1)</sup>	Total	Ratio <sup>(1)</sup>	Under 20 weeks	20-27 weeks	28 weeks & over
<b>NEW YORK CITY</b>	19,872	129.6	12,631	112.6	9,764	1,136	1,273
Non-residents	1,043		967		738	102	97
Residence unknown	339		227		148	28	21
New York City res.	18,490	129.6	11,437	112.0	8,858	1,006	1,155
<b>Manhattan</b>	3,786	151.1	2,311	144.5	1,760	211	201
Central Harlem	715	170.0	71	288.6	57	2	6
East Harlem	691	184.3	434	181.2	323	31	37
Kips Bay-Yorkville	361	156.2	348	157.9	287	29	19
Lower East Side	436	103.0	367	105.5	262	40	43
Lower West Side	421	143.7	340	137.1	261	34	33
Riverside	641	177.8	426	177.7	318	42	31
Washington Heights	521	129.8	325	116.4	252	33	32
<b>Bronx</b>	3,061	107.9	1,968	97.8	1,526	164	229
Fordham-Riverdale	335	88.2	288	82.5	218	27	30
Morrisania	843	127.8	390	113.6	306	25	51
Mott Haven	626	107.6	384	100.5	286	36	54
Pelham Bay	213	80.7	165	83.0	131	14	17
Tramont	641	127.4	390	114.7	311	32	35
Westchester	403	90.1	351	88.1	274	30	42
<b>Brooklyn</b>	7,288	138.5	4,011	113.2	3,081	363	402
Bay Ridge	437	95.6	428	95.1	345	29	41
Bedford	1,373	198.8	194	195.6	144	19	20
Brownsville	1,317	160.2	584	135.6	436	70	57
Bushwick	776	143.4	367	113.2	287	27	33
Flatbush	842	120.8	718	111.0	562	65	66
Fort Greene	814	159.5	235	117.9	162	22	26
Gravesend	554	110.8	516	108.5	410	36	52
Red Hook-Gowanus	334	106.7	219	91.9	171	17	27
Sunset Park	356	111.1	343	109.5	264	35	34
Wmsbrg.-Greenpoint	485	117.9	407	111.4	300	43	46
<b>Queens</b>	3,805	119.7	2,666	102.1	2,100	228	277
Astoria-L.I.City	451	109.3	388	102.2	293	50	39
Corona	529	116.8	399	103.7	324	30	35
Flushing	721	105.1	659	101.0	516	46	81
Jamaica East	994	174.1	283	119.1	211	27	35
Jamaica West	630	105.4	469	92.9	378	33	46
Maspeth-Forest Hills	400	104.6	468	103.7	378	42	41
<b>Richmond</b>	550	112.9	481	106.7	391	40	46

(1) Per 1,000 live births.

(a) Not computed for base less than 100.

Bureau of Records and Statistics

FH/ls 3/6/68

Infant death ratios, 1966

Not stated	Nonwhite					Not stated
	Total	Ratio <sup>(1)</sup>	Under 20 weeks	20-27 weeks	28 weeks & over	
478	7,241	176.1	5,498	740	647	356
30	76		58	5	9	4
30	112		88	13	2	9
418	7,053	174.0	5,352	722	636	343
139	1,475	162.9	1,039	169	151	116
6	644	162.7	450	76	66	54
43	257	189.8	175	24	27	31
13	13	121.5	10	0	2	1
22	69	91.3	39	15	13	2
12	81	180.4	63	9	4	5
35	215	178.0	149	28	21	17
8	196	160.4	153	19	18	6
49	1,093	132.7	823	119	123	28
13	47	153.1	34	6	5	2
8	453	143.1	337	54	50	12
8	242	121.2	180	20	38	4
3	48	73.7	35	6	6	1
12	251	153.9	199	26	20	0
5	52	106.6	30	7	4	3
165	3,277	190.5	2,561	312	260	164
13	9	(a)	7	1	0	1
11	1,179	199.3	927	103	91	58
21	733	187.3	575	67	56	35
20	409	188.6	320	40	34	15
25	124	244.6	97	11	11	5
25	579	186.2	438	60	49	32
18	38	154.5	22	7	5	4
4	115	154.4	90	10	6	9
10	13	(a)	10	3	0	0
18	78	170.3	55	10	8	5
61	1,139	200.2	895	117	95	32
6	63	191.5	47	7	9	0
10	130	189.8	100	13	12	5
16	62	184.0	50	5	7	0
10	711	213.3	565	72	50	26
12	161	174.1	123	18	17	3
7	12	(a)	10	2	0	0
4	69	191.1	54	5	7	3

Department of Health, The City of New York  
4.



Infant neonatal, postneonatal, perinatal and puerperal deaths,  
number and rates, 1966

Geographical unit	Infant deaths (1)		Neonatal deaths (1)		Postneonatal deaths (2)		Perinatal deaths (3)		Puerperal deaths *	
	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate
NEW YORK CITY	3,819	24.9	2,856	18.6	963	6.3	4,540	29.2	80	5.2
Non-residents	243	-	170	-	73	-	254	-	3	*
Residence unknown	34	-	27	-	7	-	49	-	0	-
New York City res.	3,542	24.8	2,659	18.6	883	6.2	4,237	29.3	77	5.4
Manhattan	725	28.9	540	21.6	185	7.4	838	33.0	18	7.2
Central Harlem	183	43.5	137	32.6	46	10.9	199	46.5	5	11.9
East Harlem	126	33.6	90	24.0	36	9.6	143	37.5	1	*
Kips Bay-Yorkville	38	16.4	31	13.4	7	3.0	46	19.7	0	-
Lower East Side	113	26.7	84	19.8	29	6.8	132	30.8	3	*
Lower West Side	60	20.5	47	16.0	13	4.4	80	27.0	2	*
Riverside	113	31.3	82	22.7	31	8.6	127	34.7	5	13.9
Washington Heights	92	22.9	69	17.2	23	5.7	111	27.3	2	*
Bronx	713	25.1	537	18.9	176	6.2	848	29.5	23	8.1
Fordham-Riverdale	73	19.2	60	15.8	13	3.4	89	23.2	3	*
Morrisania	195	29.6	146	22.1	49	7.4	236	35.2	6	9.1
Mott Haven	191	32.8	146	25.1	45	7.7	227	38.4	5	8.6
Pelham Bay	53	20.0	41	15.5	12	4.5	59	22.2	2	*
Tremont	134	26.6	94	18.7	40	8.0	142	27.9	5	9.9
Westchester	67	15.0	50	11.2	17	3.8	95	21.0	2	*
Brooklyn	1,421	27.0	1,041	19.8	380	7.2	1,612	30.2	19	3.4
Bay Ridge	77	16.8	62	13.6	15	3.3	95	20.6	0	-
Bedford	262	37.9	205	29.7	57	8.2	303	43.2	6	8.7
Brownsville	243	29.6	170	20.7	73	8.9	268	32.2	3	*
Bushwick	167	30.9	115	21.2	52	9.6	168	30.7	3	*
Flatbush	115	16.5	83	11.9	32	4.6	153	21.7	0	-
Fort Greene	206	40.4	153	30.0	53	10.4	210	40.6	1	*
Gravesend	100	20.0	77	15.4	23	4.6	127	25.1	2	*
Red Hook-Gowanus	73	23.3	59	18.8	14	4.5	88	27.8	0	-
Sunset Park	72	22.5	54	16.8	18	5.6	86	26.6	3	*
Wmsbrg.-Greenpoint	106	25.8	63	15.3	43	10.4	114	27.4	1	*
Queens	584	18.4	463	14.6	121	3.8	811	25.2	16	5.0
Astoria-L.I.City	68	16.5	52	12.6	16	3.9	99	23.7	4	9.7
Corona	87	19.2	68	15.0	19	4.2	109	23.8	2	*
Flushing	94	13.7	80	11.7	14	2.0	166	23.9	2	*
Jamaica East	147	25.7	111	19.4	36	6.3	189	32.6	3	*
Jamaica West	120	20.1	94	15.7	26	4.4	151	24.8	1	*
Maspeth-Forest Hills	68	14.8	58	12.6	10	2.2	97	20.9	4	8.7
Richmond	99	20.3	78	16.0	21	4.3	128	26.0	1	*

(1) Rate per 1,000 live births. (2) Rate per 1,000 live births plus fetal deaths 28 weeks and over.

(3) Rate per 10,000 live births.

\* Base too small.

Bureau of Records and Statistics  
CH/hn 3/6/68

Department of Health, The City of New York  
5.



Live births and infant deaths by ethnic group; New York City, 1966

Geographical unit	Live Births			Infant Deaths			Infant Mortality Rate		
	White	Non-White	Puerto Rican	White	Non-White	Puerto Rican	White	Non-White	Puerto Rican
NEW YORK CITY	89,447	39,980	23,907	1,699	1,529	591	19.0	38.2	24.7
New York City res.	79,482	39,416	23,802	1,443	1,511	588	18.2	38.3	24.7
Non-residents	8,827	281	83	234	6	3	-	-	-
Residence unknown	1,138	283	22	22	12	-	-	-	-
Manhattan	10,575	8,696	5,777	235	342	148	22.2	39.3	25.6
Central Harlem	71	3,929	205	4	171	8	*	43.5	*
East Harlem	775	1,171	1,803	18	53	55	23.2	45.3	30.5
Kips Bay-Yorkville	2,162	105	44	27	6	3	12.5	*	*
Lower East Side	1,643	704	1,888	47	22	44	28.6	31.3	23.3
Lower West Side	1,930	430	569	49	5	6	25.4	11.6	10.5
Riverside	1,822	1,152	631	47	48	18	25.8	41.7	28.5
Washington Hgts.	2,172	1,205	637	43	35	14	19.8	29.0	22.0
Bronx	12,217	7,880	8,259	231	286	196	18.9	36.3	23.7
Fordham-Riverdale	3,285	303	211	53	13	7	16.1	42.9	33.2
Morrisania	961	3,041	2,529	30	117	48	31.2	38.5	19.0
Mott Haven	678	1,822	3,317	26	80	85	38.3	43.9	25.6
Pelham Bay	1,892	646	102	37	14	2	19.6	21.7	*
Tremont	1,915	1,588	1,528	44	49	41	23.0	30.9	26.8
Westchester	3,486	480	506	41	13	13	11.8	27.1	25.7
Brooklyn	26,637	16,824	9,170	496	695	230	18.6	41.3	25.1
Bay Ridge	4,402	67	101	75	1	1	17.0	*	*
Bedford	590	5,877	440	10	233	19	16.9	39.6	43.2
Brownsville	2,576	3,750	1,895	45	153	45	17.5	40.8	23.7
Bushwick	1,843	2,119	1,448	43	97	27	23.3	45.8	18.6
Flatbush	6,312	502	159	91	22	2	14.4	43.8	*
Fort Greene	901	3,055	1,147	33	133	40	36.6	43.5	34.9
Gravesend	4,546	242	212	91	7	2	20.0	28.9	9.4
Red Hook-Gowanus	1,365	728	1,036	23	24	26	16.8	33.0	25.1
Sunset Park	2,437	69	699	45	3	24	18.5	*	34.3
Wmsbrg.-Greenpt.	1,665	415	2,033	40	22	44	24.0	53.0	21.6
Queens	25,596	5,656	542	391	180	13	15.3	31.8	24.0
Astoria-L.I.City	3,665	327	133	56	9	3	15.3	27.5	*
Corona	3,747	681	103	59	27	1	15.7	39.6	*
Flushing	6,464	336	61	82	9	3	12.7	26.8	*
Jamaica East	2,313	3,314	83	42	105	-	18.2	31.7	-
Jamaica West	4,926	919	131	87	27	6	17.7	29.4	*
Maspeth-For.Hills	4,481	79	31	65	3	-	14.5	*	-
Richmond	4,457	360	54	90	8	1	20.2	22.2	*

\*No annual rates computed where base is less than 200

Infant deaths by ethnic group and age, by

Geographical unit	Total	White			
		Total	Age		
			Under 7 days	7-27 days	1 Month to 1 yr.
NEW YORK CITY	3,819	1,699	1,182	111	406
New York City res.	3,542	1,443	1,021	89	333
Non-residents	243	234	144	22	68
Residence unknown	34	22	17	-	5
Manhattan	725	235	158	23	54
Central Harlem	183	4	2	1	1
East Harlem	126	18	8	4	6
Kips Bay-Yorkville	38	27	18	5	4
Lower East Side	113	47	31	4	12
Lower West Side	60	49	35	3	11
Riverside	113	47	37	3	7
Washington Heights	92	43	27	3	13
Bronx	713	231	167	15	49
Fordham-Riverdale	73	53	39	5	9
Morrisania	195	30	26	1	3
Mott Haven	191	26	16	1	9
Pelham Bay	53	37	24	5	8
Tremont	134	44	32	2	10
Westchester	67	41	30	1	10
Brooklyn	1,421	496	325	33	138
Bay Ridge	77	75	52	8	15
Bedford	262	10	8	-	2
Bromsville	243	45	24	5	16
Bushwick	167	43	24	4	15
Flatbush	115	91	58	7	26
Fort Greene	206	33	22	1	10
Gravesend	100	91	64	7	20
Red Hook-Gowanus	73	23	19	-	4
Sunset Park	72	45	32	1	12
Wmsbrg.-Greenpoint	105	40	22	-	18
Queens	584	391	302	15	74
Astoria-L.I. City	68	56	42	-	14
Corona	87	59	42	4	13
Flushing	94	82	68	2	12
Jamaica East	147	42	35	1	6
Jamaica West	120	87	61	6	20
Maspeth-Forest Hills	68	65	54	2	9
Richmond	99	90	69	3	18

Bureau of Records and Statistics  
 PH/m 5/22/68

with center districts, New York City, 1966.

Total	Non-White			Total	Puerto Rican		
	Under 7 days	Age 7-27 days	1 Month to 1 yr.		Under 7 days	Age 7-27 days	1 Month to 1 yr.
1,529	1,019	101	409	591	419	24	148
1,511	1,007	100	404	588	418	24	146
6	3	-	3	3	1	-	2
12	9	1	2	-	-	-	-
342	230	23	89	148	98	8	42
171	119	8	44	18	6	1	1
53	35	5	13	55	36	2	17
8	5	-	3	3	2	1	-
22	15	3	4	44	30	1	13
5	2	1	2	6	6	-	-
48	30	3	15	18	8	1	9
35	24	3	8	14	10	2	2
286	189	21	76	196	140	5	51
13	10	1	2	7	5	-	2
117	73	9	35	48	36	1	11
80	59	7	14	85	60	3	22
14	11	-	3	2	1	-	1
49	26	4	19	41	29	1	11
13	10	-	3	13	9	-	4
695	458	47	190	230	167	11	52
1	1	-	-	1	1	-	-
233	168	13	52	19	16	-	3
153	100	7	46	45	31	3	11
97	58	7	32	27	19	3	5
22	16	-	6	2	2	-	-
133	81	16	36	40	32	1	7
7	4	-	3	2	2	-	-
24	17	3	4	26	19	1	6
3	1	-	2	24	19	1	4
22	12	1	9	44	26	2	16
180	125	9	46	13	12	-	1
9	6	1	2	3	3	-	-
27	20	2	5	1	-	-	1
9	7	-	2	3	3	-	-
105	69	6	30	-	-	-	-
27	21	-	6	6	6	-	-
3	2	-	1	-	-	-	-
8	5	-	3	1	1	-	-

Department of Health, The City of New York

7

Infant Mortality rates by ethnic group  
health center districts, New York

Geographical unit	Total	White			
		Total	Age		
			Under 7 days	7-27 days	1 Month to 1 yr.
NEW YORK CITY	24.9	19.0	13.2	1.2	4.5
New York City res.	24.8	18.2	12.8	1.1	4.2
Manhattan	26.9	22.2	14.9	2.2	5.1
Central Harlem	43.5	*	*	*	*
East Harlem	33.7	23.2	10.3	5.2	7.7
Kips Bay-Yorkville	16.4	12.5	8.3	2.3	1.5
Lower East Side	26.7	28.6	18.9	2.4	7.3
Lower West Side	20.5	25.4	18.1	1.6	5.7
Riverside	31.3	25.8	20.3	1.6	3.8
Washington Heights	22.9	19.8	12.4	1.4	6.0
Bronx	25.7	18.9	13.7	1.2	4.0
Fordham-Riverdale	19.2	16.1	11.9	1.5	2.7
Morrisania	29.6	31.2	27.0	1.0	3.1
Mott Haven	32.8	38.3	23.6	1.5	13.3
Pelham Bay	20.1	19.6	12.7	2.6	4.2
Tremont	26.6	23.0	16.7	1.0	5.2
Westchester	15.0	11.8	8.6	0.3	2.9
Brooklyn	27.0	18.6	12.2	1.2	5.2
Bay Ridge	16.8	17.0	11.8	1.8	3.4
Bedford	37.9	16.9	13.6	-	3.3
Brownsville	29.6	17.5	9.3	1.9	6.2
Bushwick	30.9	23.3	13.0	2.2	8.1
Flatbush	16.5	14.4	9.2	1.1	4.1
Fort Greene	40.4	36.6	24.4	1.1	11.1
Gravesend	20.0	20.0	14.1	1.5	4.4
Red Hook-Gowanus	23.3	16.8	13.9	-	2.9
Sunset	22.5	18.5	13.1	0.4	4.9
Williamsburg-Grnpt.	25.8	24.0	13.2	-	10.8
Queens	18.4	15.3	11.8	0.6	2.9
Astoria-L.I.C.	16.5	15.3	11.5	-	3.8
Corona	19.2	15.7	11.2	1.1	3.4
Flushing	13.7	12.7	10.5	0.3	1.9
Jamaica East	25.7	18.2	15.1	0.4	2.6
Jamaica West	20.1	17.7	12.4	1.2	4.1
Maspeth-Forest Hills	14.8	14.5	12.1	0.4	2.0
Richmond	20.3	20.2	15.5	0.7	4.0

\* No annual rates were compiled where base is less than 200.

Bureau of Records and Statistics  
FN/hh 5/23/68

Group and age (per 1000 live births)  
New York City, 1966

Total	Non-White			Total	Puerto Rican		
	Under 7 days	Age 7-27 days	1 Month to 1 yr.		Under 7 days	Age 7-27 days	1 Month to 1 yr.
38.2	25.5	2.5	10.2	24.7	17.5	1.0	6.2
38.3	25.5	2.5	10.2	24.7	17.6	1.0	6.1
39.3	26.5	2.6	10.2	25.6	16.9	1.4	7.3
43.5	30.3	2.0	11.2	*	*	*	*
45.3	29.9	4.3	11.1	30.5	20.0	1.1	9.4
*	*	*	*	*	*	*	*
31.3	21.3	4.3	5.7	23.3	15.9	0.5	6.9
11.6	4.6	2.3	4.7	10.5	10.5	-	-
41.7	26.0	2.6	13.0	28.5	12.7	1.6	14.3
29.0	19.9	2.5	6.6	22.0	15.7	3.1	3.1
36.3	24.0	2.7	9.6	23.7	17.0	0.6	6.2
42.9	33.0	3.3	6.6	33.2	23.7	-	9.5
38.5	24.0	3.0	11.5	19.0	14.2	0.4	4.3
43.9	32.4	3.8	7.7	25.6	18.1	0.9	6.6
21.7	17.0	-	4.6	*	*	*	*
30.9	16.4	2.5	12.0	26.8	19.0	0.7	7.2
27.1	20.8	-	6.3	25.7	17.8	-	7.9
41.3	27.2	2.8	11.3	25.1	18.2	1.2	5.7
*	*	*	*	*	*	*	*
39.6	28.6	2.2	8.8	43.2	36.4	-	6.8
40.8	26.7	1.9	12.3	23.7	16.4	1.6	5.8
45.8	27.4	3.3	15.1	18.6	13.1	2.1	3.4
43.8	31.8	-	12.0	*	*	*	*
43.5	26.5	5.2	11.8	34.9	27.9	0.9	6.1
28.9	16.5	-	12.4	9.4	9.4	-	-
33.0	23.4	4.1	5.5	25.1	18.3	1.0	5.8
*	*	*	*	34.3	27.2	1.4	5.7
53.0	28.9	2.4	2.2	21.6	12.8	1.0	7.9
31.8	22.1	1.6	8.1	24.0	22.1	-	1.8
27.5	18.3	3.1	6.1	*	*	-	-
39.6	29.4	2.9	7.3	*	-	-	*
26.8	20.8	-	6.0	*	*	-	-
31.7	20.8	1.8	9.1	-	-	-	-
29.4	22.9	-	6.5	*	*	-	-
*	*	-	*	-	-	-	-
22.2	13.9	-	8.3	*	*	-	-

Number of infant deaths by cause, health

Geographical unit	Total	(1-198) Infectious Diseases	(670-527, 763) Respiratory Diseases	(571-572, 764) Diarrhea & Enteritis
<b>NEW YORK CITY</b>	<b>3,819</b>	<b>17</b>	<b>507</b>	<b>61</b>
Non-residents	243	3	12	1
Residence unknown	34	-	1	-
New York City res.	3,542	14	494	60
<b>Manhattan</b>	<b>725</b>	<b>-</b>	<b>49</b>	<b>6</b>
Central Harlem	183	-	17	1
East Harlem	126	-	11	2
Kips Bay-Yorkville	38	-	-	-
Lower East Side	113	-	8	-
Lower West Side	60	-	1	1
Riverside	113	-	8	-
Washington Heights	92	-	4	2
<b>Brooklyn</b>	<b>713</b>	<b>4</b>	<b>93</b>	<b>16</b>
Fordham-Riverdale	73	-	8	1
Morrisania	195	2	30	7
Mott Haven	191	2	22	5
Pelham Bay	53	-	4	2
Tremont	134	-	25	1
Westchester	67	-	4	-
<b>Brooklyn</b>	<b>1,421</b>	<b>10</b>	<b>301</b>	<b>28</b>
Bay Ridge	77	-	12	3
Bedford	262	1	48	5
Bronsvoile	243	1	60	8
Bushwick	167	2	41	1
Flatbush	115	2	19	1
Fort Greene	206	-	52	3
Gravesend	100	1	16	2
Red Hook-Gowanus	73	1	11	-
Sunset Park	72	1	15	1
Wmsbrg.-Greenpoint	106	1	27	4
<b>Queens</b>	<b>584</b>	<b>-</b>	<b>49</b>	<b>8</b>
Astoria-L.I. City	68	-	5	2
Corona	87	-	8	-
Flushing	94	-	3	-
Jamaica East	147	-	22	2
Jamaica West	120	-	7	4
Maspeth-Forest Hills	68	-	4	-
<b>Richmond</b>	<b>99</b>	<b>-</b>	<b>2</b>	<b>2</b>

Bureau of Records and Statistics  
FH/ls 5/13/68

enter districts: New York City, 1966.

Total	Diseases associated with early infancy					(800-962) Accidents	All other causes
	(750-759) Cong. Malf.	(760-761) Birth injury	(762) Postnatal Anphynia & Atelectasis	(763-773) Other Dis. of early infancy	(774-776) Imma-turity		
2,869	571	175	738	558	827	39	326
204	102	6	27	38	31	1	22
7	2	-	2	-	3	-	26
2,658	467	169	709	520	793	38	278
552	105	40	160	78	169	9	109
133	11	13	66	5	38	-	32
85	19	2	37	8	19	4	24
32	8	1	2	5	16	-	6
86	13	9	12	17	35	1	18
52	19	2	12	5	14	2	4
87	19	6	20	18	24	2	16
77	16	7	11	20	23	-	9
566	91	23	210	76	166	8	26
61	11	2	19	12	17	-	3
146	18	7	56	24	41	1	9
155	19	1	75	15	45	2	5
45	13	4	12	6	10	1	1
100	16	7	30	10	37	2	6
59	14	2	18	9	16	2	2
999	160	61	212	273	293	14	69
58	16	4	12	16	10	-	4
193	13	15	51	55	59	3	12
161	24	6	20	58	53	3	10
114	16	5	25	39	29	3	6
88	22	4	12	20	30	1	4
141	25	7	39	30	40	-	10
74	15	8	12	15	24	2	5
55	12	1	15	14	13	-	6
52	8	6	6	18	14	-	3
63	9	5	20	8	21	2	9
457	90	38	111	77	161	7	63
52	8	2	16	12	14	4	5
65	14	6	24	6	15	1	13
83	23	5	15	15	25	1	7
105	19	10	21	18	37	1	17
96	17	4	25	15	33	-	13
56	9	9	10	11	17	-	8
84	21	7	16	16	24	-	11

Department of Health, The City of New York  
9

Infant deaths by color and weight at birth, numbers and

Geographical unit	Total	White					
		Total	Under	Over	Unknown No.		
			2501 Grams	2501 Grams			
No.	Rate*	No.	Rate*				
<b>NEW YORK CITY</b>	3,819	2,254	1,246	13.1	742	0.7	35
New York City res.	3,542	1,995	1,161	13.3	675	0.7	35
Non-residents	243	237	84	-	65	-	1
Residence unknown	34	22	1	-	2	-	0
<b>Manhattan</b>	725	371	203	12.8	139	1.0	9
Central Harlem	183	11	4	**	5	2.2	2
East Harlem	126	66	30	11.0	31	1.5	2
Kips Bay-Yorkville	38	30	19	11.1	10	0.5	0
Lower East Side	113	90	52	14.0	34	1.1	0
Lower West Side	60	55	30	11.8	14	0.6	4
Riverside	113	64	40	15.9	21	1.0	1
Washington Heights	92	55	28	11.3	24	0.9	0
<b>Bronx</b>	713	413	244	13.4	149	0.8	7
Fordham-Riverdale	73	60	35	14.4	21	0.6	3
Morrisania	195	76	50	14.1	22	0.7	1
Mott Haven	191	101	61	13.6	37	1.1	2
Pelham Bay	53	39	18	10.7	17	0.9	1
Tremont	134	83	47	14.6	34	1.1	0
Westchester	67	54	33	11.7	18	0.5	0
<b>Brooklyn</b>	1,421	716	402	13.0	248	0.8	6
Bay Ridge	77	76	40	12.1	31	0.7	0
Bedford	262	28	22	**	5	0.6	0
Brownsville	243	86	46	11.1	34	0.9	0
Bushwick	167	69	39	12.5	24	0.8	0
Flatbush	115	93	54	11.0	31	0.5	0
Fort Greene	206	71	40	18.5	24	1.4	1
Gravesend	100	93	53	14.1	33	0.8	2
Red Hook-Cowanus	73	49	32	14.7	12	0.6	1
Sunset Park	72	68	43	15.0	21	0.7	1
Wmsbrg.-Greenpoint	106	83	33	9.4	33	1.0	1
<b>Queens</b>	584	404	256	13.0	110	0.5	9
Astoria-L.I.C.	68	59	33	12.0	18	0.5	3
Corona	87	60	33	12.3	18	0.5	0
Flushing	94	85	58	12.2	22	0.4	2
Jamaica East	147	42	29	16.3	9	0.4	2
Jamaica West	120	93	58	13.5	27	0.6	2
Maspeth-Forest Hills	68	65	45	13.3	16	0.4	0
<b>Richmond</b>	99	91	56	18.2	29	0.7	4

\* Rate per 100 live births for each weight group.

\*\* No annual rates were computed where base is less than 100

Bureau of Records and Statistics



rates, 1966, health center districts, New York City

Not born in N.Y.C.	Total	Non-White				Unknown No.	Not born in N.Y.C.
		Under 2501 Grams		Over 2501 Grams			
		No.	Rate*	No.	Rate*		
230	1,565	986	15.2	441	1.3	21	117
124	1,547	982	15.3	441	1.3	20	104
87	6	1	-	0	-	0	5
19	12	3	-	0	-	1	8
20	354	230	15.5	101	1.3	4	19
0	172	121	16.5	39	1.2	1	11
3	60	35	15.7	24	2.1	0	1
1	8	5	**	3	**	0	0
4	23	15	**	5	0.8	2	1
7	5	2	**	3	0.8	0	0
2	49	28	9.9	18	1.8	0	3
3	37	24	4.8	9	0.9	1	3
13	300	198	7.0	90	1.3	6	6
1	13	10	4.1	2	0.8	1	0
3	119	80	**	35	1.3	1	3
1	90	67	6.0	19	1.1	2	2
3	14	10	**	4	0.7	0	0
2	51	22	8.7	26	1.9	2	1
3	13	9	**	4	0.9	0	0
60	705	441	15.8	190	1.3	7	67
5	1	0	-	1	**	0	0
1	234	160	16.8	52	1.0	3	19
6	157	97	14.8	47	1.4	1	12
6	98	59	16.9	25	1.4	1	13
8	22	13	**	7	1.6	0	2
6	135	79	15.1	41	1.6	1	14
5	7	3	**	3	1.4	0	1
4	24	15	13.4	6	1.0	0	3
3	4	2	**	1	**	1	0
16	23	13	**	7	1.8	0	3
29	180	107	13.0	58	1.2	3	12
5	9	3	**	3	1.1	1	2
9	27	17	**	8	1.3	1	1
3	9	6	**	3	1.1	0	0
2	105	58	11.9	39	1.4	1	7
6	27	22	15.6	4	0.5	0	1
4	3	1	**	1	**	0	1
2	8	6	**	2	0.6	0	0

Mortality in New York City from accidents, by type of accident  
and district of occurrence 1966

Geographical Unit	Total	Occupational	Home	Motor vehicle	Public nonmotor vehicle	Type unknown
<b>NEW YORK CITY</b>	<b>2,862</b>	<b>88</b>	<b>1,025</b>	<b>761</b>	<b>914</b>	<b>74</b>
<b>Manhattan</b>	<b>689</b>	<b>40</b>	<b>281</b>	<b>149</b>	<b>219</b>	<b>0</b>
Central Harlem	76	0	44	14	18	0
East Harlem	51	0	29	8	14	0
Kips Bay-Yorkville	84	9	39	15	21	0
Lower East Side	117	2	45	30	40	0
Lower West Side	198	27	57	48	66	0
Riverside	70	1	33	17	19	0
Washington Heights	70	1	33	17	19	0
Resident Institute	23	0	1	0	22	0
<b>Bronx</b>	<b>351</b>	<b>4</b>	<b>149</b>	<b>132</b>	<b>66</b>	<b>0</b>
Fordham-Riverdale	53	0	34	11	8	0
Morrisania	60	0	23	25	12	0
Mott Haven	73	1	28	30	14	0
Pelham Bay	38	1	10	19	8	0
Tremont	64	2	37	20	5	0
Westchester	58	0	17	27	14	0
Resident Institute	5	0	0	0	5	0
<b>Brooklyn</b>	<b>674</b>	<b>19</b>	<b>305</b>	<b>207</b>	<b>143</b>	<b>0</b>
Bay Ridge	58	1	29	19	9	0
Bedford	93	1	52	24	16	0
Brownsville	81	0	45	23	13	0
Bushwick	55	1	26	19	9	0
Flatbush	92	0	42	26	24	0
Fort Greene	71	3	28	21	19	0
Gravesend	61	1	23	21	16	0
Red Hook-Gowanus	61	7	20	19	15	0
Sunset Park	40	2	13	20	5	0
Wmsbrg-Greenpoint	47	3	27	15	2	0
Resident Institute	15	0	0	0	15	0
<b>Queens</b>	<b>615</b>	<b>15</b>	<b>261</b>	<b>202</b>	<b>137</b>	<b>0</b>
Astoria-L.I.C.	84	5	47	24	8	0
Corona	71	2	35	25	9	0
Flushing	125	1	43	46	35	0
Jamaica East	90	1	46	29	14	0
Jamaica West	141	6	62	42	31	0
Maspeth-Forest Hills	70	0	28	36	6	0
Resident Institute	34	0	0	0	34	0
<b>Richmond</b>	<b>106</b>	<b>2</b>	<b>14</b>	<b>28</b>	<b>62</b>	<b>0</b>
Occurrence out-of-city	38	3	13	14	8	0
Occurrence unknown	389	5	2	29	279	74

Bureau of Records and Statistics  
FN/pw

Department of Health, The City of New York

11

Mortality in New York City from accidents by type of accident  
and district of residence, numbers and rates, 1966

Geographical unit	Numbers						Rates*			
	Total	Occu- pa- tion- al	Home	Motor vehi- cle	Public non- motor vehi- cle	Type un- known	Total	Home	Motor vehi- cle	Other
NEW YORK CITY	2,887	88	1,051	756	918	74	35.9	13.1	9.4	13.4
Non-Residents	207	17	26	63	100	1				
Residence Unknown	102	0	3	22	70	7				
New York City Res.	2,578	71	1,022	671	818	66				
Manhattan	696	9	295	114	247	31	40.3	17.1	6.6	16.6
Central Harlem	117	1	43	17	42	14	50.2	18.5	7.3	24.4
East Harlem	49	0	28	5	14	2	26.9	15.4	2.7	8.8
Kips Bay-Yorkville	68	1	34	9	24	0	28.7	14.3	3.8	10.5
Lower East Side	113	0	66	3	40	4	40.9	23.9	1.1	15.9
Lower West Side	137	3	52	28	50	4	51.3	19.5	10.5	21.3
Riverside	111	0	39	27	41	4	41.3	14.5	10.0	16.7
Washington Heights	93	4	33	25	28	3	35.6	12.6	9.6	11.9
Resident Institute	8	0	0	0	8	0				
Bronx	397	11	148	122	112	4	27.9	10.1	8.4	9.5
Fordham-Riverdale	67	1	33	13	20	0	28.6	14.1	5.6	9.0
Morrisania	82	3	25	27	25	2	31.2	9.5	10.2	11.4
Mott Haven	67	2	28	18	19	0	29.9	12.5	8.0	9.4
Pelham Bay	34	0	10	16	8	0	17.3	5.1	8.1	4.1
Tremont	77	3	36	20	17	1	29.1	13.6	7.5	7.9
Westchester	65	2	16	27	19	1	23.5	5.8	9.7	7.9
Resident Institute	5	0	0	1	4	0				
Brooklyn	785	28	308	226	205	18	29.3	11.6	8.6	9.1
Bay Ridge	85	2	31	26	24	2	29.8	10.9	9.1	9.8
Bedford	111	3	54	27	24	3	38.9	18.9	9.5	10.5
Broms-ville	101	4	46	28	21	2	32.7	14.9	9.1	8.7
Bushwick	66	2	26	19	19	0	32.2	12.7	9.2	10.2
Flatbush	114	2	41	30	38	3	23.0	8.3	6.0	8.7
Fort Greene	80	4	27	25	21	3	38.6	13.0	12.1	13.5
Gravesend	62	4	25	20	11	2	19.0	7.7	6.1	5.2
Red Hook-Gowanus	48	1	19	14	12	2	31.2	12.3	9.1	9.7
Sunset Park	53	3	13	19	18	0	28.6	7.0	10.3	11.4
Wmsbrg.-Greenpoint	54	3	26	18	6	1	28.7	13.8	9.6	5.3
Resident Institute	11	0	0	0	11	0				
Queens	633	19	257	187	158	12	32.6	13.1	9.6	9.9
Astoria-L.I.C.	108	6	50	29	21	2	42.7	19.8	11.5	11.4
Corona	71	1	32	18	19	1	29.0	13.1	7.3	8.6
Flushing	125	2	41	43	36	3	24.5	8.0	8.4	8.0
Jamaica East	114	6	46	37	20	5	36.2	14.6	11.7	9.8
Jamaica West	136	4	60	36	36	0	40.0	17.6	10.6	11.8
Maspeth-Forest Hills	75	0	28	24	22	1	25.8	9.6	8.2	7.9
Resident Institute	4	0	0	0	4	0				
Richmond	67	4	14	22	26	1	24.2	5.4	8.5	10.4

\* Rate per 100,000 population

Bureau of Records and Statistics  
FN/hn3/11/68

Department of Health, The City of New York

12

Deaths, total, and selected causes, number  
Health Center districts, New York City

Geographical unit	Total		Diseases of the heart (400-402, 410-416, 420-422, 440-447)				Malignant neoplasms			
			All sites (140-205)		Respiratory system (330-334)					
	Number	Rate (1)	Number	Rate (2)	Number	Rate (2)	Number	Rate (2)		
<b>NEW YORK CITY</b>	88,418	11.0	36,883	458.8	17,769	221.0	3,250	40.4		
Non-residents	4,391	NA	1,380	NA	1,373	NA	218	NA		
Residence unknown	683	NA	180	NA	46	NA	13	NA		
New York City residents	83,344	NC	35,323	NC	16,350	NC	3,019	NC		
<b>Manhattan</b>	20,127	11.7	7,535	445.6	3,693	214.1	677	39.2		
Central Harlem	2,910	12.5	935	401.3	438	183.0	82	35.2		
East Harlem	1,552	8.5	521	286.3	238	130.8	50	27.5		
Kips Bay-Yorkville	2,503	10.6	1,023	431.6	546	230.4	99	41.8		
Lower East Side	3,018	10.9	1,162	421.0	555	201.1	109	39.5		
Lower West Side	3,530	13.2	1,386	519.0	659	246.8	134	50.2		
Riverside	2,809	10.4	1,068	397.0	477	177.3	75	27.9		
Washington Heights	2,884	11.0	1,219	467.0	543	203.0	90	34.5		
Residents of Institutions	921	NA	372	NA	237	NA	38	NA		
<b>Bronx</b>	15,172	10.4	6,229	433.5	3,296	225.8	600	41.1		
Fordham-Riverdale	2,551	10.9	1,184	505.2	547	233.8	87	37.2		
Morrisania	2,205	8.4	786	298.9	378	143.7	62	23.6		
Mott Haven	1,544	6.9	517	230.8	230	102.7	42	18.8		
Felham Bay	1,793	9.1	829	420.8	381	193.4	74	37.6		
Tremont	2,779	10.5	1,199	452.4	568	214.2	109	41.1		
Westchester	2,924	10.6	1,375	496.4	608	219.5	136	49.1		
Residents of Institutions	1,376	NA	439	NA	584	NA	90	NA		
<b>Brooklyn</b>	27,227	10.3	11,694	443.0	5,100	193.2	913	34.6		
Bay Ridge	3,076	10.8	1,387	486.7	648	227.4	145	50.9		
Brooklyn Heights	2,739	9.6	908	318.6	454	159.3	72	25.3		
Brownsville	2,685	8.7	1,107	358.2	449	145.3	82	26.5		
Bushwick	2,063	10.2	883	430.7	346	168.8	81	39.5		
Flatbush	5,274	10.6	2,491	502.2	1,141	230.0	171	34.5		
Fort Greene	2,115	10.2	736	355.6	369	178.3	64	30.9		
Gravesend	3,332	10.2	1,516	465.0	735	225.5	119	36.5		
Red Hook-Cowanus	1,534	10.0	601	390.2	267	173.4	50	32.5		
Sunset Park	1,993	10.8	855	462.2	377	203.8	73	39.4		
Wmsbrg.-Greenpoint	1,665	8.8	716	380.8	273	145.2	50	26.6		
Residents of Institutions	731	NA	494	NA	41	NA	6	NA		
<b>Queens</b>	18,144	9.4	8,566	438.2	3,802	194.5	734	37.5		
Astoria-L.I.City	2,631	10.4	1,155	456.5	541	213.8	124	49.0		
Corona	2,353	9.6	1,025	418.4	495	202.0	96	39.2		
Flushing	3,505	6.8	1,669	326.6	767	150.1	128	25.0		
Jamaica East	2,806	8.9	1,237	392.7	558	177.1	103	32.7		
Jamaica West	3,652	10.7	1,729	508.5	698	205.3	145	42.6		
Maspeth-Forest Hills	3,219	11.1	1,544	530.6	733	251.9	136	46.7		
Residents of Institutions	248	NA	207	NA	10	NA	2	NA		
<b>Richmond</b>	2,404	9.2	1,048	403.1	459	176.5	95	36.5		
Richmond	2,281	8.8	1,009	388.1	456	175.4	94	36.2		
Residents of Institutions	123	NA	39	NA	3	NA	1	NA		

(1) Rate per 1,000 population. (2) Rate per 100,000 population. NC This figure is not occurring in New York City to known residents, and do not include events occurring outside Bureau of Records and Statistics  
RJ/m 8/1/68

ers and rates:  
by, 1966

Vascular lesions affecting central nervous system (330-334)		Pneumonia & influenza (480-493)		Tuberculosis (all forms (1-19)		Diabetes (260)	
Number	Rate(2)	Number	Rate(2)	Number	Rate(2)	Number	Rate(2)
6,245	77.7	3,574	44.4	537	6.7	1,743	21.7
228	NA	120	NA	15	NA	65	NA
27	NA	20	NA	17	NA	4	NA
5,990	NC	3,434	NC	505	NC	1,674	NC
1,521	88.2	855	49.6	185	10.7	378	21.9
179	76.8	102	43.8	60	25.8	78	33.4
105	58.2	74	40.6	10	5.5	35	19.2
238	100.4	101	42.6	9	3.8	24	10.1
230	83.3	113	40.9	29	10.5	61	22.1
245	91.8	146	54.7	37	13.9	51	19.1
224	83.3	110	40.9	21	7.8	53	19.7
217	83.1	102	39.1	18	6.9	55	21.1
82	NA	107	NA	1	NA	21	NA
1,043	71.4	609	41.7	61	4.2	364	24.9
197	84.2	67	28.6	8	3.4	50	21.4
149	56.6	88	33.5	18	6.8	70	26.6
93	41.5	62	27.7	12	5.4	41	18.3
131	66.5	58	29.4	5	2.5	37	18.8
172	64.9	119	44.9	9	3.4	66	24.9
202	72.9	89	32.1	8	2.9	86	31.0
99	NA	126	NA	1	NA	14	NA
1,896	71.8	1,251	47.4	185	7.0	565	22.4
226	79.3	103	36.1	12	4.2	65	22.6
203	71.2	150	52.6	43	15.1	54	18.9
162	52.4	141	45.6	15	4.8	75	24.3
150	73.2	122	59.5	22	10.7	35	17.1
376	75.8	192	38.7	10	2.0	107	21.6
140	67.6	127	61.4	20	9.7	34	16.4
221	67.8	133	40.8	10	3.1	82	25.2
104	67.5	78	50.6	24	15.6	29	18.8
137	74.0	84	45.4	13	7.0	35	18.9
110	58.5	75	39.9	15	8.0	38	20.2
67	NA	46	NA	1	NA	11	NA
1,335	68.3	617	31.6	67	3.4	320	16.4
199	78.6	110	43.5	7	2.8	40	15.8
170	69.4	78	31.8	12	4.9	53	21.6
227	44.4	109	21.3	7	1.4	58	11.4
196	62.2	91	28.9	18	5.7	53	16.8
285	83.8	126	37.0	17	5.0	67	19.7
248	85.2	95	32.6	5	1.7	49	16.8
10	NA	8	NA	1	NA	0	NA
185	75.0	102	39.2	7	2.7	47	18.1
188	72.3	75	28.8	7	2.7	46	17.7
7	NA	27	NA	0	NA	1	NA

computed because known resident totals include only events  
of-city to New York City residents. NA Not available.  
Department of Health, The City of New York

Leading causes of death, by color

All Causes	All Persons		Total	
	Number	Rank	Number	Rank
	88,418		75,082	
Diseases of the Heart (410-443)	37,174	1	33,550	1
Malignant Neoplasms (140-205)	17,769	2	15,683	2
Vascular Lesions of the Central Nervous System (330-334)	6,245	3	5,337	3
Influenza & Pneumonia (480-493)	3,574	4	2,867	4
Total Accidents	2,887	5	2,277	5
Cirrhosis of the Liver (581)	2,818	6	1,928	6
Diseases of Early Infancy (760-776)	2,442	7	1,386	8
Diabetes Mellitus (260)	1,743	8	1,423	7
General Arteriosclerosis (450)	1,245	9	1,151	9
Other Diseases of Circulatory System (451-468)	972	10	812	10
Congenital Malformations (750-759)	859	11	670	12
Suicide (963, 970-979)	839	12	733	11
Homicide (964-965, 980-989)	749	13	333	17
Other Bronchopulmonic Diseases (525-527)	734	14	647	13
Ulcer of Stomach & Duodenum (540-541)	618	15	538	14
Total Tuberculosis (001-019)	537	16	308	20
Chronic and Unspecified Nephritis (592-594)	469	17	353	16
Kidney Infection (600)	462	18	356	15
Hypertension - No Mention of Heart Disease (444-447)	394	19	313	19
Intestinal Obstruction and Hernia (560, 561, 570)	387	20	326	18

The rules used in ranking causes of death are given in "Leading Causes of Vital Statistics - Special Reports, Vol. 36, No. 20; 1952.

Bureau of Records and Statistics  
R.J/nm 2/14/68

r, sex and rank; New York City, 1966

White				Total		Non-White			
Male		Female				Male		Female	
Number	Rank	Number	Rank	Number	Rank	Number	Rank	Number	Rank
41,945		33,137		13,336		7,551		5,785	
19,016	1	14,534	1	3,624	1	1,906	1	1,718	1
8,491	2	7,192	2	2,086	2	1,159	2	927	2
2,426	3	2,911	3	908	4	414	6	494	3
1,503	4	1,364	4	707	6	413	7	294	6
1,432	5	845	5	610	7	447	5	163	8
1,369	6	559	9	890	5	594	4	296	5
807	7	579	8	1,056	3	601	3	455	4
649	8	774	6	320	9	123	10	197	7
551	9	600	7	94	16	36	19	58	14
491	11	343	10	160	12	77	12	87	10
366	14	304	11	189	11	103	11	86	11
463	12	270	12	106	14	73	13	33	17
249	15	84	19	416	8	327	8	89	9
510	10	137	18	87	17	65	15	22	19
380	13	158	15	80	19	58	16	22	19
246	16	62	20	229	10	163	9	66	12
210	17	143	17	116	13	68	14	48	15
161	19	195	13	106	14	43	17	63	13
163	18	150	16	81	18	43	17	38	16
155	20	171	14	61	20	36	19	25	18

Death: United States and Each State, 1949<sup>1</sup> National Office of Vital Statistics.

Department of Health, The City of New York  
14

*Revised*

Deaths from tuberculosis all forms, by age, sex and ethnic group  
New York City, 1966

Sex and ethnic group	Total	Age groups											
		0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-44	45-54	55-64	65-74	75 & over
Grand total	537	4	1	1	2	5	6	27	98	110	118	95	70
Male total	409	4	1	1	0	0	2	19	65	82	101	80	54
White	234	1	0	0	0	0	0	2	15	26	84	62	44
Negro	156	3	1	1	0	0	2	15	47	53	14	12	8
Puerto Rican	12	0	0	0	0	0	0	2	2	3	2	2	1
Other	7	0	0	0	0	0	0	0	1	0	1	4	1
Female total	128	0	0	0	2	5	4	8	33	28	17	15	16
White	51	0	0	0	0	1	1	1	7	13	12	9	7
Negro	65	0	0	0	2	3	3	6	22	14	4	5	6
Puerto Rican	12	0	0	0	0	1	0	1	4	1	1	1	3
Other	0	0	0	0	0	0	0	0	0	0	0	0	0

Bureau of Records and Statistics  
MS/lr

Department of Health, The City of New York  
15