

Cycle Times for Services

Bureau of Sexually Transmitted Disease Control, Bureau of Tuberculosis Control, Bureau of Immunization Cycle Time by Clinic: Calendar Year 2015-17

Bureau of Sexually Transmitted Disease Control

The Bureau of Sexually Transmitted Disease Control (BSTD) operates eight Sexual Health Clinics citywide that serve anyone 12 years or older regardless of ability to pay, parental involvement, insurance coverage or immigration status. Sexual Health Clinics provide low to nocost STI and HIV testing, treatment and prevention services; immunizations; cancer prevention, reproductive health and contraceptive services; behavioral health services; and navigation for referrals and follow-up care. As part of the City's strategy and the State's Blueprint for Ending the Epidemic (EtE) of HIV/AIDS, Sexual Health Clinics have expanded hours, services and access to "Express Visits" for all New Yorkers. Through EtE, Sexual Health Clinics now also offer Pre-Exposure Prophylaxis (PrEP) and Post-Exposure Prophylaxis (PEP) to prevent new HIV infections among patients at risk of infection and, for newly identified infections, immediate initiation of anti-retroviral treatment through the JumpstART program.

Cycle time is defined as the time elapsed from the moment a Sexual Health Clinic patient arrives at the facility to the time the last service provided is complete. Operationally, patients are provided with a triage card upon arrival, which is time stamped upon receipt. This time is recorded in the electronic medical record at the time of patient registration. The end time used is the last service logged into the medical record. The difference between the arrival time and service end time is calculated to give Cycle Time.

Key Quality/Process Indicators	Goal	Total 2015	Total 2016	Total 2017
Clinic cycle time: HIV testing visits (includes screening for qualified patients) (h:mm) ²	≤1:30	1:09	1:17	1:28
Clinic cycle time: Clinician visits (h:mm) ³	≤2:00	1:57	1:50	2:04

Sexual Health Clinic Cycle Time: Calendar Year 2015-17¹

¹ Through EtE, additional services were implemented at clinics beginning in 2016. These services require additional engagement between provider and patient, including the provision of PEP and required counseling.

² HIV visit cycle time visits include those with HIV post-test time stamps recorded. May also include other screening tests without an evaluation by a clinician. Operationally, excludes medical records that lack a clinician's signature/ timestamp.

³ Clinician visit cycle time are visits that include an evaluation by a clinician. Operationally, includes those medical records with an electronic clinician signature/ timestamp.

PATIENT CYCLE TIME HIV VISITS (h:mm)¹

Data obtained from BSTD's Electronic Medical Record

Clinic	2017 Q1	2017 Q2	2017 Q3	2017 Q4
Central Harlem	1:23	1:18	1:20	1:26
Riverside	1:25	1:28	1:27	1:28
Corona	1:35	1:13	1:10	1:15
Crown Heights	1:27	1:33	1:35	1:36
Fort Greene	1:23	1:31	1:35	1:43
Jamaica	1:14	1:23	1:23	1:24
Manhattanville	1:24	1:24	1:16	1:19
Morrisania	1:20	1:17	1:20	1:25
Overall	1:23	1:26	1:26	1:30

PATIENT CYCLE TIME CLINICIAN VISITS (h:mm)¹ Data obtained from BSTD's Electronic Medical Record

Clinic	2017 Q1	2017 Q2	2017 Q3	2017 Q4
Central Harlem	2:04	2:10	2:08	2:31
Riverside	1:51	1:48	1:42	1:56
Corona	1:51	1:34	1:21	1:31
Crown Heights	2:14	2:22	2:11	2:07
Fort Greene	1:58	1:59	2:09	2:13
Jamaica	1:41	2:01	2:04	2:12
Manhattanville	2:02	1:54	1:47	1:58
Morrisania	2:04	2:06	2:06	2:12
Overall	1:58	2:01	1:59	2:08

¹Information given is the average of measurable cycle time per visit, within each clinic. Overall, measurable cycle time is average for all patient visits throughout all Sexual Health Clinics.

Bureau of Tuberculosis Control

Bureau of Tuberculosis Control (BTBC) operates chest centers in four boroughs. BTBC chest centers are super specialist clinics that provide exclusive tuberculosis care from diagnosis to treatment completion. Patients identified with other medical issues are referred to health care providers of their choice or specialist practitioners as determined by a BTBC physician.

Cycle Time is the period of time a patient is in the BTBC's Chest Center clinic; that is, from the patient's entry to the clinic to the end of the encounter with the last clinic provider. Cycle time is collected by using the CDC's Patient Flow Analysis (PFA) system and the clinic electronic medical record. The primary data collected for PFA is time-based and captured by staff manually as patients enter the clinic and move from one station to the next, up to the time of departure.

Tuberculosis Control Clinic Cycle Time: Calendar Year 2015-17

Key Quality/Process Indicators	Goal	Total 2015	Total 2016	Total 2017
Clinic cycle time: All	≤2:00	1:19	1:23	1:26
patient visit type				
combined (h:mm)				

PATIENT CYCLE TIME⁵ (h:mm)

(All patient visits types combined) Data obtained by conducting a patient flow analysis

Facility	2017 Q1	2017 Q2	2017 Q3	2017 Q4
Corona	1:10	1:15	1:04	1:01
Fort Greene	1:10	1:47	1:03	1:54
Morrisania	1:18	1:37	1:02	2:28
Washington Heights	1:27	1:28	1:28	1:48
Total	1:16	1:32	1:09	1:47

 5 Class II threshold is \leq 2:00; Class III, IV and V visits thresholds are \leq 3:00

Bureau of Immunization

DOHMH's Bureau of Immunization (BOI) operates a walk-in immunization clinic in Fort Greene, Brooklyn. This clinic provides all immunizations required for school attendance (day care, K-12) and most vaccines recommended for adults.

The Bureau of Immunization uses an electronic health record, called the Screening and Immunization System (SIS) at the BOI clinic. SIS is able to capture and report cycle time for all completed patient visits.

Immunization: Clinic Cycle Time Calendar Year 2015-17^{6,7}

Key Quality/Process Indicators	Goal	Total 2015	Total 2016	Total 2017
Clinic cycle time: Median	≤60 Min	0:35	1:10	0:46
cycle time to complete a patient visit (h:mm)				

Key Quality/Process	Goal	2017	2017	2017	2017	Total
Indicators		Q1	Q2	Q3	Q4	2017
Clinic cycle time: Median cycle time to complete a patient visit (h:mm)	≤60 Min	1:09	0:27	0:30	0:58	0:46

⁶ Cycle times are expressed as median times.

⁷ Additional school immunization requirements (including a new 7th and 12th grade meningococcal vaccine) contributed to additional children served in 2016. On average, children require more vaccines and have longer cycle times than adults.