Buildingsnewsupdate

April 20, 2021

DOB NOW

service notices

forms bis

codes jobs

🐻 💽 🖪 bn in 🖸

Register Today for DOB's Build Safe | Live Safe Digital Conference, May 3-7



Weekly Service Updates on Occupancy Submissions



DOB is working to address the high volume of occupancy submissions that have been received since the <u>March 1st expansion of DOB NOW: Build</u>. To help keep customers updated, a weekly Service Notice will be posted providing current service levels for these submissions.

Please see today's Service Notice for current service levels for the following:

- Schedule of Occupancy (first review by Plan Examiner)
- Certificate of Occupancy (first review by Project Advocate)

For the weekly notice on the occupancy submissions' service levels, customers can visit our <u>Service Updates page</u>.

Please also visit the <u>DOB NOW training page</u> to sign up for our Q&A sessions, held Tuesdays from 2 - 4 p.m., and to view FAQs and other helpful DOB NOW training resources.

Need Additional Help? Questions can also be submitted by using the DOB NOW help form at <u>www.nyc.gov/dobnowhelp</u>.

Local Law 150 of 2016: Gas Work Qualification Requirement Reminder



As of January 1, 2020, all gas work (based on <u>NYC Fuel Gas Code</u> definitions), including the installation, testing, and maintenance of fuelgas piping systems, appliances, and accessories must be performed by a **Licensed Master Plumber** or by:

- A person who holds a Gas Work Qualification issued by DOB, working under the direct and continuing supervision of a Licensed Master Plumber; or
- A person who holds a Limited Gas Work Qualification issued by DOB, working under the personal and immediate supervision of a person who holds a Gas Work Qualification or a Licensed Master Plumber.

The <u>License Search</u> feature on the Department's website allows users to verify if the professional they've hired to perform gas work is a Licensed Master Plumber.

Gas work performed by a person who does not have the required qualifications will result in enforcement action, which may include but not be limited to issuance of the following:

- a violation carrying a penalty of **\$5,000**;
- an order to remove and reinstall the appliance/system;
- a Stop Work Order.

Please read the full <u>Service Notice</u> for more information.

Melanie E. La Rocca Commissioner

comments + suggestions | unsubscribe | manage your email preferences

ouild safe live safe

