




New York City Government Building Energy Benchmarking Results 2014



Citywide
Administrative
Services

Energy
Management

New York City Government Building Energy Benchmarking Results 2014

Overview

The Department of Citywide Administrative Services (DCAS) submitted the revised 2010 - 2014 benchmarking results for City government buildings to the Department of Finance (DOF) for publication on September 1, 2015 in compliance with Local Law 84 of 2009. Since 2009, DCAS has coordinated with City agencies to benchmark nearly 3,000 buildings including libraries, police stations, firehouses, schools, colleges, courthouses, hospitals, community centers and government offices.

The following report shows specific performance metrics for each City government building for calendar year 2014 as well as calendar year 2010 data as published in 2013 New York City Government Building Energy Benchmarking Results. The performance metrics are: [U.S. EPA's ENERGY STAR score, energy use intensity \(EUI\), and greenhouse gas \(GHG\) emissions intensity](#). U.S. EPA ENERGY STAR Portfolio Manager Tool (the Tool) provides scores for limited type of buildings. Where the score is not provided by the Tool, report will indicate the record as "Not Available."

Summary of Results

A number of improvements to the data collection process were implemented in 2014, such as the separation of several campuses into individual buildings. A year-to-year analysis reveals that the average U.S. EPA ENERGY STAR score for 2014 for City buildings is 61.7, which is 5.8% higher than the average score of 58.3 for 2010, which was the first year City government buildings were benchmarked under Local Law 84 of 2009.

The information in this report is subject to change due to ongoing data quality improvements, energy efficiency and conservation efforts, and changes in building use over time. For additional information on these benchmarking results, contact NYC DCAS Energy Management at energy@dcas.nyc.gov.

Borough	Block	Lot	BIN	Building	Agency	2010 *			2014		
						Score *	Source EUI (kBtu/ft²)*	GHG Emissions Intensity (kgCO2e/ft²)*	Score *	Source EUI (kBtu/ft²)*	GHG Emissions Intensity (kgCO2e/ft²)*
1	93	1	1001280	ACS Administrative Site (Leased)	ACS	57	239.0	6.20	76	219.5	5.80
1	350	8	1004240	Escuela Hispana Montessori #2 (Leased)	ACS	Not Available	162.5	5.10	Not Available	151.0	5.30
1	479	1	1007156	Chinese Community Concern Parents	ACS	Not Available	289.4	8.60	Not Available	294.1	9.60
1	2014	36	1060189	Lutheran Social Service of NY #11 (Leased)	ACS	Not Available	167.4	4.90	Not Available	220.0	7.10
1	2032	17	1060503	Lutheran Social Service of NY #13 (Leased)	ACS	Not Available	173.1	4.60	Not Available	208.5	5.50
1	2076	41	1061917	Lutheran Social Service of NY #14 (Leased)	ACS	Not Available	151.6	4.00	Not Available	142.7	4.10
1	2108	23	1062503	United Federation of Black Community Organization (Leased)	ACS	Not Available	154.4	4.70	Not Available	185.0	5.00
1	2111	58	1062652	Rena Day Care Center (Leased)	ACS	Not Available	180.6	4.90	Not Available	147.8	4.00
2	2276	1	2000133	Horizon Juvenile Center	ACS	Not Available	272.1	9.20	Not Available	144.4	4.50
2	2368	39	2001228	South East Bronx Neighborhood Center Inc. (Leased)	ACS	Not Available	178.9	4.70	Not Available	148.3	3.90
2	2383	12	2001505	Fulton Day Care Center (Leased)	ACS	Not Available	106.9	2.80	Not Available	176.9	4.90
2	2411	41	2001876	Philip Michaels Day Care Center (Leased)	ACS	Not Available	Not Available	Not Available	Not Available	206.5	5.50
2	2420	40	2001910	Children Pride Early Learning Center	ACS	Not Available	28.7	0.80	Not Available	224.6	8.00
2	2516	51	2003301	Highbridge Advisory SRCC (Leased)	ACS	Not Available	203.3	6.50	Not Available	186.0	5.00
2	2696	30	2005346	Lutheran Social Services of NY (Leased)	ACS	Not Available	160.7	5.10	Not Available	164.5	4.30
2	2705	9	2005481	La Peninsula Head Start Program	ACS	Not Available	272.9	7.20	Not Available	149.0	3.90
2	2738	35	2005938	Bridges Juvenile Center Intake and Admissions	ACS	Not Available	236.1	6.10	Not Available	8.1	0.20
2	2837	11	2008017	Mid Bronx Early Childhood Center Inc. (Leased)	ACS	Not Available	150.2	5.10	Not Available	210.9	6.70
2	2861	129	2109470	Babov Worldwide Institute Inc.	ACS	Not Available	260.8	6.80	Not Available	123.2	4.30
2	2877	522	2008966	Lutheran Social Services of NY (Leased)	ACS	Not Available	204.0	5.30	Not Available	211.3	5.60
2	2888	21	2009316	Labor Bathgate Day Care Center (Leased)	ACS	Not Available	108.1	2.80	Not Available	184.0	4.90
2	2939	90	2009866	East Tremont-Crotona Day Care Center (Leased)	ACS	Not Available	195.2	5.20	Not Available	128.7	4.50
2	3044	24	2011440	Trabajamos Community Head Start Inc. (Leased)	ACS	Not Available	62.2	1.60	Not Available	256.9	6.80
2	3089	24	2012517	Belmont Community Day Care Center (Leased)	ACS	Not Available	131.4	3.50	Not Available	207.7	5.50
2	3125	1	2013174	Cardinal Day Care Center #2 (Leased)	ACS	Not Available	126.4	3.30	Not Available	118.7	3.10
2	3178	32	2013953	Morris Day Care/Senior Center/Steven Soles Day Care Center (Leased)	ACS	Not Available	103.3	2.80	Not Available	192.7	5.20
2	3217	60	2014731	University Heights Day Care Center (Leased)	ACS	7	316.2	8.90	Not Available	47.3	1.20
2	3732	39	2023653	H.G. Birch Watson Day Care Center (Leased)	ACS	Not Available	146.1	4.00	Not Available	171.4	6.70
2	3736	1	2023714	Tremont Crotona Day Care Center (Leased)	ACS	Not Available	153.8	4.00	Not Available	172.6	4.60
2	3748	15	2024083	Bronxdale Tenants League DDC Inc. (Leased)	ACS	100	-	-	Not Available	126.8	3.50
2	4101	1	2044743	ACS Bronx Field Office (Leased)	ACS	Not Available	298.4	9.00	21	243.1	6.90
2	4651	44	2057523	Williamsbridge NAACP Early EEC (Leased)	ACS	Not Available	118.5	3.20	Not Available	122.2	3.40
2	4829	6	2063070	North Bronx NCNW Community Development Center (Leased)	ACS	Not Available	194.9	5.10	Not Available	163.7	4.30
2	5713	87	2087522	Kingsbridge (Leased)	ACS	Not Available	209.8	7.20	84	102.7	3.50
3	184	25	3000937	Strong Place for Hope DCC (Leased)	ACS	Not Available	102.2	2.60	Not Available	256.2	7.50
3	391	56	3006144	Sunset Bay Community Services Inc. (Leased)	ACS	Not Available	211.9	5.50	Not Available	126.8	3.40
3	552	5	3008517	P.A.L. Miccio Day Care Center (Leased)	ACS	Not Available	137.8	4.00	Not Available	191.3	5.10
3	947	54	3019440	Park Slope North Child Development Center Inc. (Leased)	ACS	Not Available	107.6	4.20	Not Available	207.3	7.40
3	1036	18	3023510	Shirley Chisolm #2 (Leased)	ACS	Not Available	144.7	4.30	Not Available	143.7	4.90
3	1224	45	3030896	Friends of Crown Heights #2 (Leased)	ACS	Not Available	88.5	2.30	Not Available	214.2	5.70
3	1230	44	3031082	Albany Day Care and Senior Center (Leased)	ACS	Not Available	105.1	2.80	Not Available	151.1	4.50
3	1235	58	3031302	United Interfaith Action Council of Brooklyn Inc. (Leased)	ACS	Not Available	141.5	3.70	Not Available	94.3	3.50
3	1240	56	3031515	Friends of Crown Heights Educational Center Inc. (Leased)	ACS	Not Available	215.0	6.70	Not Available	167.9	4.80

* Data used to generate this report is collected and reported by City operating agencies. The information in this report is subject to change due to data quality improvements, energy efficiency and conservation efforts, and changes in building use over time.

* 2010 data as published in 2013 New York City Government Building Energy Benchmarking Results.

* Score of "Not Available" indicates building use categories for which the Portfolio Manager does not provide an ENERGY STAR score.

* Source EUI and GHG Emissions Intensity calculations performed by U.S. Environmental Protection Agency (EPA) methodology with EPA greenhouse gas emissions factors.

Borough	Block	Lot	BIN	Building	Agency	2 0 1 0 *			2 0 1 4		
						* Score	Source EUI (kBtu/ft²)*	GHG Emissions Intensity (kgCO2e/ft²)*	* Score	Source EUI (kBtu/ft²)*	GHG Emissions Intensity (kgCO2e/ft²)*
3	1246	1	3031845	Friends of Crown Heights Educational Center Inc. (Leased)	ACS	Not Available	172.2	4.60	Not Available	82.8	2.20
3	1253	7	3032188	Day Care Center (Leased)	ACS	Not Available	147.6	3.90	Not Available	100.4	2.70
3	1280	54	3033470	Friends of Crown Heights Educational Center Inc. (Leased)	ACS	Not Available	177.2	4.60	Not Available	144.7	3.90
3	1296	1	3034153	Friends of Crown Heights #3 (Leased)	ACS	Not Available	114.6	3.00	Not Available	196.2	6.40
3	1331	9	3035444	Mosdoth Day Care Center (Leased)	ACS	Not Available	104.8	3.30	Not Available	155.5	4.20
3	1361	66	3036100	Friends of Crown Heights Educational Center Inc. (Leased)	ACS	Not Available	163.5	4.70	Not Available	151.2	4.10
3	1420	51	3038317	All My Children Daycare and Nursery School (Leased)	ACS	Not Available	161.9	4.30	Not Available	159.1	4.20
3	1431	54	3038522	Shirley Chisolm Day Care Center (Leased)	ACS	Not Available	160.6	4.30	Not Available	127.4	4.50
3	1498	6	3040195	SCO Family of Services (Leased)	ACS	Not Available	202.7	5.40	Not Available	107.4	3.50
3	1520	51	3339185	Shirley Chisholm Day Care Center Inc. (Leased)	ACS	21	313.6	9.80	Not Available	168.4	5.10
3	1538	46	3041852	Shirley Chisholm Day Care Center Inc. (Leased)	ACS	Not Available	149.2	4.00	Not Available	145.4	3.90
3	1624	1	3044209	Lutheran Social Services of NY (Leased)	ACS	Not Available	138.4	3.60	Not Available	163.2	4.40
3	2014	26	3057638	Young Minds Day Care Center (Leased)	ACS	Not Available	75.0	2.20	Not Available	210.8	5.70
3	2022	18	3057913	Administration Site (Leased)	ACS	Not Available	131.0	3.40	37	257.8	7.70
3	2451	8	3063507	Nuestros Ninos Child Development (Leased)	ACS	Not Available	135.1	4.40	Not Available	154.0	4.10
3	3023	32	3070819	Bushwick Improvement Society Inc. (Leased)	ACS	Not Available	196.7	5.30	Not Available	122.6	3.20
3	3043	1	3070967	Bushwick United Housing Development Fund Corp (Leased)	ACS	Not Available	217.0	5.70	Not Available	94.7	2.90
3	3227	10	3073394	Bushwick United Housing Development Fund Corp (Leased)	ACS	Not Available	307.5	9.60	Not Available	118.1	3.10
3	3228	20	3073408	Bushwick United Housing Development Fund Corp (Leased)	ACS	Not Available	122.3	3.30	Not Available	131.9	4.40
3	3259	23	3074237	Grand Street Settlement Inc.(Leased)	ACS	Not Available	82.0	2.70	Not Available	159.6	4.30
3	3331	25	3076253	Lutheran Social Services of NY (Leased)	ACS	Not Available	152.8	4.60	Not Available	195.6	5.30
3	3362	55	3076869	New Life Child Care Center (Leased)	ACS	Not Available	124.1	3.60	Not Available	364.9	13.00
3	3433	5	3079655	Labor and Industry for Education Inc.	ACS	Not Available	233.5	6.10	Not Available	122.7	3.50
3	3448	15	3080179	Labor and Industry for Education Inc. (Leased)	ACS	Not Available	173.2	4.50	Not Available	83.2	2.80
3	3498	8	3378202	Crossroads Juvenile Center	ACS	Not Available	162.3	4.30	Not Available	182.9	6.00
3	3531	23	3081165	Friends of Crown Heights Educational Center Inc. (Leased)	ACS	Not Available	149.1	3.90	Not Available	165.6	5.00
3	3568	1	3326658	SCO Family of Services (Leased)	ACS	Not Available	158.2	4.10	Not Available	170.4	4.50
3	3803	46	3342526	University Settlement Society of New York Inc. (Leased)	ACS	Not Available	179.4	4.60	Not Available	170.0	4.50
3	3805	26	3084628	Police Athletic League Inc. (Leased)	ACS	Not Available	294.6	9.90	Not Available	171.8	4.60
3	3976	70	3088473	Friends of Crown Heights Educational Center Inc. (Leased)	ACS	Not Available	128.3	4.30	Not Available	113.7	3.00
3	4006	37	3089020	Friends of Crown Heights Educational Center Inc.(Leased)	ACS	Not Available	210.1	5.50	Not Available	157.7	4.20
3	4039	1	3089620	Urban Strategies Day Care Center (Leased)	ACS	Not Available	184.3	6.30	Not Available	157.6	4.20
3	4089	25	3090717	United Community Day Care Center Inc. (Leased)	ACS	Not Available	212.2	5.50	Not Available	303.3	10.10
3	4298	7	3096389	Friends of Crown Heights Educational Center Inc. (Leased)	ACS	Not Available	161.2	4.80	Not Available	105.9	3.80
3	4315	40	3097095	Friends of Crown Heights Educational Center Inc. (Leased)	ACS	Not Available	218.1	5.80	Not Available	212.5	5.70
3	4457	1	3098472	Friends of Crown Heights Educational Center Inc. (Leased)	ACS	Not Available	184.1	4.80	Not Available	191.6	7.10
3	5049	1	3115846	Episcopal Social Services of NY (Leased)	ACS	Not Available	146.3	3.80	Not Available	109.5	2.90
3	7065	1	3189617	YWCA of the City of New York (Leased)	ACS	74	179.4	5.10	Not Available	154.4	4.90
4	386	7	4004679	Catholic Charities Neighborhood Services Inc. (Leased)	ACS	Not Available	136.0	3.70	Not Available	115.6	3.80
4	1669	38	4041534	SCO Family of Services (Leased)	ACS	Not Available	182.7	5.00	Not Available	239.7	6.50
4	1726	5	4042862	Episcopal Social Services of NY (Leased)	ACS	Not Available	162.8	5.60	Not Available	171.5	4.50
4	1749	7	4043525	The Child Center of NY Inc.(Leased)	ACS	Not Available	192.1	5.20	Not Available	150.6	4.00
4	10021	1	4214446	Clifford Glover Day Care Center Inc. (Leased)	ACS	Not Available	214.3	5.70	Not Available	149.7	4.00
4	10155	29	4216225	Dual Center ACS Administrative Site (Leased)	ACS	Not Available	144.5	3.70	28	214.4	6.30
4	10193	1	4216947	All My Children Daycare and Nursery School (Leased)	ACS	Not Available	137.5	5.40	Not Available	104.5	3.10
4	10917	29	4233644	Charles R Drew Early Learning Center (Leased)	ACS	Not Available	198.8	6.20	Not Available	179.6	4.90
4	10941	206	4234212	Blanche Day Care Center	ACS	96	25.8	0.70	Not Available	215.0	7.80
4	12022	20	4260903	All My Children Daycare and Nursery School (Leased)	ACS	Not Available	177.3	5.20	Not Available	167.1	4.50
4	12039	44	4261337	Omega PSI PHI Fraternity NU-Omicron Chapter ECEC (Leased)	ACS	Not Available	129.2	4.20	Not Available	214.8	5.80

* Score of "Not Available" indicates building use categories for which the Portfolio Manager does not provide an ENERGY STAR score.

* Source EUI and GHG Emissions Intensity calculations performed by U.S. Environmental Protection Agency (EPA) methodology with EPA greenhouse gas emissions factors.

Borough	Block	Lot	BIN	Building	Agency	2 0 1 0 *			2 0 1 4		
						* Score	Source EUI (kBtu/ft²)*	GHG Emissions Intensity (kgCO2e/ft²)*	* Score	Source EUI (kBtu/ft²)*	GHG Emissions Intensity (kgCO2e/ft²)*
4	12062	51	4261925	Alpha Kappa Alpha Sorority Child Care Center (Leased)	ACS	Not Available	241.1	7.40	Not Available	151.9	4.00
4	12599	8	4271346	Babove Worldwide Institute Inc. (Leased)	ACS	Not Available	185.8	5.70	Not Available	123.7	4.20
5	174	6	5004830	Childrens Aide Society Inc.	ACS	Not Available	92.2	3.20	Not Available	158.6	4.80
3	583	1	3008671	Board of Elections (Leased)	BOENY	Not Available	240.3	7.90	100	6.0	0.20
3	239	16	3001939	Brooklyn Heights Branch and Business Library	BPL	Not Available	233.8	6.90	Not Available	137.9	4.60
3	338	33	3004336	Carroll Gardens Branch Library	BPL	Not Available	234.3	7.70	Not Available	147.9	5.50
3	798	34	3013507	Sunset Park Branch Library	BPL	Not Available	241.7	7.30	Not Available	240.6	7.70
3	928	6	3018376	Pacific Branch Library	BPL	Not Available	190.3	5.70	Not Available	165.1	6.10
3	1006	1	3022144	Park Slope Branch Library	BPL	Not Available	186.0	6.00	Not Available	189.5	6.70
3	1183	2	3029665	Central Library and Learning Center	BPL	Not Available	185.8	5.80	Not Available	168.6	5.10
3	1396	6	3037543	Eastern Parkway Branch Library and Learning Center	BPL	Not Available	245.3	8.00	Not Available	262.7	8.60
3	1498	35	3040218	Saratoga Branch Library	BPL	Not Available	102.0	3.20	Not Available	196.2	5.70
3	1665	1	3046408	Macon Branch Library	BPL	Not Available	211.9	6.20	Not Available	248.4	8.30
3	1997	32	3057384	Bedford Branch Library and Learning Center	BPL	Not Available	237.0	6.70	Not Available	171.0	5.70
3	2189	1	3060090	Williamsburg Branch Library	BPL	Not Available	263.6	7.20	Not Available	134.8	4.90
3	2762	21	3068818	Leonard Branch Library	BPL	Not Available	246.3	8.00	Not Available	176.7	5.70
3	3098	19	3071470	Bushwick Branch Library	BPL	Not Available	236.1	9.20	Not Available	148.3	5.30
3	3241	18	3073751	DeKalb Branch Library	BPL	Not Available	482.1	19.40	Not Available	171.1	5.90
3	3489	150	3080669	Brownsville Branch Library	BPL	Not Available	11.1	0.50	Not Available	185.4	6.00
3	3794	18	3084596	Stone Avenue Branch Library	BPL	Not Available	11.1	0.50	Not Available	197.2	6.90
3	3923	52	3087001	Arlington Branch Library	BPL	Not Available	11.1	0.50	Not Available	173.5	5.90
3	4090	1	3090726	New Lots Branch Library	BPL	Not Available	240.3	8.00	Not Available	234.8	7.30
3	4717	38	3103597	East Flatbush Branch Library	BPL	Not Available	654.4	32.80	Not Available	179.8	5.60
3	4791	46	3106505	Crown Heights Branch Library (Leased)	BPL	Not Available	654.4	32.80	Not Available	165.1	5.10
3	5086	15	3116706	Flatbush Branch Library and Learning Center	BPL	Not Available	654.4	32.80	Not Available	203.7	6.90
3	5416	14	3127572	Kensington Branch Library	BPL	Not Available	654.4	32.80	Not Available	291.0	9.40
3	5518	4	3132091	Mapleton Branch Library	BPL	Not Available	654.4	32.80	Not Available	231.5	7.00
3	5598	48	3135907	Borough Park Branch Library	BPL	Not Available	654.4	32.80	Not Available	136.8	4.80
3	5907	1	3147279	Bay Ridge Branch Library	BPL	Not Available	654.4	32.80	Not Available	206.3	6.20
3	6302	36	3164019	Dyker Branch Library	BPL	Not Available	654.4	32.80	Not Available	189.8	5.90
3	6343	64	3165745	New Utrecht Branch Library	BPL	Not Available	121.3	3.70	Not Available	236.8	7.10
3	6709	54	3179706	Midwood Branch Library	BPL	Not Available	121.3	3.70	Not Available	218.6	6.30
3	6783	68	3182576	Kings Highway Branch Library	BPL	Not Available	121.3	3.70	Not Available	226.2	7.00
3	7019	43	3189001	Coney Island Branch Library and Learning Ctr.	BPL	Not Available	121.3	3.70	Not Available	219.1	6.80
3	7405	920	3202630	Kings Bay Branch Library	BPL	Not Available	227.8	8.50	Not Available	262.7	7.80
3	7868	39	3219626	Flatlands Branch Library	BPL	Not Available	832.8	24.50	Not Available	191.8	6.30
3	8680	32	3245028	Brighton Beach Branch Library	BPL	Not Available	166.8	6.30	Not Available	283.0	9.70
1	16	10	1084594	Museum of Jewish Heritage	CIG	Not Available	174.9	5.60	Not Available	446.9	11.80
1	34	37	1000866	Police Museum	CIG	Not Available	174.9	5.60	Not Available	18.1	0.50
1	544	16	1008774	The Public Theater	CIG	Not Available	95.3	2.50	Not Available	625.7	19.50
1	1008	15	1023391	New York City Center Campus: New York City Center	CIG	Not Available	95.3	2.50	Not Available	180.5	6.60
1	1009	1	1023449	Carnegie Hall	CIG	Not Available	95.3	2.50	Not Available	302.2	10.20
1	1111	1	1083810	Metropolitan Museum of Art	CIG	Not Available	95.3	2.50	Not Available	522.2	18.90
1	1130	1	1083846	American Museum of Natural History	CIG	Not Available	60.7	2.50	Not Available	341.3	12.30
1	1134	1	1081022	David H. Koch Theater (Leased)	CIG	Not Available	303.5	11.30	Not Available	367.6	14.80
1	1134	1	1081023	Lincoln Center Campus: Avery Fisher Hall	CIG	Not Available	204.6	5.50	Not Available	10.1	0.30
1	1134	1	1081022	Lincoln Center Campus: Metropolitan Opera House	CIG	Not Available	204.6	5.50	Not Available	10.1	0.30
1	1137	1	1000000	Lincoln Center Campus: Lincoln Center Garage (Rose Building) (Leased)	CIG	Not Available	204.6	5.50	Not Available	10.1	0.30
1	1137	1	1000000	Lincoln Center Campus: Lincoln Center Garage / Plaza	CIG	Not Available	204.5	6.70	Not Available	10.1	0.30

* Score of "Not Available" indicates building use categories for which the Portfolio Manager does not provide an ENERGY STAR score.

* Source EUI and GHG Emissions Intensity calculations performed by U.S. Environmental Protection Agency (EPA) methodology with EPA greenhouse gas emissions factors.

Borough	Block	Lot	BIN	Building	Agency	2010*			2014		
						* Score	Source EUI (kBtu/ft²)*	GHG Emissions Intensity (kgCO2e/ft²)*	* Score	Source EUI (kBtu/ft²)*	GHG Emissions Intensity (kgCO2e/ft²)*
1	1137	7501	1077844	Lincoln Center Campus: Samuel B. & David Rose Building	CIG	Not Available	176.6	6.30	Not Available	10.1	0.30
1	1570	29	1050735	Metropolitan Museum of Art Storage	CIG	Not Available	204.5	6.70	1	551.9	19.40
1	1609	1	1074157	Museum of the City of New York	CIG	Not Available	204.5	6.70	Not Available	312.2	9.70
1	1610	1	1051499	El Museo Del Barrio	CIG	Not Available	204.5	6.70	Not Available	401.8	10.60
1	1909	9	1057819	The Studio Museum in Harlem (Leased)	CIG	Not Available	Not Available	Not Available	Not Available	339.0	9.00
1	2179	701	1064383	The Cloisters, Fort Tryon Park and MET (Leased)	CIG	Not Available	251.1	7.60	Not Available	412.3	10.90
2	2462	1	2002826	Bronx Museum of the Arts	CIG	Not Available	251.1	7.60	Not Available	326.2	10.70
2	3120	20	2123911	Bronx Zoo Campus: TOPS	CIG	Not Available	106.5	4.50	Not Available	713.9	36.00
2	3120	20	2123911	Bronx Zoo Campus: Sea Lion Exhibit	CIG	Not Available	106.5	4.50	Not Available	713.9	36.00
2	3120	20	2123911	Bronx Zoo Campus: Monkey House	CIG	Not Available	106.5	4.50	Not Available	713.9	36.00
2	3120	20	2123911	Bronx Zoo Campus: Mouse House	CIG	Not Available	106.5	4.50	Not Available	713.9	36.00
2	3120	20	2123911	Bronx Zoo Campus: Reptile House	CIG	Not Available	319.2	11.60	Not Available	713.9	36.00
2	3120	20	2123911	Bronx Zoo Campus: Seabird Aviary (Aitken)	CIG	Not Available	319.2	11.60	Not Available	713.9	36.00
2	3120	20	2123911	Bronx Zoo Campus: Shelter Bldg (Elephant, Rhino, Tiger)	CIG	Not Available	229.0	7.50	Not Available	713.9	36.00
2	3120	20	2123911	Bronx Zoo Campus: Center for Global Conservation	CIG	Not Available	229.0	7.50	Not Available	713.9	36.00
2	3120	20	2123911	Bronx Zoo Campus: Aquatic Bird House	CIG	Not Available	313.9	10.10	Not Available	713.9	36.00
2	3120	20	2123911	Bronx Zoo Campus: Bronx Zoo Store	CIG	20	247.1	8.00	Not Available	713.9	36.00
2	3120	20	2123911	Bronx Zoo Campus: Administration East	CIG	Not Available	244.9	11.90	Not Available	713.9	36.00
2	3120	20	2123911	Bronx Zoo Campus: Administration West	CIG	Not Available	126.6	4.60	Not Available	713.9	36.00
2	3120	20	2123911	Bronx Zoo Campus: Heads & Horns	CIG	Not Available	91.0	2.70	Not Available	713.9	36.00
2	3120	20	2123911	Bronx Zoo Campus: Jungle World	CIG	12	1,101.8	31.00	Not Available	713.9	36.00
2	3120	20	2123911	Bronx Zoo Campus: Madagascar (Old Lion House)	CIG	12	1,101.8	31.00	Not Available	713.9	36.00
2	3120	20	2123911	Bronx Zoo Campus: Dancing Crane	CIG	12	1,101.8	31.00	Not Available	713.9	36.00
2	3120	20	2123911	Bronx Zoo Campus: Congo Gorilla Forest	CIG	12	1,101.8	31.00	Not Available	713.9	36.00
2	3120	20	2123911	Bronx Zoo Campus: Farm Apartments	CIG	12	1,101.8	31.00	Not Available	713.9	36.00
2	3120	20	2123911	Bronx Zoo Campus: Isoquarantine	CIG	69	409.3	13.10	Not Available	713.9	36.00
2	3120	20	2123911	Bronx Zoo Campus: Tractable Animal Building	CIG	69	409.3	13.10	Not Available	713.9	36.00
2	3120	20	2123911	Bronx Zoo Campus: Zoo Center	CIG	69	409.3	13.10	Not Available	713.9	36.00
2	3120	20	2123911	Bronx Zoo Campus: World of Birds	CIG	Not Available	125.0	5.30	Not Available	713.9	36.00
2	3120	20	2123911	Bronx Zoo Campus: Wildlife Health Center	CIG	65	1,519.4	87.20	Not Available	713.9	36.00
2	3272	1	2113012	New York Botanical Garden Campus: Garden Cafe & Terrace Room	CIG	65	1,519.4	87.20	Not Available	381.0	12.80
2	3272	1	2113265	New York Botanical Garden Campus: Harriet Barnes Pratt Library Wing	CIG	65	1,519.4	87.20	Not Available	381.0	12.80
2	3272	1	2113265	New York Botanical Garden Campus: Pfizer Plant Research Laboratory	CIG	65	1,519.4	87.20	Not Available	381.0	12.80
2	3272	1	2113265	New York Botanical Garden Campus: LuEsther T. Mertz Library (Museum Building)	CIG	65	1,519.4	87.20	Not Available	381.0	12.80
2	3272	1	2113265	New York Botanical Garden Campus: International Plant Science Center	CIG	65	1,519.4	87.20	Not Available	381.0	12.80
2	3272	1	2820080	New York Botanical Garden Campus: Charles B. Harding Laboratory Building	CIG	6	800.9	22.90	Not Available	381.0	12.80
2	3272	1	2113012	New York Botanical Garden Campus: Enid A. Haupt Conservatory	CIG	6	800.9	22.90	Not Available	381.0	12.80
2	3272	1	2113265	New York Botanical Garden Campus: Jeannette Kittredge Watson Science and Education Building	CIG	6	800.9	22.90	Not Available	381.0	12.80
2	3273	1	2823840	New York Botanical Garden Campus: Stone Mill	CIG	53	1,033.9	29.70	Not Available	381.0	12.80
2	3273	122	2094718	NYBG: Warehouse Upper and Lower	CIG	53	1,033.9	29.70	1	419.1	12.10
2	4336	1	2115623	New York Botanical Garden Campus: Nolen Glasshouses	CIG	53	1,033.9	29.70	Not Available	381.0	12.80
2	4336	1	2115623	New York Botanical Garden Campus: Operations Garage/Storage Building	CIG	53	1,033.9	29.70	Not Available	381.0	12.80
2	4336	1	2115623	New York Botanical Garden Campus: Operations Multi-Purpose Building	CIG	53	1,033.9	29.70	Not Available	381.0	12.80
2	5937	440	2101020	Wave Hill Campus: Wave Hill Museum Building	CIG	13	795.9	25.50	Not Available	90.0	3.70
2	5937	440	2101020	Wave Hill Campus: Wave Hill House	CIG	13	795.9	25.50	Not Available	90.0	3.70
2	5937	440	2117850	Wave Hill Campus: Glyndor House	CIG	13	795.9	25.50	Not Available	90.0	3.70
3	1183	1	3337842	Brooklyn Botanical Garden Campus: Brooklyn Botanical Garden Palm House	CIG	13	795.9	25.50	Not Available	362.3	13.40
3	1183	1	3337842	Brooklyn Botanical Garden Campus: Brooklyn Botanical Garden Service Garage	CIG	13	795.9	25.50	Not Available	362.3	13.40
3	1183	1	3337842	Brooklyn Botanical Garden Campus: Brooklyn Botanical Garden Conservatory	CIG	13	795.9	25.50	Not Available	362.3	13.40

* Score of "Not Available" indicates building use categories for which the Portfolio Manager does not provide an ENERGY STAR score.

* Source EUI and GHG Emissions Intensity calculations performed by U.S. Environmental Protection Agency (EPA) methodology with EPA greenhouse gas emissions factors.

Borough	Block	Lot	BIN	Building	Agency	2010*			2014		
						* Score	Source EUI (kBtu/ft²)*	GHG Emissions Intensity (kgCO2e/ft²)*	* Score	Source EUI (kBtu/ft²)*	GHG Emissions Intensity (kgCO2e/ft²)*
3	1183	1	3337842	Brooklyn Botanical Garden Campus: Brooklyn Botanical Garden Administrative Building	CIG	13	795.9	25.50	Not Available	362.3	13.40
3	1183	26	3029667	Brooklyn Museum	CIG	13	795.9	25.50	Not Available	308.4	10.60
3	1190	61	3029723	BBG Technical Services Center	CIG	13	795.9	25.50	Not Available	96.2	3.30
3	1229	1	3031049	Brooklyn Children's Museum	CIG	Not Available	192.9	5.40	Not Available	204.5	5.60
3	2095	45	3345162	BAM Harvey Theater (Majestic Theater)	CIG	Not Available	121.9	5.00	Not Available	368.9	11.30
3	2110	3	3059182	BAM Peter Jay Sharp Theater (Opera House)	CIG	Not Available	309.2	8.10	Not Available	310.2	10.30
3	2111	11	3059184	Brooklyn Academy of Music (BAM Richard B. Fisher Building)	CIG	Not Available	337.6	8.80	Not Available	278.6	8.30
3	5778	1	3257059	American Museum of Natural History Storage	CIG	13	322.9	8.60	45	72.4	1.90
3	8698	1	3115623	New York Aquarium Campus: Explore the Shore/Alien Stingers	CIG	Not Available	180.3	5.30	Not Available	580.2	17.50
3	8698	1	3245159	New York Aquarium Campus: Aqua Theater	CIG	Not Available	-	-	Not Available	580.2	17.50
3	8698	1	3115623	New York Aquarium Campus: Conservation Hall	CIG	Not Available	82.0	2.10	Not Available	580.2	17.50
3	8698	1	3115623	New York Aquarium Campus: Osborn Laboratories of Marine Sciences (OLMS)	CIG	Not Available	180.1	7.30	Not Available	580.2	17.50
3	8698	1	3115623	New York Aquarium Campus: Operations Building	CIG	Not Available	205.9	8.80	Not Available	580.2	17.50
3	8698	1	3115623	New York Aquarium Campus: Sea Cliffs	CIG	Not Available	184.0	9.00	Not Available	580.2	17.50
4	75	1	4000548	P.S. 1 Contemporary Art Center	CIG	Not Available	176.1	6.60	Not Available	199.2	6.90
4	644	1	4441089	Museum of the Moving Image	CIG	Not Available	222.3	8.10	Not Available	483.9	16.60
4	2018	1	4840396	Queens Museum of Art	CIG	Not Available	35.2	1.00	Not Available	348.3	10.80
4	2018	1	4441124	New York Hall of Science	CIG	Not Available	Not Available	Not Available	Not Available	218.6	7.20
4	4960	1	4112147	Flushing Town Hall	CIG	Not Available	Not Available	Not Available	Not Available	257.7	8.60
4	5107	200	4439683	Queens Botanical Garden Campus: Administration Building	CIG	Not Available	342.2	14.00	Not Available	234.6	8.20
4	5107	200	4439682	Queens Botanical Garden Campus: Greenhouse / Maintenance Building	CIG	Not Available	424.3	15.60	Not Available	234.6	8.20
4	10097	10	4315254	JCAL, Jamaica Performing Arts Center	CIG	Not Available	93.5	4.20	Not Available	390.4	14.00
4	10101	11	4215617	Jamaica Center for Arts and Learning	CIG	Not Available	364.3	15.60	Not Available	65.3	1.80
5	9	1	5000088	Staten Island Museum	CIG	Not Available	415.2	16.10	Not Available	141.8	4.60
5	76	1	5146247	Snug Harbor Campus: Snug Harbor Bldg O/SICM Barn	CIG	Not Available	69.2	2.60	Not Available	143.1	5.10
5	76	200	5000000	Snug Harbor Campus: Bldg J/Gazebo	CIG	Not Available	69.2	2.60	Not Available	143.1	5.10
5	76	200	5000000	Snug Harbor Campus: Bldg F	CIG	Not Available	19.2	0.50	Not Available	143.1	5.10
5	76	200	5113027	Snug Harbor Campus: Bldg A/Staten Island Museum	CIG	Not Available	334.2	11.40	Not Available	143.1	5.10
5	76	200	5000000	Snug Harbor Campus: Bldg C/Newhouse Center	CIG	Not Available	193.4	6.60	Not Available	143.1	5.10
5	76	200	5000000	Snug Harbor Campus: Bldg D/Noble Collection	CIG	Not Available	196.3	6.80	Not Available	143.1	5.10
5	76	200	5000000	Snug Harbor Campus: Bldg E	CIG	Not Available	344.9	12.70	Not Available	143.1	5.10
5	76	200	5000000	Snug Harbor Campus: Bldg G/Newhouse Gallery	CIG	Not Available	344.9	12.70	Not Available	143.1	5.10
5	76	200	5000000	Snug Harbor Campus: Bldg H	CIG	Not Available	344.9	12.70	Not Available	143.1	5.10
5	76	200	5113028	Snug Harbor Campus: B-C Hyphen	CIG	Not Available	344.9	12.70	Not Available	143.1	5.10
5	76	200	5000000	Snug Harbor Campus: Bldg V/Main Gate	CIG	Not Available	344.9	12.70	Not Available	143.1	5.10
5	76	200	5000000	Snug Harbor Campus: Bldg T/Music Hall	CIG	Not Available	344.9	12.70	Not Available	143.1	5.10
5	76	200	5000000	Snug Harbor Campus: Bldg R/Great Hall	CIG	Not Available	344.9	12.70	Not Available	143.1	5.10
5	76	200	5000000	Snug Harbor Campus: Bldg L/Power Plant	CIG	Not Available	344.9	12.70	Not Available	143.1	5.10
5	76	200	5000000	Snug Harbor Campus: Bldg P/Admin	CIG	Not Available	344.9	12.70	Not Available	143.1	5.10
5	76	200	5000000	Snug Harbor Campus: Bldg U	CIG	Not Available	344.9	12.70	Not Available	143.1	5.10
5	76	200	5000000	Snug Harbor Campus: Bldg M/SI Children's Museum	CIG	Not Available	344.9	12.70	Not Available	143.1	5.10
5	314	70	5106733	Staten Island Zoo Campus: Main Zoo Building	CIG	Not Available	344.9	12.70	Not Available	355.2	12.50
5	4442	51	5121944	Staten Island Historical Society Campus: P.S. 28 #34	CIG	97	79.3	3.40	Not Available	50.2	2.00
1	127	1	1088292	Fiterman Hall	CUNY-C	62	139.5	7.60	Not Available	143.9	6.20
1	142	50	1066406	Chambers St. Bldg (Main Campus)	CUNY-C	81	121.4	4.50	Not Available	408.2	15.40
1	497	1	1007560	CUNY in the Heights (Leased)	CUNY-C	91	89.2	3.70	Not Available	161.5	4.30
1	841	75	1080744	Guttman Community College (Leased)	CUNY-C	96	103.7	3.50	Not Available	273.8	8.90
2	2343	14	2820268	East Academic Complex - C	CUNY-C	57	127.3	4.60	Not Available	273.3	9.10
2	2343	32	2001019	B Bldg	CUNY-C	86	65.6	2.70	Not Available	273.2	9.10

* Score of "Not Available" indicates building use categories for which the Portfolio Manager does not provide an ENERGY STAR score.

* Source EUI and GHG Emissions Intensity calculations performed by U.S. Environmental Protection Agency (EPA) methodology with EPA greenhouse gas emissions factors.

Borough	Block	Lot	BIN	Building	Agency	2010*			2014		
						Score*	Source EUI (kBtu/ft²)*	GHG Emissions Intensity (kgCO2e/ft²)*	Score*	Source EUI (kBtu/ft²)*	GHG Emissions Intensity (kgCO2e/ft²)*
2	2346	18	2001038	Allied Health and Sciences Bldg - A	CUNY-C	98	70.1	1.90	Not Available	273.3	9.10
2	2350	24	2001088	Administration Bldg - G	CUNY-C	97	68.6	1.80	Not Available	209.3	7.50
2	2350	39	2001091	Savoy Bldg - D	CUNY-C	81	118.2	4.70	Not Available	233.6	6.80
2	3222	1	2014898	Loew Hall	CUNY-C	100	72.5	1.90	Not Available	122.5	3.30
2	3222	40	2097307	Loew Annex	CUNY-C	63	281.4	9.90	Not Available	123.1	3.30
2	3222	40	2097306	Alumni Gymnasium	CUNY-C	58	143.4	3.70	Not Available	122.5	3.30
2	3222	62	2100253	Guggenheim Hall	CUNY-C	100	44.1	1.10	Not Available	122.4	3.30
2	3222	62	2100247	Roscoe C. Brown Student Center	CUNY-C	84	106.9	2.80	Not Available	122.6	3.30
2	3222	62	2100241	Polowczyk Hall	CUNY-C	81	135.4	5.30	Not Available	122.5	3.30
2	3222	62	2100244	Philosophy Hall	CUNY-C	39	196.6	9.00	Not Available	122.5	3.30
2	3222	62	2100254	Sage Hall	CUNY-C	51	156.6	7.00	Not Available	122.6	3.30
2	3222	62	2100249	Nichols Hall	CUNY-C	91	102.2	4.80	Not Available	122.6	3.30
2	3222	62	2100255	South Hall	CUNY-C	86	109.3	5.70	Not Available	122.6	3.30
2	3222	62	2831930	North Hall and Library	CUNY-C	74	104.9	5.10	Not Available	122.6	3.30
2	3222	62	2096464	Language Hall	CUNY-C	84	78.2	3.40	Not Available	122.3	3.30
2	3222	62	2100247	Brown Annex	CUNY-C	60	156.8	6.50	Not Available	122.8	3.30
2	3222	62	2100243	Hall of Fame, Auditorium and Colonnade	CUNY-C	Not Available	Not Available	Not Available	Not Available	122.3	3.30
2	3222	62	2100250	New Hall	CUNY-C	98	91.6	2.60	Not Available	122.6	3.30
2	3222	62	2100248	Gould Hall	CUNY-C	Not Available	Not Available	4.80	Not Available	122.7	3.30
2	3222	62	2100243	Gould Memorial Library	CUNY-C	93	90.1	3.40	Not Available	122.6	3.30
2	3222	62	2100251	Energy Plant	CUNY-C	97	115.7	5.00	Not Available	122.4	3.30
2	3222	62	2100240	Community Hall	CUNY-C	100	80.6	3.60	Not Available	122.7	3.30
2	3222	62	2100240	Colston Hall	CUNY-C	60	110.7	5.80	Not Available	122.6	3.30
2	3222	62	2116208	The Children's Center	CUNY-C	43	164.9	5.00	Not Available	122.3	3.30
2	3222	62	2100242	Butler Hall	CUNY-C	93	111.9	4.20	Not Available	122.8	3.30
2	3222	62	2100252	Bliss Hall	CUNY-C	Not Available	Not Available	Not Available	Not Available	122.6	3.30
2	3222	62	2100256	Havemeyer Lab	CUNY-C	88	99.4	4.70	Not Available	123.2	3.30
2	3222	620	2100254	Sage Annex	CUNY-C	43	222.8	6.90	Not Available	122.3	3.30
2	3222	620	2104900	Meister Hall	CUNY-C	73	155.2	7.20	Not Available	122.6	3.30
2	3223	50	2090982	MacCracken Hall	CUNY-C	86	95.2	4.70	Not Available	41.9	1.10
2	3224	1	2014903	Snow Hall	CUNY-C	74	139.3	5.30	Not Available	25.6	0.70
3	8760	60	3348024	Robert J. Kibbee Library and Media Center	CUNY-C	93	84.1	4.30	Not Available	302.3	10.20
3	8760	60	3852582	Temporary Building #4	CUNY-C	Not Available	Not Available	Not Available	Not Available	302.4	10.20
3	8760	60	3347724	West Academic Cluster - Wing F	CUNY-C	8	230.2	6.10	Not Available	302.1	10.20
3	8760	60	3347724	West Academic Cluster - Wing D	CUNY-C	6	292.0	11.20	Not Available	302.5	10.20
3	8760	60	3347724	West Academic Cluster - Wing C	CUNY-C	70	81.7	4.00	Not Available	302.7	10.20
3	8760	60	3852586	Temporary Building #8	CUNY-C	94	108.2	5.90	Not Available	302.5	10.20
3	8760	60	3852585	Temporary Building #7	CUNY-C	25	226.4	6.40	Not Available	302.2	10.20
3	8760	60	3852583	Temporary Building #5	CUNY-C	97	104.9	3.70	Not Available	302.5	10.20
3	8760	60	3852581	Temporary Building #3	CUNY-C	56	137.6	6.80	Not Available	303.3	10.20
3	8760	60	3347724	West Academic Cluster - Wing E	CUNY-C	9	262.5	6.80	Not Available	302.7	10.20
3	8760	60	3852579	Temporary Building #1 (UAPC)	CUNY-C	76	118.0	5.90	Not Available	303.1	10.20
3	8760	60	3326936	Academic Village	CUNY-C	96	104.8	3.80	Not Available	302.3	10.20
3	8760	60	3326935	Marine and Academic Center	CUNY-C	100	29.8	0.80	Not Available	302.4	10.20
3	8760	60	3226937	Leon M. Goldstein Performing Arts Center	CUNY-C	61	184.7	5.00	Not Available	302.3	10.20
3	8760	60	3326938	Leon M. Goldstein High School for the Sciences	CUNY-C	43	170.0	6.10	Not Available	302.4	10.20
3	8760	60	3347725	Health and Physical Education Center	CUNY-C	79	114.9	3.90	Not Available	302.6	10.20
3	8760	60	3347727	College Center	CUNY-C	97	53.1	2.30	Not Available	302.2	10.20
3	8760	60	3326939	Central Services	CUNY-C	97	53.1	2.30	Not Available	302.5	10.20

* Score of "Not Available" indicates building use categories for which the Portfolio Manager does not provide an ENERGY STAR score.

* Source EUI and GHG Emissions Intensity calculations performed by U.S. Environmental Protection Agency (EPA) methodology with EPA greenhouse gas emissions factors.

Borough	Block	Lot	BIN	Building	Agency	2010*			2014		
						Score*	Source EUI (kBtu/ft²)*	GHG Emissions Intensity (kgCO2e/ft²)*	Score*	Source EUI (kBtu/ft²)*	GHG Emissions Intensity (kgCO2e/ft²)*
3	8760	60	3326934	Arts and Sciences Center	CUNY-C	31	142.8	6.40	Not Available	302.2	10.20
3	8760	60	3326937	Administration Building	CUNY-C	70	110.8	4.30	Not Available	302.5	10.20
3	8760	60	3852580	Temporary Building #2	CUNY-C	84	96.2	4.80	Not Available	302.1	10.20
3	8760	60	3852584	Temporary Building #6	CUNY-C	60	76.1	3.60	Not Available	301.5	10.20
4	273	1	4003516	C - Center 3 Bldg	CUNY-C	74	113.8	4.50	Not Available	111.2	3.80
4	274	1	4003517	B - B Building (Leased)	CUNY-C	30	114.0	3.00	Not Available	109.0	3.70
4	278	1	4003534	M - Joseph Shenker Hall	CUNY-C	40	109.6	5.60	Not Available	192.0	5.70
4	279	1	4003535	E - E Bldg	CUNY-C	14	168.4	7.00	Not Available	192.0	5.70
4	7490	2	4439434	Science Building	CUNY-C	85	111.0	4.10	Not Available	310.0	11.50
4	7490	2	4862628	Administration / Business Building	CUNY-C	84	100.5	4.50	Not Available	310.2	11.50
4	7490	2	4439437	Y2 Building	CUNY-C	56	122.6	6.00	Not Available	542.3	17.60
4	7490	2	4458074	W Building	CUNY-C	89	76.4	3.20	Not Available	306.2	11.40
4	7490	2	4439432	Technology Building	CUNY-C	53	121.1	6.70	Not Available	309.9	11.50
4	7490	2	4845889	Service Building	CUNY-C	76	105.9	5.50	Not Available	310.4	11.50
4	7490	2	4439431	Humanities Building	CUNY-C	77	123.0	4.70	Not Available	310.2	11.50
4	7490	2	4439439	C Building	CUNY-C	62	105.4	4.90	Not Available	310.7	11.50
4	7490	2	4862627	Cafeteria / Student Union Building	CUNY-C	94	85.5	3.50	Not Available	310.1	11.50
4	7490	2	4439433	Oakland Building	CUNY-C	70	91.5	3.20	Not Available	310.2	11.50
4	7490	2	4439435	Kennedy Hall Gymnasium	CUNY-C	83	97.0	4.30	Not Available	310.0	11.50
4	7490	2	4444187	Kurt Schmeller Library	CUNY-C	87	109.4	5.10	Not Available	310.1	11.50
4	7490	2	4439438	Medical Arts Building	CUNY-C	67	119.3	5.20	Not Available	310.1	11.50
1	225	8	1002933	Hunter MFA	CUNY-S	45	147.9	7.70	Not Available	48.5	1.90
1	807	28	1015181	School of Professional Studies	CUNY-S	76	104.9	4.30	Not Available	56.9	1.50
1	864	1101	1017097	Graduate Center	CUNY-S	71	108.5	4.60	Not Available	231.7	7.10
1	878	20	1018015	Lawrence and Eris Field Bldg	CUNY-S	71	108.5	4.60	Not Available	195.9	7.50
1	878	20	1086513	Steven L. Newman Hall	CUNY-S	29	141.2	7.30	Not Available	195.8	7.50
1	878	20	1086544	Administrative Building	CUNY-S	53	158.2	6.40	Not Available	195.9	7.50
1	880	24	1086514	William and Anita Newman Vertical	CUNY-S	41	170.8	8.50	Not Available	261.3	8.00
1	881	29	1018106	Annex	CUNY-S	82	106.8	5.10	Not Available	261.0	8.00
1	881	31	1018107	Library and Technology Bldg	CUNY-S	45	186.5	5.80	Not Available	261.1	8.00
1	962	100	1069579	Brookdale East Building	CUNY-S	65	124.2	5.90	Not Available	162.1	6.90
1	962	100	1069579	Brookdale North Building	CUNY-S	82	99.2	4.70	Not Available	162.1	6.90
1	962	100	1069579	Brookdale West Building	CUNY-S	15	97.5	3.60	Not Available	162.1	6.90
1	1050	6	1026319	Master of Fine Arts Building	CUNY-S	78	122.5	5.70	Not Available	48.5	1.90
1	1084	25	1086199	Westport Building	CUNY-S	68	119.1	5.80	Not Available	177.5	4.70
1	1086	1	1027072	BMW Building	CUNY-S	65	137.3	6.20	Not Available	262.3	8.60
1	1087	25	1027085	Haaren Hall Building	CUNY-S	28	214.0	5.50	Not Available	262.8	8.60
1	1087	25	1027984	New Building	CUNY-S	74	107.4	4.60	Not Available	262.8	8.60
1	1120	9	1028237	William E. Macaulay Honors College	CUNY-S	83	91.1	4.40	Not Available	218.6	7.10
1	1131	1	1028826	North Hall	CUNY-S	17	220.8	6.70	Not Available	330.5	12.60
1	1380	30	1041133	Roosevelt House	CUNY-S	41	122.9	4.20	Not Available	247.4	7.40
1	1402	13	1042468	West Building	CUNY-S	72	102.3	5.30	Not Available	296.3	10.30
1	1402	49	1042478	East Building	CUNY-S	66	133.1	4.90	Not Available	296.3	10.30
1	1403	1	1081419	North Building	CUNY-S	72	96.8	3.70	Not Available	296.3	10.30
1	1403	1	1081418	Thomas Hunter Hall	CUNY-S	59	143.5	7.60	Not Available	296.4	10.30
1	1506	21	1047404	Hunter College High School	CUNY-S	Not Available	Not Available	Not Available	56	122.8	3.30
1	1767	30	1088293	Graduate Center Housing (Leased)	CUNY-S	88	136.6	6.20	94	77.7	3.60
1	1767	39	1088302	Silberman School of Social Work	CUNY-S	87	102.9	4.10	Not Available	234.0	6.70
1	1957	1	1084073	Spitzer School of Architecture	CUNY-S	44	119.1	4.70	Not Available	202.8	5.50

* Score of "Not Available" indicates building use categories for which the Portfolio Manager does not provide an ENERGY STAR score.

* Source EUI and GHG Emissions Intensity calculations performed by U.S. Environmental Protection Agency (EPA) methodology with EPA greenhouse gas emissions factors.

Borough	Block	Lot	BIN	Building	Agency	2010*			2014		
						Score*	Source EUI (kBtu/ft²)*	GHG Emissions Intensity (kgCO2e/ft²)*	Score*	Source EUI (kBtu/ft²)*	GHG Emissions Intensity (kgCO2e/ft²)*
1	1957	1	1813294	Center for Discovery and Innovation	CUNY-S	85	101.8	4.90	Not Available	202.7	5.50
1	1957	1	1084067	Mott Hall - D. O. E.	CUNY-S	85	101.8	4.90	Not Available	202.9	5.50
1	1957	1	1084068	Structural Biology Center	CUNY-S	73	125.6	5.20	Not Available	202.8	5.50
1	1957	1	1813294	ASRC - Advanced Science Research Center	CUNY-S	83	86.2	4.00	Not Available	202.8	5.50
1	1957	1	1084075	Aaron Davis Hall	CUNY-S	83	86.2	4.00	Not Available	202.7	5.50
1	1957	100	1059410	Marshak Hall	CUNY-S	45	140.8	6.70	Not Available	299.4	9.60
1	1957	105	1084077	Shepard Hall	CUNY-S	67	114.1	4.10	Not Available	299.5	9.60
1	1957	105	1085670	Howard E. Wille Administration Building	CUNY-S	7	225.7	6.30	Not Available	299.4	9.60
1	1957	129	1084078	Steinman Hall	CUNY-S	87	52.2	1.50	Not Available	299.4	9.60
1	1957	200	1084083	Compton - Goethals Hall	CUNY-S	63	124.2	5.80	Not Available	299.6	9.60
1	1957	200	1084084	Wingate Hall	CUNY-S	39	146.8	5.90	Not Available	298.9	9.60
1	1957	200	1084085	Baskerville Hall	CUNY-S	51	148.2	4.60	Not Available	298.8	9.60
1	1957	200	1084082	Harris Hall	CUNY-S	58	137.9	4.50	Not Available	299.6	9.60
1	1957	200	1084081	North Academic Center	CUNY-S	Not Available	Not Available	Not Available	Not Available	149.6	4.80
2	3246	2	2015222	Reservoir Building- H.S. (DOE)	CUNY-S	45	127.3	5.20	Not Available	174.7	4.70
2	3247	1	2097318	Music Building	CUNY-S	36	155.8	4.90	Not Available	174.1	4.60
2	3247	1	2829116	Nursing Building	CUNY-S	93	87.7	3.50	Not Available	174.3	4.60
2	3247	1	2098697	Speech and Theater Building	CUNY-S	60	113.8	4.50	Not Available	174.2	4.60
2	3247	1	2116604	Science Hall	CUNY-S	65	161.7	8.50	Not Available	174.3	4.60
2	3247	1	2098696	Gillet Hall	CUNY-S	65	161.7	8.50	Not Available	174.2	4.60
2	3247	1	2119733	Childcare Center	CUNY-S	65	161.7	8.50	Not Available	173.8	4.60
2	3247	1	2097316	Student Life Building	CUNY-S	66	206.1	7.00	Not Available	160.5	5.60
2	3247	1	2097314	Old Gymnasium Building	CUNY-S	87	86.1	3.30	Not Available	174.3	4.60
2	3247	1	2097313	Fine Arts Building	CUNY-S	91	83.2	3.40	Not Available	174.0	4.60
2	3247	1	2097312	Davis Hall	CUNY-S	36	158.7	4.80	Not Available	174.3	4.60
2	3247	1	2097317	Concert Hall	CUNY-S	74	110.4	3.50	Not Available	174.1	4.60
2	3247	1	2097315	Library	CUNY-S	49	120.5	6.00	Not Available	174.3	4.60
2	3247	165	2097309	APEX Bldg	CUNY-S	42	119.5	5.00	Not Available	174.2	4.60
2	3247	220	2095245	Shuster Hall	CUNY-S	43	122.9	6.00	Not Available	174.3	4.60
2	3247	230	2015246	Carman Hall	CUNY-S	74	96.7	4.50	Not Available	174.2	4.60
3	86	18	3329429	Environmental Center	CUNY-S	57	95.8	4.60	Not Available	165.5	4.80
3	86	7501	3000176	Midway Building	CUNY-S	92	77.5	5.50	Not Available	185.9	5.20
3	97	2	3000182	Voorhees Building	CUNY-S	7	304.5	9.20	Not Available	165.5	4.80
3	128	1	3335892	Namm Hall	CUNY-S	67	123.6	3.80	Not Available	220.8	7.00
3	128	1	3335890	Pearl Bldg	CUNY-S	11	251.3	6.50	Not Available	220.8	7.00
3	128	1	3335892	Atrium	CUNY-S	23	130.3	4.70	Not Available	220.8	7.00
3	128	26	3000243	General Bldg (Con Edison)	CUNY-S	50	107.7	5.30	Not Available	221.0	7.00
3	1259	36	3032563	391 Eastern Pkwy (1534 Bedford Ave)	CUNY-S	78	104.4	5.00	Not Available	196.2	5.20
3	1287	48	3033791	AB1 - School of Science, Health and Technology	CUNY-S	79	108.3	6.00	Not Available	513.5	15.10
3	1288	1	3033796	School of Business and Student Services	CUNY-S	93	70.9	3.50	Not Available	169.9	6.00
3	1289	25	3337869	Carroll Street Building	CUNY-S	58	122.9	5.80	Not Available	243.0	8.90
3	1294	1	3034075	Bedford Building	CUNY-S	58	122.9	5.80	Not Available	169.9	6.00
3	7552	100	3347326	William James Hall	CUNY-S	Not Available	Not Available	2.90	Not Available	565.2	14.90
3	7552	100	3391507	West Quad Building	CUNY-S	38	158.6	4.10	Not Available	565.2	14.90
3	7552	100	3205787	Roosevelt Hall Extension	CUNY-S	38	158.6	4.10	Not Available	565.3	14.90
3	7552	100	3205787	Roosevelt Hall	CUNY-S	100	10.7	0.30	Not Available	565.3	14.90
3	7552	100	3389802	West End Building	CUNY-S	23	177.5	5.30	Not Available	565.3	14.90
3	7555	27	3205803	Student Union	CUNY-S	87	103.5	4.40	Not Available	5.2	0.20
3	7556	150	3327321	Whitman / Gershwin Hall	CUNY-S	92	103.4	3.50	Not Available	5.3	0.20

* Score of "Not Available" indicates building use categories for which the Portfolio Manager does not provide an ENERGY STAR score.

* Source EUI and GHG Emissions Intensity calculations performed by U.S. Environmental Protection Agency (EPA) methodology with EPA greenhouse gas emissions factors.

Borough	Block	Lot	BIN	Building	Agency	2010*			2014		
						Score*	Source EUI (kBtu/ft²)*	GHG Emissions Intensity (kgCO2e/ft²)*	Score*	Source EUI (kBtu/ft²)*	GHG Emissions Intensity (kgCO2e/ft²)*
3	7556	150	3327318	Whitehead Hall	CUNY-S	82	77.8	4.30	Not Available	5.2	0.20
3	7556	150	3327319	LaGuardia Hall	CUNY-S	82	77.8	4.30	Not Available	5.2	0.20
3	7556	150	3327317	Ingersoll Hall	CUNY-S	35	168.7	5.40	Not Available	1.3	-
3	7556	150	3327322	Boylan Hall	CUNY-S	29	125.8	6.50	Not Available	5.2	0.20
3	7556	150	3327317	Ingersoll Hall Extension	CUNY-S	19	204.5	11.50	Not Available	5.2	0.20
4	4976	27	4112321	Flushing Center for Higher Education	CUNY-S	13	129.1	6.60	Not Available	167.6	5.20
4	6507	30	4141868	Queens Hall	CUNY-S	Not Available	Not Available	Not Available	Not Available	130.9	4.30
4	6517	1	4439911	Paul Klapper Hall	CUNY-S	21	178.6	5.30	Not Available	223.2	7.50
4	6517	1	4442884	Laura Arthur Colwin Hall	CUNY-S	39	128.6	6.10	Not Available	223.0	7.50
4	6517	1	4439912	Hortense Powdermaker Hall	CUNY-S	75	105.6	5.20	Not Available	223.3	7.50
4	6517	1	4543598	Honors Center	CUNY-S	41	146.5	5.50	Not Available	223.6	7.50
4	6517	1	4141870	Margaret Kiely Hall	CUNY-S	73	78.6	3.80	Not Available	466.9	21.40
4	6517	1	4467562	I Bldg	CUNY-S	77	106.2	5.30	Not Available	222.7	7.50
4	6517	1	4439913	Benjamin Rosenthal Library	CUNY-S	56	110.9	5.70	Not Available	223.2	7.50
4	6517	1	4439910	Jefferson Hall	CUNY-S	56	110.9	5.70	Not Available	223.4	7.50
4	6517	1	4439921	King Hall	CUNY-S	79	92.4	5.20	Not Available	223.1	7.50
4	6517	1	4439919	Rathaus Hall	CUNY-S	76	102.4	4.60	Not Available	111.9	3.80
4	6517	1	4439902	Remsen Hall	CUNY-S	56	158.4	5.70	Not Available	223.2	7.50
4	6517	1	4467563	School of Music	CUNY-S	82	128.2	6.20	Not Available	223.3	7.50
4	6517	1	4439904	Science Building	CUNY-S	86	109.2	4.80	Not Available	223.3	7.50
4	6517	1	4439914	Virginia Frese Hall	CUNY-S	85	88.2	3.40	Not Available	222.1	7.50
4	6517	1	4442883	Lloyd T. Delany Hall	CUNY-S	70	95.6	4.30	Not Available	223.4	7.50
4	6517	1	4439915	Heating Plant	CUNY-S	78	123.8	5.50	Not Available	222.1	7.50
4	6517	1	4439917	Colden Auditorium	CUNY-S	47	140.2	8.10	Not Available	223.1	7.50
4	6517	1	4467560	Dining Hall	CUNY-S	34	169.9	9.10	Not Available	223.4	7.50
4	6517	1	4467567	Dining Hall Addition	CUNY-S	59	125.4	5.20	Not Available	223.1	7.50
4	6517	1	4467561	G Building	CUNY-S	88	95.5	5.10	Not Available	223.2	7.50
4	6517	1	4467569	Gregory Razran Hall	CUNY-S	44	99.9	4.10	Not Available	223.2	7.50
4	6517	1	4439918	Goldstein Theatre	CUNY-S	13	241.2	6.80	Not Available	223.5	7.50
4	6517	1	4439916	Fitzgerald Gymnasium	CUNY-S	44	87.7	3.30	Not Available	223.2	7.50
4	6517	200	4467570	Student Union	CUNY-S	49	92.0	2.50	Not Available	223.2	7.50
4	6743	29	4146646	Kissena Hall	CUNY-S	13	119.0	6.30	Not Available	142.1	4.60
4	10099	52	4215611	Science Building	CUNY-S	8	120.6	6.30	Not Available	289.1	9.20
4	10103	16	4439752	St. Monicas / Child Care Center	CUNY-S	33	115.8	5.50	Not Available	289.9	9.20
4	10103	16	4448849	Classroom Building	CUNY-S	85	104.5	5.00	Not Available	289.0	9.20
4	10104	43	4215630	Academic Core	CUNY-S	54	126.3	6.40	Not Available	290.3	9.20
4	10118	34	4858182	Health and Physical Education Complex	CUNY-S	21	193.6	6.00	Not Available	144.1	4.60
4	10152	66	4462248	Performing Arts Center	CUNY-S	17	167.4	6.10	Not Available	100.8	2.70
5	2040	1	5107299	North Administration Building	CUNY-S	Not Available	Not Available	2.10	Not Available	418.1	11.00
5	2040	1	5107298	South Administration Building	CUNY-S	45	77.8	2.10	Not Available	418.0	11.00
5	2040	1	5131066	Biological and Chemical Sciences	CUNY-S	15	128.5	6.90	Not Available	418.2	11.00
5	2040	1	5107305	Psychology / Sociology, Anthropology and Social Work	CUNY-S	15	128.5	6.90	Not Available	418.4	11.10
5	2040	1	5107301	Library / Cyber Cafe	CUNY-S	47	189.6	5.50	Not Available	418.2	11.00
5	2040	1	5107302	Mathematics Building	CUNY-S	26	138.8	5.90	Not Available	418.1	11.00
5	2040	1	5107297	Center for the Arts	CUNY-S	72	107.8	5.00	Not Available	418.1	11.00
5	2040	1	5130987	Marcus Hall - Nursing	CUNY-S	22	213.4	6.00	Not Available	418.1	11.00
5	2040	1	5107300	West Administration Building	CUNY-S	Not Available	Not Available	3.30	Not Available	415.2	11.00
5	2040	1	5107303	English / Modern Languages	CUNY-S	62	91.7	3.90	Not Available	418.5	11.10
5	2040	1	5107304	Education Building	CUNY-S	74	85.8	4.30	Not Available	209.2	5.50

* Score of "Not Available" indicates building use categories for which the Portfolio Manager does not provide an ENERGY STAR score.

* Source EUI and GHG Emissions Intensity calculations performed by U.S. Environmental Protection Agency (EPA) methodology with EPA greenhouse gas emissions factors.

Borough	Block	Lot	BIN	Building	Agency	2010*			2014		
						Score*	Source EUI (kBtu/ft²)*	GHG Emissions Intensity (kgCO2e/ft²)*	Score*	Source EUI (kBtu/ft²)*	GHG Emissions Intensity (kgCO2e/ft²)*
3	2604	1	3065442	Testing Station	DCA	28	115.3	4.60	Not Available	107.2	4.00
1	94	25	1001289	100 Gold Street Office Building	DCAS	46	120.2	5.30	51	260.6	7.80
1	121	1	1001394	Manhattan Municipal Building	DCAS	46	120.2	5.30	92	134.8	4.70
1	122	1	1079147	City Hall	DCAS	83	88.4	4.10	94	103.2	3.80
1	122	1	1079146	Tweed Courthouse	DCAS	1	275.3	7.80	12	411.5	14.70
1	153	1	1079216	Emigrant Savings Building (Leased)	DCAS	87	98.3	4.30	94	115.9	4.80
1	153	1	1079215	Sun Building	DCAS	68	100.8	3.70	76	175.6	5.40
1	153	24	1001670	Manhattan Surrogate's Court	DCAS	46	181.2	5.80	58	237.5	9.10
1	154	23	1078613	City Planning Building	DCAS	71	109.5	4.90	52	216.5	7.00
1	155	1	1001672	Court Square Building	DCAS	59	113.6	4.60	81	170.6	5.40
1	160	21	1085748	Manhattan Supreme Court	DCAS	59	113.6	4.60	55	238.3	9.00
1	166	27	1001830	Louis J. Lefkowitz Building	DCAS	59	113.6	4.60	79	168.9	6.10
1	167	1	1079000	Manhattan Criminal Court	DCAS	93	148.1	4.10	71	201.1	7.20
1	168	32	1001831	Health Building	DCAS	42	154.3	5.60	78	170.4	6.10
1	169	10	1001833	Manhattan Civil Court	DCAS	57	90.4	3.80	92	133.3	4.50
1	170	6	1001835	Clocktower Building (Leased)	DCAS	36	183.4	5.50	87	149.5	6.20
1	171	31	1001842	Manhattan Family Court	DCAS	89	112.9	7.70	90	150.2	5.00
1	197	17	1002358	Excelsior Building	DCAS	86	124.1	4.90	56	193.9	6.20
1	200	1	1066494	Chinatown Senior Center	DCAS	20	212.2	5.50	Not Available	191.8	8.00
1	423	22	1005645	115 Chrystie Street Office Building	DCAS	56	159.5	5.20	81	111.0	3.30
1	855	1	1016743	Manhattan Appellate Court	DCAS	73	105.1	4.00	17	318.3	11.40
1	1044	22	1025397	Midtown Community Court	DCAS	51	125.1	4.90	97	86.5	2.50
1	1769	45	1054382	Harlem Courthouse	DCAS	51	125.1	4.90	53	175.9	7.10
2	2443	94	2099027	Bronx Concourse Plaza	DCAS	28	149.3	6.00	68	222.7	6.40
2	2444	1	2097114	Bronx County Hall of Justice	DCAS	26	159.2	7.90	9	436.5	13.40
2	2454	1	2002704	Bronx Family and Criminal Court	DCAS	60	105.5	4.10	60	288.1	9.20
2	2462	39	2101266	Bronx Housing Court	DCAS	75	112.5	3.60	43	239.6	6.90
2	2468	1	2002869	Bronx County Courthouse	DCAS	82	96.1	5.00	96	109.5	4.00
2	2947	18	2009911	Bronx Bergen Building	DCAS	11	143.7	6.20	65	182.8	6.60
2	4832	9	2063174	Bronx Neighborhood Building	DCAS	11	143.7	6.20	53	163.5	7.10
3	85	6	3000172	OEM Headquarters	DCAS	35	181.5	4.70	14	481.9	13.80
3	139	1	3000256	Brooklyn Borough Hall	DCAS	23	129.6	6.30	36	248.4	7.70
3	139	20	3000257	Brooklyn Supreme Court	DCAS	51	108.6	5.30	91	138.4	4.80
3	169	17	3000534	Brooklyn Criminal Court	DCAS	57	171.0	5.60	32	367.0	14.90
3	237	1	3001881	Brooklyn Appellate Court	DCAS	47	91.0	4.70	58	184.6	5.50
3	1274	1	3033161	Brooklyn Armory	DCAS	68	114.8	4.50	Not Available	46.1	2.00
3	2467	1	3063635	Construction Shops	DCAS	48	130.7	5.30	Not Available	64.2	2.00
4	83	1	4000698	Long Island City Courthouse	DCAS	1	186.3	9.80	49	209.5	8.40
4	2274	2	4052812	Queens Borough Hall	DCAS	68	125.8	4.60	72	198.8	6.30
4	9653	1	4206522	Queens Criminal Court (Annex)	DCAS	82	94.4	2.60	77	185.0	5.50
4	9653	1	4206522	Queens Criminal Court	DCAS	81	99.0	2.90	63	223.9	7.40
4	9680	1	4448759	Queens Civil Court	DCAS	70	109.7	4.40	79	190.6	5.70
4	9691	1	4207071	Queens Supreme Court	DCAS	53	104.0	5.30	81	161.4	5.60
4	10093	1	4438731	Queens Family Court	DCAS	77	129.3	5.50	37	280.9	8.50
5	7	1	5000063	Staten Island Borough Hall	DCAS	76	124.5	6.40	60	208.1	8.00
5	7	12	5000064	Staten Island Supreme Court	DCAS	93	58.7	2.20	4	385.3	12.70
5	8	70	5000085	130 Stuyvesant Place Office	DCAS	62	73.7	2.20	25	309.4	11.70
5	9	22	5000090	Staten Island Family Court	DCAS	6	242.7	7.90	9	277.9	9.00
5	159	65	5004530	Staten Island Civil Court	DCAS	69	53.9	2.50	32	210.5	7.40

* Score of "Not Available" indicates building use categories for which the Portfolio Manager does not provide an ENERGY STAR score.

* Source EUI and GHG Emissions Intensity calculations performed by U.S. Environmental Protection Agency (EPA) methodology with EPA greenhouse gas emissions factors.

Borough	Block	Lot	BIN	Building	Agency	2010*			2014		
						Score*	Source EUI (kBtu/ft²)*	GHG Emissions Intensity (kgCO2e/ft²)*	Score*	Source EUI (kBtu/ft²)*	GHG Emissions Intensity (kgCO2e/ft²)*
5	542	9	5014078	Staten Island Criminal Court	DCAS	1	288.2	8.20	39	219.2	7.40
1	275	28	1003286	Manhattan Repair Shop	DEP	27	210.9	6.30	Not Available	215.2	9.80
1	969	22	1083653	Maintenance Facility (BWSO, FMC) (Leased)	DEP	27	155.3	5.90	Not Available	219.0	9.50
1	1819	30	1085917	Wards Island WPCP Campus: Wards Island	DEP	94	60.7	2.30	15	762.8	21.70
1	2069	26	1075503	Manhattan Sewer Maintenance Yard	DEP	94	60.7	2.30	Not Available	218.0	8.00
1	2101	117	1084789	North River WPCP Campus: 725 West 135th St	DEP	7	464.1	15.80	6	768.0	30.90
2	2780	2	2118145	Hunts Point WPCP Campus: 1270 Ryawa Ave	DEP	76	128.5	6.30	42	1,864.5	52.00
2	2780	74	2101256	Hunts Point WPCP Campus: 1360 Ryawa Ave	DEP	73	96.4	4.90	42	1,864.5	52.00
2	2780	74	2118037	Hunts Point WPCP Campus: Halleck St	DEP	51	179.3	5.90	42	1,864.5	52.00
2	2780	74	2118036	Hunts Point WPCP Campus: 1360 Rear Ryawa Ave	DEP	35	160.5	5.30	42	1,864.5	52.00
2	3251	401	2015443	Jerome Avenue Campus: 3201 Jerome Ave	DEP	63	140.5	5.90	Not Available	120.4	3.20
2	3330	60	2017876	North Bronx Yard and Reservoir HQ	DEP	63	140.5	5.90	80	116.5	6.40
2	99999	9999	2000000	Hunts Point WPCP Campus: 123 Ryawa Ave	DEP	51	116.4	5.40	42	1,864.5	52.00
3	7	9	3000000	Red Hook WPCP Campus: 8 Adams St	DEP	4	241.8	8.20	81	276.6	7.50
3	221	7	3852786	Red Hook WPCP Campus: 63 Flushing Ave	DEP	4	241.8	8.20	81	276.6	7.50
3	1882	1	3054189	Shaft Maintenance/Kent Avenue Machine Shop	DEP	52	148.8	7.20	Not Available	120.5	3.70
3	1894	38	3054607	Hazmat Citywide Field Operations	DEP	44	160.2	5.80	Not Available	160.4	5.70
3	2023	110	3347744	Red Hook WPCP Campus: 1 Wallabout St	DEP	44	160.2	5.80	81	276.6	7.50
3	2491	101	3336628	Newtown Creek WPCP Campus: Pollution Control	DEP	Not Available	Not Available	Not Available	10	654.9	18.30
3	2491	101	3336623	Newtown Creek WPCP Campus: Pollution Control	DEP	Not Available	Not Available	Not Available	10	654.9	18.30
3	2491	201	3336650	Newtown Creek WPCP Campus: Pollution Control	DEP	48	98.0	3.70	10	654.9	18.30
3	2525	1	3398210	Newtown Creek WPCP Campus: Support Building	DEP	17	100.3	4.40	10	654.9	18.30
3	2525	1	3398220	Newtown Creek WPCP Campus: Gravity Thickeners	DEP	66	122.9	5.60	10	654.9	18.30
3	2525	1	3332517	Newtown Creek WPCP Campus: Main Building	DEP	66	122.9	5.60	10	654.9	18.30
3	2525	1	3398219	Newtown Creek WPCP Campus: Cm Office	DEP	44	123.7	5.10	10	654.9	18.30
3	2525	1	3398215	Newtown Creek WPCP Campus: Skimmings Building	DEP	58	149.5	4.10	10	654.9	18.30
3	2525	1	3398211	Newtown Creek WPCP Campus: Cntr Residuals Bg	DEP	74	93.1	3.60	10	654.9	18.30
3	2525	1	3330052	Newtown Creek WPCP Campus: 324 - 328 Freeman St	DEP	74	93.1	3.60	10	654.9	18.30
3	2525	1	3398209	Newtown Creek WPCP Campus: Disinfection Bldg	DEP	66	119.4	5.50	10	654.9	18.30
3	2525	1	3398208	Newtown Creek WPCP Campus: N Control Bg	DEP	69	85.6	4.00	10	654.9	18.30
3	2525	1	3398207	Newtown Creek WPCP Campus: S Control Bg	DEP	78	97.1	3.30	10	654.9	18.30
3	2525	1	3336837	Newtown Creek WPCP Campus: 320 - 322 Freeman St	DEP	13	137.0	5.30	10	654.9	18.30
3	2525	1	3330053	Newtown Creek WPCP Campus: Freeman St	DEP	67	113.9	5.70	10	654.9	18.30
3	2525	1	3330051	Newtown Creek WPCP Campus: 315 - 343 Green St	DEP	87	80.9	3.70	10	654.9	18.30
3	2525	1	3064103	Newtown Creek WPCP Campus: 100 - 116 Provost St	DEP	34	123.4	5.20	10	654.9	18.30
3	2525	1	3336836	Newtown Creek WPCP Campus: 294 Freeman St	DEP	1	167.8	5.00	10	654.9	18.30
3	2527	2	3398222	Newtown Creek WPCP Campus: Pollution Control	DEP	59	187.5	7.90	10	654.9	18.30
3	2527	2	3398221	Newtown Creek WPCP Campus: Pollution Control	DEP	59	187.5	7.90	10	654.9	18.30
3	2613	1	3065473	B-9 Yard (Leased)	DEP	35	152.3	5.50	Not Available	126.0	4.80
3	2944	11	3070524	BWS Storehouse (GS1)	DEP	61	126.6	5.80	1	192.2	8.40
3	4440	1	3848583	26th Ward WPCP Campus: 122-66 Flatlands Ave	DEP	60	95.8	5.20	30	646.0	19.10
3	5835	1	3397290	Owl's Head WPCP Campus: Bldg 1	DEP	Not Available	Not Available	2.40	67	469.6	18.70
3	5835	1	3397295	Owl's Head WPCP Campus: Bldg 6	DEP	86	110.9	5.20	67	469.6	18.70
3	5835	1	3397294	Owl's Head WPCP Campus: Bldg 5	DEP	13	185.1	5.70	67	469.6	18.70
3	5835	1	3397293	Owl's Head WPCP Campus: Bldg 4	DEP	37	154.7	5.80	67	469.6	18.70
3	5835	1	3397291	Owl's Head WPCP Campus: Bldg 2	DEP	40	106.4	4.40	67	469.6	18.70
3	5835	1	3846515	Owl's Head WPCP Campus: Main Building	DEP	22	208.4	10.00	67	469.6	18.70
3	5835	1	3397292	Owl's Head WPCP Campus: Bldg 3	DEP	35	116.9	5.00	67	469.6	18.70
3	7452	1	3204772	Coney Island WPCP Campus: Pumping Stn/Sewage Disposal	DEP	35	116.9	5.00	27	689.3	24.30

* Score of "Not Available" indicates building use categories for which the Portfolio Manager does not provide an ENERGY STAR score.

* Source EUI and GHG Emissions Intensity calculations performed by U.S. Environmental Protection Agency (EPA) methodology with EPA greenhouse gas emissions factors.

Borough	Block	Lot	BIN	Building	Agency	2010*			2014		
						Score*	Source EUI (kBtu/ft²)*	GHG Emissions Intensity (kgCO2e/ft²)*	Score*	Source EUI (kBtu/ft²)*	GHG Emissions Intensity (kgCO2e/ft²)*
3	7452	1	3397305	Coney Island WPCP Campus: Pumping Stn/Sewage Disposal	DEP	2	184.2	5.40	27	689.3	24.30
3	7452	1	3386004	Coney Island WPCP Campus: Pumping Stn/Sewage Disposal	DEP	Not Available	Not Available	Not Available	27	689.3	24.30
3	7452	1	3204772	Coney Island WPCP Campus: 2580 Knapp St	DEP	18	133.8	5.10	27	689.3	24.30
3	7452	1	3397304	Coney Island WPCP Campus: Pumping Stn/Sewage Disposal	DEP	18	133.8	5.10	27	689.3	24.30
3	7481	1	3205706	Coney Island WPCP Campus: 3002 Ave Z	DEP	72	121.9	4.80	27	689.3	24.30
3	8837	1	3339298	Coney Island WPCP Campus: Ave Z	DEP	77	97.9	3.90	27	689.3	24.30
4	776	150	4539571	Bowery Bay WPCP Campus: BIN 4539571	DEP	77	97.9	3.90	67	414.7	12.00
4	776	150	4539558	Bowery Bay WPCP Campus: BIN 4539558	DEP	45	146.0	4.80	67	414.7	12.00
4	776	150	4539559	Bowery Bay WPCP Campus: BIN 4539559	DEP	54	100.7	4.50	67	414.7	12.00
4	776	150	4539560	Bowery Bay WPCP Campus: BIN 4539560	DEP	39	119.0	4.70	67	414.7	12.00
4	776	150	4539561	Bowery Bay WPCP Campus: BIN 4539561	DEP	39	119.0	4.70	67	414.7	12.00
4	776	150	4539562	Bowery Bay WPCP Campus: BIN 4539562	DEP	21	123.9	6.30	67	414.7	12.00
4	776	150	4539563	Bowery Bay WPCP Campus: BIN 4539563	DEP	72	142.5	7.70	67	414.7	12.00
4	776	150	4539564	Bowery Bay WPCP Campus: BIN 4539564	DEP	10	131.7	6.60	67	414.7	12.00
4	776	150	4539565	Bowery Bay WPCP Campus: BIN 4539565	DEP	35	114.1	5.70	67	414.7	12.00
4	776	150	4539566	Bowery Bay WPCP Campus: BIN 4539566	DEP	60	106.2	4.10	67	414.7	12.00
4	776	150	4539567	Bowery Bay WPCP Campus: BIN 4539567	DEP	60	106.2	4.10	67	414.7	12.00
4	776	150	4539568	Bowery Bay WPCP Campus: BIN 4539568	DEP	11	133.4	6.80	67	414.7	12.00
4	776	150	4539557	Bowery Bay WPCP Campus: BIN 4539557	DEP	7	278.1	8.10	67	414.7	12.00
4	776	150	4539570	Bowery Bay WPCP Campus: BIN 4539570	DEP	3	313.3	9.40	67	414.7	12.00
4	776	150	4539453	Bowery Bay WPCP Campus: BIN 4539453	DEP	64	99.9	5.70	67	414.7	12.00
4	776	150	4539572	Bowery Bay WPCP Campus: BIN 4539572	DEP	31	152.2	6.60	67	414.7	12.00
4	776	150	4539573	Bowery Bay WPCP Campus: BIN 4539573	DEP	31	152.2	6.60	67	414.7	12.00
4	776	150	4539574	Bowery Bay WPCP Campus: BIN 4539574	DEP	62	104.5	5.00	67	414.7	12.00
4	776	150	4539575	Bowery Bay WPCP Campus: BIN 4539575	DEP	59	131.2	6.00	67	414.7	12.00
4	776	150	4539576	Bowery Bay WPCP Campus: BIN 4539576	DEP	59	131.2	6.00	67	414.7	12.00
4	776	150	4539577	Bowery Bay WPCP Campus: BIN 4539577	DEP	39	128.5	5.10	67	414.7	12.00
4	776	150	4539578	Bowery Bay WPCP Campus: BIN 4539578	DEP	2	235.0	13.10	67	414.7	12.00
4	776	150	4539579	Bowery Bay WPCP Campus: BIN 4539579	DEP	58	71.5	1.90	67	414.7	12.00
4	776	150	4539580	Bowery Bay WPCP Campus: BIN 4539580	DEP	99	121.5	3.20	67	414.7	12.00
4	776	150	4539581	Bowery Bay WPCP Campus: BIN 4539581	DEP	99	121.5	3.20	67	414.7	12.00
4	776	150	4539582	Bowery Bay WPCP Campus: BIN 4539582	DEP	99	121.5	3.20	67	414.7	12.00
4	776	150	4539583	Bowery Bay WPCP Campus: BIN 4539583	DEP	99	121.5	3.20	67	414.7	12.00
4	776	150	4539569	Bowery Bay WPCP Campus: BIN 4539569	DEP	99	121.5	3.20	67	414.7	12.00
4	776	150	4442400	Bowery Bay WPCP Campus: BIN 4442400	DEP	8	238.1	7.00	67	414.7	12.00
4	2681	34	4059932	Construction Services (Leased)	DEP	51	171.5	6.10	Not Available	143.5	5.90
4	3925	1	4440688	Tallman Island WPCP Campus: BIN 4440688	DEP	79	156.7	7.30	36	2,024.4	56.00
4	3925	1	4440697	Tallman Island WPCP Campus: BIN 4440697	DEP	66	107.6	4.90	36	2,024.4	56.00
4	3925	1	4440695	Tallman Island WPCP Campus: BIN 4440695	DEP	64	91.8	4.50	36	2,024.4	56.00
4	3925	1	4440693	Tallman Island WPCP Campus: BIN 4440693	DEP	53	170.3	6.90	36	2,024.4	56.00
4	3925	1	4440692	Tallman Island WPCP Campus: BIN 4440692	DEP	60	184.7	4.90	36	2,024.4	56.00
4	3925	1	4440691	Tallman Island WPCP Campus: BIN 4440691	DEP	12	271.9	8.30	36	2,024.4	56.00
4	3925	1	4440698	Tallman Island WPCP Campus: BIN 4440698	DEP	55	116.2	4.50	36	2,024.4	56.00
4	3925	1	4440689	Tallman Island WPCP Campus: BIN 4440689	DEP	24	130.4	4.90	36	2,024.4	56.00
4	3925	1	4440696	Tallman Island WPCP Campus: BIN 4440696	DEP	86	80.6	2.10	36	2,024.4	56.00
4	3925	1	4440687	Tallman Island WPCP Campus: BIN 4440687	DEP	55	104.1	5.80	36	2,024.4	56.00
4	3925	1	4440686	Tallman Island WPCP Campus: BIN 4440686	DEP	75	128.3	6.30	36	2,024.4	56.00
4	3925	1	4195785	Tallman Island WPCP Campus: BIN 4195785	DEP	67	113.5	3.70	36	2,024.4	56.00
4	3925	1	4453834	Tallman Island WPCP Campus: BIN 4453834	DEP	Not Available	Not Available	-	36	2,024.4	56.00

* Score of "Not Available" indicates building use categories for which the Portfolio Manager does not provide an ENERGY STAR score.

* Source EUI and GHG Emissions Intensity calculations performed by U.S. Environmental Protection Agency (EPA) methodology with EPA greenhouse gas emissions factors.

Borough	Block	Lot	BIN	Building	Agency	2010*			2014		
						Score*	Source EUI (kBtu/ft²)*	GHG Emissions Intensity (kgCO2e/ft²)*	Score*	Source EUI (kBtu/ft²)*	GHG Emissions Intensity (kgCO2e/ft²)*
4	3925	1	4440690	Tallman Island WPCP Campus: BIN 4440690	DEP	77	112.7	5.00	36	2,024.4	56.00
4	3925	1	4440694	Tallman Island WPCP Campus: BIN 4440694	DEP	12	204.5	6.40	36	2,024.4	56.00
4	11900	2	4459553	Jamaica WPCP Campus: 130th Pl	DEP	93	80.9	3.80	14	644.7	19.30
4	11900	2	4459547	Jamaica WPCP Campus: 150-20 134th St	DEP	83	113.9	3.90	14	644.7	19.30
4	11900	2	4459546	Jamaica WPCP Campus: 150-00 134th St	DEP	53	163.9	6.90	14	644.7	19.30
4	11900	2	4459548	Jamaica WPCP Campus: 150-20 Rear 134th St	DEP	2	255.3	7.90	14	644.7	19.30
4	11900	2	4459549	Jamaica WPCP Campus: 150-80 134 St	DEP	80	145.9	3.80	14	644.7	19.30
4	11900	2	4459550	Jamaica WPCP Campus: 150-80 Rear 134th St	DEP	95	145.9	4.30	14	644.7	19.30
4	11900	2	4459551	Jamaica WPCP Campus: BIN 4459551	DEP	98	101.1	4.00	14	644.7	19.30
4	11900	2	4459552	Jamaica WPCP Campus: BIN 4459552	DEP	91	97.2	4.00	14	644.7	19.30
4	16161	53	4539802	Rockaway WPCP Campus: BIN 4539802	DEP	100	19.2	1.10	50	928.7	26.80
4	16161	53	4539804	Rockaway WPCP Campus: BIN 4539804	DEP	94	89.2	3.60	50	928.7	26.80
4	16161	53	4539805	Rockaway WPCP Campus: BIN 4539805	DEP	68	88.6	4.00	50	928.7	26.80
4	16161	53	4539806	Rockaway WPCP Campus: BIN 4539806	DEP	81	112.5	5.10	50	928.7	26.80
4	16161	53	4539803	Rockaway WPCP Campus: BIN 4539803	DEP	90	104.6	4.00	50	928.7	26.80
4	16162	3	4539809	Rockaway WPCP Campus: BIN 4539809	DEP	93	84.7	2.80	50	928.7	26.80
4	16162	3	4539810	Rockaway WPCP Campus: BIN 4539810	DEP	40	301.2	10.10	50	928.7	26.80
4	16162	3	4539807	Rockaway WPCP Campus: BIN 4539807	DEP	65	158.0	5.00	50	928.7	26.80
4	16162	3	4539808	Rockaway WPCP Campus: BIN 4539808	DEP	88	91.4	3.60	50	928.7	26.80
4	16162	120	4303723	Rockaway WPCP Campus: BIN 4303723	DEP	99	72.1	2.40	50	928.7	26.80
5	185	400	5156440	Port Richmond WPCP Campus: BIN 5156440	DEP	52	148.2	7.40	59	789.9	24.00
5	185	400	5156439	Port Richmond WPCP Campus: BIN 5156439	DEP	70	128.8	5.90	59	789.9	24.00
5	185	400	5156442	Port Richmond WPCP Campus: BIN 5156442	DEP	70	128.8	5.90	59	789.9	24.00
5	185	400	5156441	Port Richmond WPCP Campus: BIN 5156441	DEP	94	59.8	2.80	59	789.9	24.00
5	185	400	5156437	Port Richmond WPCP Campus: BIN 5156437	DEP	78	111.8	5.00	59	789.9	24.00
5	185	400	5156438	Port Richmond WPCP Campus: BIN 5156438	DEP	69	116.8	4.60	59	789.9	24.00
5	215	46	5106681	R-2 Water and Sewer Maintenance Yard	DEP	73	125.1	6.20	Not Available	171.2	6.00
5	5067	500	5156496	Oakwood Beach WPCP Campus: BIN 5156496	DEP	66	134.0	4.70	25	648.4	19.60
5	5067	500	5135536	Oakwood Beach WPCP Campus: BIN 5135536	DEP	92	93.3	4.60	25	648.4	19.60
5	5067	500	5156490	Oakwood Beach WPCP Campus: BIN 5156490	DEP	92	93.3	4.60	25	648.4	19.60
5	5067	500	5156497	Oakwood Beach WPCP Campus: BIN 5156497	DEP	68	137.6	4.40	25	648.4	19.60
5	5067	500	5156498	Oakwood Beach WPCP Campus: BIN 5156498	DEP	71	129.9	4.60	25	648.4	19.60
5	5067	500	5156495	Oakwood Beach WPCP Campus: BIN 5156495	DEP	46	114.6	5.30	25	648.4	19.60
5	5067	500	5156494	Oakwood Beach WPCP Campus: BIN 5156494	DEP	46	114.6	5.30	25	648.4	19.60
5	5067	500	5156493	Oakwood Beach WPCP Campus: BIN 5156493	DEP	72	124.4	4.80	25	648.4	19.60
5	5067	500	5156491	Oakwood Beach WPCP Campus: BIN 5156491	DEP	63	127.9	4.50	25	648.4	19.60
5	5067	500	5156486	Oakwood Beach WPCP Campus: BIN 5156486	DEP	70	131.2	4.20	25	648.4	19.60
5	5067	500	5156482	Oakwood Beach WPCP Campus: BIN 5156482	DEP	38	103.0	3.80	25	648.4	19.60
5	5067	500	5156479	Oakwood Beach WPCP Campus: BIN 5156479	DEP	77	74.3	2.70	25	648.4	19.60
5	5067	500	5156492	Oakwood Beach WPCP Campus: BIN 5156492	DEP	64	107.4	5.30	25	648.4	19.60
5	5067	500	5156477	Oakwood Beach WPCP Campus: BIN 5156477	DEP	Not Available	Not Available	Not Available	25	648.4	19.60
5	5067	500	5156474	Oakwood Beach WPCP Campus: BIN 5156474	DEP	76	141.1	4.70	25	648.4	19.60
5	5067	500	5156489	Oakwood Beach WPCP Campus: BIN 5156489	DEP	74	97.1	4.30	25	648.4	19.60
1	472	7501	1075959	CPC Open Door Senior Center	DFTA	79	112.0	5.50	Not Available	167.5	5.10
1	1680	45	1074278	Leonardo Coverio Senior Center	DFTA	2	222.1	12.70	Not Available	147.1	5.90
3	1212	6	3030302	Fort Greene Grant Square Senior Center (Leased)	DFTA	39	106.0	4.40	Not Available	383.7	10.20
3	4140	13	3092631	Cypress Hills Senior Center (Leased)	DFTA	73	183.1	4.70	Not Available	257.0	6.80
3	6642	45	3176314	Council Center for Senior Citizens (Leased)	DFTA	4	313.9	8.50	Not Available	385.1	10.30
1	111	150	1083359	Life Family Shelter	DHS	87	88.8	3.20	Not Available	151.6	6.10

* Score of "Not Available" indicates building use categories for which the Portfolio Manager does not provide an ENERGY STAR score.

* Source EUI and GHG Emissions Intensity calculations performed by U.S. Environmental Protection Agency (EPA) methodology with EPA greenhouse gas emissions factors.

Borough	Block	Lot	BIN	Building	Agency	2010*			2014		
						Score*	Source EUI (kBtu/ft²)*	GHG Emissions Intensity (kgCO2e/ft²)*	Score*	Source EUI (kBtu/ft²)*	GHG Emissions Intensity (kgCO2e/ft²)*
1	372	14	1004357	Shelter	DHS	53	119.9	5.80	Not Available	254.3	9.00
1	387	49	1004651	George Daly House Residence	DHS	43	108.4	5.20	Not Available	144.2	5.40
1	457	7	1006537	Palace Employment Residence	DHS	99	70.0	3.20	Not Available	104.1	2.80
1	458	4	1079828	Kenton Hotel Shelter	DHS	33	113.6	5.10	Not Available	226.8	8.10
1	458	11	1006546	Manhattan Bowery Shelter	DHS	83	101.3	5.20	Not Available	415.6	21.90
1	529	15	1008425	SCCW Central Shelter	DHS	85	101.6	5.80	Not Available	160.9	4.90
1	962	97	1087298	Bellevue Men's Shelter	DHS	50	118.3	4.80	Not Available	220.3	10.40
1	1319	11	1037587	New Providence SRO (Single Room Occupancy) Residence	DHS	23	151.2	8.40	Not Available	320.3	10.60
1	1628	24	1051796	Jennie A. Clarke Residence Campus: Jennie A. Clarke Residence	DHS	23	151.2	8.40	Not Available	460.7	19.30
1	1745	5	1076434	East 119th Street Veterans Residence	DHS	91	98.3	3.30	Not Available	215.9	8.10
1	1876	20	1056586	Regent Hotel Shelter	DHS	98	90.2	3.40	Not Available	194.1	8.60
1	2105	1	1076737	Harlem 1 Men's Shelter	DHS	52	146.3	4.60	Not Available	380.2	20.30
1	2138	79	1063381	Fort Washington Armory-Shelter (Project Renewal)	DHS	41	179.7	4.70	Not Available	199.9	7.10
2	2353	57	2088140	Emergency Assistance Unit (EAU)	DHS	28	267.9	8.50	Not Available	317.0	9.00
2	2425	20	2102353	Webster Avenue SRO	DHS	43	150.0	7.40	Not Available	78.3	2.80
2	2527	14	2003496	University Avenue Family Residences	DHS	72	129.2	4.70	Not Available	134.1	5.60
2	2567	13	2003811	Jackson Family Residence	DHS	68	126.6	5.80	Not Available	162.9	6.20
2	2572	6	2091301	Transitional Housing Office	DHS	61	117.3	4.60	75	166.0	6.30
2	2587	1	2003989	Willow Avenue Shelter Campus: Willow Avenue Men's Shelter	DHS	99	84.0	2.30	Not Available	63.6	1.70
2	2587	1	2003989	Willow Avenue Shelter Campus: Willow Avenue Men's Shelter	DHS	94	70.3	3.30	Not Available	63.6	1.70
2	2613	1	2004260	Franklin Women's Shelter	DHS	73	134.8	5.30	Not Available	199.1	7.90
2	2761	43	2006338	Seneca Houses Residence	DHS	70	135.5	4.20	Not Available	221.0	9.20
2	2865	49	2090448	Mount Eden Avenue SRO (Single Room Occupancy) Residence	DHS	47	132.9	6.50	Not Available	211.3	7.70
2	3007	1	2010906	Freeman Houses Residence	DHS	5	115.6	4.30	Not Available	236.0	10.30
2	3752	13	2088552	Commonwealth Avenue SRO (Single Room Occupancy) Residence	DHS	71	92.4	3.90	Not Available	222.1	7.90
3	1102	12	3026581	Park Slope Armory Shelter	DHS	71	92.4	3.90	Not Available	173.0	8.90
3	1199	15	3029748	Atlantic Avenue Men's Shelter (Armory)	DHS	70	116.8	4.40	Not Available	197.2	8.40
3	1472	1	3319475	East New York Avenue SRO (Single Room Occupancy) Residence	DHS	83	89.1	4.40	Not Available	193.2	6.80
3	1649	1	3045367	Pamoja House Shelter	DHS	39	134.6	6.90	Not Available	84.6	4.80
3	1967	68	3056327	BRC Women's Shelter	DHS	87	127.7	5.50	Not Available	317.6	8.50
3	2885	1	3338306	Barbara Kleinman Residence Campus: Barbara Kleinman Residence	DHS	85	97.4	3.30	Not Available	123.2	3.80
3	2885	1	3338304	Barbara Kleinman Residence Campus: Shelter Building #2	DHS	88	90.0	3.90	Not Available	123.2	3.80
3	3243	44	3073772	Stockholm Street Family Residence	DHS	92	79.5	3.40	Not Available	367.4	15.30
3	3426	5	3319581	Bushwick Family Residence	DHS	68	98.1	5.00	Not Available	416.2	15.60
3	3583	6	3082035	Fannie Barnes (Urban Transitional Housing)	DHS	68	84.5	3.80	Not Available	66.8	3.10
3	3699	1	3083637	HELP Women's Center Shelter	DHS	28	142.5	5.70	Not Available	244.7	10.10
3	3844	1	3085646	Linden Family Residence	DHS	60	95.8	4.80	Not Available	472.4	18.10
3	3871	101	3332519	Flatlands Avenue Residence	DHS	77	95.5	3.70	Not Available	487.5	17.30
3	4077	24	3090429	Rose McCarthy Family Residence Campus: Rose McCarthy Family Residence	DHS	90	98.7	3.50	Not Available	154.8	6.50
3	4077	28	3090430	Rose McCarthy Family Residence Campus: Rose McCarthy Family Residence	DHS	23	109.2	6.00	Not Available	154.8	6.50
3	4258	36	3095610	Samaritan Forbell Residence	DHS	89	104.2	3.60	Not Available	469.6	12.40
3	4833	1	3337083	Kingsboro MICA 8 Shelter	DHS	89	117.2	5.40	Not Available	42.4	1.80
4	68	2	4000526	Borden Avenue Shelter	DHS	91	85.5	3.80	Not Available	374.8	13.40
4	9662	20	4314908	Briarwood Residence	DHS	62	122.2	6.80	Not Available	258.0	9.80
4	9833	4	4448804	Jamaica Arms Hotel / Family Respite Residence	DHS	9	226.0	7.30	Not Available	279.3	12.50
4	13307	91	4430508	Springfield Family Residence	DHS	74	79.5	3.40	Not Available	449.6	16.60
1	167	1	1088394	Manhattan House Detention, South Tower	DOC	73	107.6	5.50	Not Available	174.2	5.90
1	198	1	1002364	Manhattan House Detention, North Tower	DOC	89	91.8	4.60	Not Available	176.8	6.00
2	2605	40	0000000	Rikers Island GMDC Campus: Rikers Island GMDC Campus: MODS 14,15,16,LL,N,QQ,RR	DOC	86	82.5	3.50	Not Available	429.0	16.50

* Score of "Not Available" indicates building use categories for which the Portfolio Manager does not provide an ENERGY STAR score.

* Source EUI and GHG Emissions Intensity calculations performed by U.S. Environmental Protection Agency (EPA) methodology with EPA greenhouse gas emissions factors.

Borough	Block	Lot	BIN	Building	Agency	2010*			2014		
						Score*	Source EUI (kBtu/ft²)*	GHG Emissions Intensity (kgCO2e/ft²)*	Score*	Source EUI (kBtu/ft²)*	GHG Emissions Intensity (kgCO2e/ft²)*
2	2605	40	0000000	Rikers Island GMDC Campus: Rikers Island GMDC Campus: GMDC MODS 4,5,8,9,10,11,12,13	DOC	97	72.2	1.90	Not Available	429.0	16.50
2	2605	40	2109476	Rikers Island AMKC Campus: Rikers Island AMKC Campus: AMKC Detention Facility	DOC	39	137.1	5.70	Not Available	359.2	14.60
2	2605	40	2116651	Rikers Island EMTC Campus: Rikers Island EMTC Campus: EMTC Detention Facility	DOC	85	81.4	3.70	Not Available	391.8	15.50
2	2605	40	2097042	Rikers Island GMDC Campus: Rikers Island GMDC Campus: GMDC Detention Facility	DOC	45	132.9	5.60	Not Available	429.0	16.50
2	2605	40	2109477	Rikers Island RMSC Campus: RMSC Detention Facility	DOC	81	86.1	3.90	Not Available	480.1	17.80
2	2605	40	2109475	Rikers Island West Facility Campus: Rikers Island West Facility Campus: WF Detention Facility	DOC	94	99.4	5.30	Not Available	2,483.6	70.80
2	2605	40	0000000	Rikers Island Transportation Garage	DOC	92	142.0	8.20	Not Available	391.3	15.50
2	2605	40	0000000	Rikers Island New Central Warehouse	DOC	90	82.1	3.60	1	390.3	15.40
2	2605	40	0000000	Rikers Island AMKC Campus: Modules OO & PP/ (11&12)	DOC	95	80.6	2.10	Not Available	359.2	14.60
2	2605	40	0000000	Rikers Island AMKC Campus: Modules WW & XX/ (7&8)	DOC	84	105.9	4.90	Not Available	359.2	14.60
2	2605	40	0000000	Rikers Island JATC Campus: Rikers Island JATC Campus: JATC Detention Facility	DOC	66	125.5	5.30	Not Available	392.1	15.50
2	2605	40	0000000	Rikers Island West Facility Campus: 200 Bed Modules	DOC	72	110.0	5.10	Not Available	2,483.6	70.80
2	2605	40	0000000	Rikers Island AMKC Campus: Buildings 3&4	DOC	79	105.7	4.30	Not Available	359.2	14.60
2	2605	40	0000000	Rikers Island AMKC Campus: Hart Island Module / S1	DOC	85	86.0	4.10	Not Available	359.2	14.60
2	2605	40	0000000	Rikers Island AMKC Campus: Module 1	DOC	71	132.3	5.00	Not Available	359.2	14.60
2	2605	40	0000000	Rikers Island AMKC Campus: Modules DD/(6)	DOC	92	74.3	2.80	Not Available	359.2	14.60
2	2605	40	0000000	Rikers Island Laundry Facility	DOC	94	80.7	3.90	Not Available	390.0	15.40
2	2605	40	0000000	Rikers Island AMKC Campus: Pantry Buildings 1&2	DOC	96	98.3	4.20	Not Available	359.2	14.60
2	2605	40	0000000	Rikers Island AMKC Campus: Pantry Buildings 3&4	DOC	45	94.8	4.00	Not Available	359.2	14.60
2	2605	40	0000000	Rikers Island AMKC Campus: Pantry Buildings 5	DOC	80	89.6	3.60	Not Available	359.2	14.60
2	2605	40	0000000	Rikers Island EMTC Campus: Locker Room	DOC	87	86.1	3.90	Not Available	391.8	15.50
2	2605	40	0000000	Rikers Island EMTC Campus: Sprung 1 (HIIP)	DOC	58	123.2	5.30	Not Available	391.8	15.50
2	2605	40	0000000	Rikers Island Division 1 Storehouse	DOC	89	84.6	4.40	1	391.5	15.40
2	2605	40	0000000	Rikers Island GMDC Campus: East Sprungs & WS	DOC	96	57.3	1.50	Not Available	429.0	16.50
2	2605	40	2000000	Rikers Island Telecom / SOD / COD	DOC	89	103.2	4.10	Not Available	392.4	15.50
2	2605	40	0000000	Rikers Island GMDC Campus: Rikers Island GMDC Campus: West Sprungs	DOC	82	116.0	3.60	Not Available	429.0	16.50
2	2605	40	0000000	Rikers Island RMSC Campus: Rikers Island RMSC Campus: Dorms 17-20	DOC	84	87.8	3.90	Not Available	480.1	17.80
2	2605	40	0000000	Rikers Island OBCC Campus: Rikers Island OBCC Campus: 300 Bed Annex	DOC	37	104.5	4.40	Not Available	392.6	15.50
2	2605	40	0000000	Rikers Island OBCC Campus: Rikers Island OBCC Campus: CPSU 500 Bed Annex	DOC	76	111.5	4.00	Not Available	392.6	15.50
2	2605	40	0000000	Rikers Island OBCC Campus: Rikers Island OBCC Campus: Main Building	DOC	82	90.3	4.30	Not Available	392.6	15.50
2	2605	40	2116652	Rikers Island Powerhouse	DOC	44	101.8	3.00	Not Available	391.5	15.50
2	2605	40	0000000	Rikers Island NIC Campus: Rikers Island NIC Campus: North Infirmary Command (NIC)	DOC	66	95.5	3.50	Not Available	391.6	15.50
2	2605	40	2109479	Rikers Island RNDP Campus: Rikers Island RNDP Campus: RNDP Detention Facility	DOC	72	88.1	4.00	Not Available	399.5	15.70
2	2605	40	0000000	Rikers Island RNDP Campus: Rikers Island RNDP Campus: Sprungs, MOD 3	DOC	63	102.4	4.10	Not Available	399.5	15.70
2	2605	40	2096863	Rikers Island GRVC Detention Facility	DOC	89	76.3	3.80	Not Available	539.3	19.40
2	2605	40	0000000	Rikers Island Bakery	DOC	75	99.4	3.40	Not Available	570.5	28.60
2	2605	40	0000000	Rikers Island RNDP Campus: Rikers Island RNDP Campus: Mods 2,4,10	DOC	54	110.4	5.40	Not Available	399.5	15.70
2	2605	40	0000000	Rikers Island RMSC Campus: Rikers Island RMSC Campus: 800 Bed Addition	DOC	60	132.7	3.90	Not Available	480.1	17.80
3	175	1	3000605	Brooklyn House of Detention #129	DOC	61	119.0	5.30	Not Available	540.5	20.50
4	9653	1	4458616	BIN 4458616	DOC	61	119.0	5.30	Not Available	55.2	2.60
4	9653	1	4458617	Queens Detention Complex (BIN 4458617)	DOC	33	163.5	5.50	Not Available	52.5	2.40
1	16	40	1087945	M276	DOE	70	142.4	5.30	12	242.7	7.70
1	16	215	1084587	M477	DOE	46	106.7	5.50	39	203.9	6.30
1	16	220	1085459	M089	DOE	75	100.0	3.70	45	158.2	5.30
1	23	13	1000811	M282	DOE	16	156.7	6.30	63	130.1	3.40
1	51	15	1001035	M894	DOE	44	119.1	5.70	23	157.5	7.90
1	52	1	1001037	M833	DOE	56	118.4	4.90	16	201.9	7.80
1	100	7502	1087485	M971 (Leased)	DOE	78	113.7	4.10	1	394.0	10.40
1	111	160	1083357	M126	DOE	81	102.6	4.50	94	84.7	3.20

* Score of "Not Available" indicates building use categories for which the Portfolio Manager does not provide an ENERGY STAR score.

* Source EUI and GHG Emissions Intensity calculations performed by U.S. Environmental Protection Agency (EPA) methodology with EPA greenhouse gas emissions factors.

Borough	Block	Lot	BIN	Building	Agency	2010*			2014		
						Score*	Source EUI (kBtu/ft²)*	GHG Emissions Intensity (kgCO2e/ft²)*	Score*	Source EUI (kBtu/ft²)*	GHG Emissions Intensity (kgCO2e/ft²)*
1	113	100	1001388	M520	DOE	57	105.8	5.00	24	225.7	8.40
1	142	1	1001533	M234	DOE	18	210.7	8.50	51	159.1	6.40
1	142	25	1083240	M840	DOE	35	116.7	5.60	71	215.2	5.70
1	236	38	1003086	M130	DOE	28	113.9	4.40	63	147.6	5.30
1	245	7	1003143	M137	DOE	68	111.5	5.60	93	94.0	3.60
1	259	44	1003214	M446	DOE	78	114.2	4.50	96	74.5	3.10
1	269	41	1003223	M056	DOE	91	107.5	4.20	95	80.0	3.10
1	273	1	1003248	M002	DOE	68	98.6	4.00	94	88.5	3.40
1	279	40	1003375	M001	DOE	86	95.2	3.00	78	124.6	4.90
1	288	15	1003736	M134	DOE	86	96.8	3.60	90	100.9	3.90
1	289	1	1075787	M124	DOE	8	215.3	7.80	51	138.7	6.00
1	301	3	1082489	M131	DOE	Not Available	Not Available	Not Available	82	129.1	5.40
1	309	1	1003998	M042	DOE	63	125.4	5.30	81	124.0	4.70
1	325	25	1004062	M097	DOE	59	142.2	6.50	76	95.3	3.80
1	331	140	1004066	M110	DOE	64	104.2	4.00	97	90.3	3.70
1	335	1	1004070	M022	DOE	89	80.0	4.00	88	89.9	3.20
1	343	1	1004080	M142	DOE	79	120.9	6.60	85	99.9	4.70
1	344	1	1004091	M140	DOE	11	232.8	6.20	73	99.2	5.00
1	354	80	1004323	M025	DOE	36	144.0	4.60	86	117.6	4.70
1	355	1	1004325	M020	DOE	97	114.0	3.90	98	74.3	3.10
1	356	100	1004349	M188	DOE	34	105.7	4.50	80	88.1	3.40
1	374	20	1004415	M015	DOE	41	172.7	6.80	64	143.9	9.60
1	381	38	1004564	M034	DOE	97	80.8	3.00	59	139.1	7.30
1	387	1	1004627	M064	DOE	49	129.5	4.60	57	113.8	4.50
1	394	12	1079053	M061	DOE	60	113.1	4.20	46	144.1	5.90
1	408	30	1005283	M445 within (M445, M447)	DOE	73	117.9	4.10	83	114.5	5.00
1	422	72	1005626	M510	DOE	75	142.2	6.60	83	111.7	4.40
1	431	14	1005760	M063	DOE	85	130.9	3.90	97	66.5	2.40
1	439	17	1005974	M060	DOE	68	170.4	6.80	68	129.8	7.20
1	446	20	1006208	M751	DOE	65	94.4	4.30	71	129.2	5.20
1	453	34	1006478	M019	DOE	55	120.2	5.90	80	109.0	5.30
1	491	16	1007378	M615	DOE	64	109.9	5.80	96	95.5	3.40
1	577	19	1009713	M883	DOE	Not Available	Not Available	Not Available	77	122.1	3.80
1	581	54	1086648	M641	DOE	32	158.2	8.00	57	116.6	4.60
1	585	41	1009872	M003	DOE	35	121.3	4.80	59	90.9	4.10
1	606	49	1010543	M041	DOE	52	148.0	4.80	93	87.5	3.80
1	724	23	1012829	M033	DOE	68	95.1	4.40	51	141.1	5.50
1	741	10	1079152	M070	DOE	58	143.1	5.90	81	100.3	5.00
1	742	7	1013096	M440	DOE	51	120.3	4.80	78	122.7	4.90
1	744	24	1013260	M011	DOE	45	132.9	5.80	65	124.8	6.80
1	767	68	1013858	M451	DOE	74	119.7	4.40	16	177.0	5.80
1	774	19	1014174	M600	DOE	22	203.1	6.80	92	97.5	4.30
1	804	1	1015097	M882	DOE	63	127.3	7.00	100	69.2	1.80
1	805	17	1015148	M920	DOE	64	159.1	6.40	71	230.1	7.90
1	824	15	1080668	M873	DOE	64	159.1	6.40	53	139.5	3.70
1	848	7502	1016163	M905	DOE	36	144.6	5.40	100	33.9	0.90
1	855	16	1016745	M874	DOE	90	93.2	3.70	69	119.3	3.20
1	872	57	1017828	M460	DOE	55	120.3	5.90	92	112.8	5.20
1	878	16	1018014	M660	DOE	65	90.6	3.30	77	136.9	5.60

* Score of "Not Available" indicates building use categories for which the Portfolio Manager does not provide an ENERGY STAR score.

* Source EUI and GHG Emissions Intensity calculations performed by U.S. Environmental Protection Agency (EPA) methodology with EPA greenhouse gas emissions factors.

Borough	Block	Lot	BIN	Building	Agency	2010*			2014		
						Score*	Source EUI (kBtu/ft²)*	GHG Emissions Intensity (kgCO2e/ft²)*	Score*	Source EUI (kBtu/ft²)*	GHG Emissions Intensity (kgCO2e/ft²)*
1	889	1	1018491	M620	DOE	65	120.5	4.40	43	177.3	6.70
1	904	24	1019775	M047	DOE	66	107.4	4.30	49	149.9	5.70
1	913	7	1020080	M116	DOE	66	107.4	4.30	90	103.9	5.00
1	921	64	1020416	M661	DOE	86	90.8	3.80	89	158.9	5.90
1	922	8	1020419	M475	DOE	51	179.1	7.20	71	125.3	5.50
1	925	12	1020513	M040	DOE	18	146.0	5.40	67	113.1	4.70
1	926	1	1081671	M104	DOE	18	146.0	5.40	97	75.0	2.90
1	955	1	1022052	M844	DOE	49	148.0	5.40	76	131.1	4.80
1	967	2	1089385	M281	DOE	86	85.0	2.60	21	193.9	6.40
1	996	21	1022615	M896	DOE	86	85.0	2.60	86	135.3	4.50
1	998	41	1069583	M486	DOE	48	126.9	4.80	36	199.6	7.10
1	1029	43	1024906	M832 (closed)	DOE	59	127.2	5.30	Not Available	Not Available	-
1	1038	14	1025092	M017	DOE	2	243.2	7.50	91	95.1	3.70
1	1043	22	1025241	M058	DOE	90	89.8	3.40	93	130.9	4.80
1	1059	15	1026646	M625	DOE	47	157.4	4.80	100	81.1	3.70
1	1062	3	1026740	M111	DOE	66	143.3	7.20	71	100.2	3.90
1	1065	1	1026841	M834	DOE	92	98.1	3.70	54	138.3	4.60
1	1073	1	1083785	M051	DOE	52	132.8	3.90	100	17.3	0.60
1	1073	14	1089418	M338	DOE	46	218.6	7.40	26	182.0	5.30
1	1079	29	1083802	M535	DOE	Not Available	Not Available	Not Available	90	121.5	5.70
1	1148	14	1030178	M044	DOE	74	124.1	5.60	87	89.5	4.60
1	1149	7	1030196	M087	DOE	19	159.2	6.00	91	79.0	4.10
1	1152	29	1030320	M191	DOE	87	111.7	4.10	84	106.3	5.50
1	1154	108	1030328	M837 (Leased)	DOE	67	107.6	3.80	55	190.9	5.80
1	1156	30	1030341	M485	DOE	32	152.0	4.80	77	139.0	5.30
1	1157	25	1030343	M490	DOE	69	122.2	4.50	56	167.8	5.80
1	1158	40	1030351	M199	DOE	70	140.3	4.40	72	113.6	4.70
1	1205	6	1081042	M084	DOE	83	104.2	4.20	82	85.5	4.40
1	1214	29	1032119	M009	DOE	86	106.7	4.20	92	93.9	5.10
1	1215	1	1032128	M470	DOE	86	111.2	5.00	82	117.8	5.20
1	1219	47	1032308	M166	DOE	68	120.3	4.30	53	129.0	11.80
1	1223	5	1032522	M118	DOE	63	122.1	4.40	68	131.9	7.30
1	1230	1	1032754	M841	DOE	76	95.6	3.70	43	180.6	8.10
1	1253	65	1034190	M075	DOE	80	139.2	5.20	72	119.1	6.20
1	1330	13	1038593	M630 (closed)	DOE	93	102.5	5.10	Not Available	Not Available	-
1	1330	13	1038593	M488	DOE	58	141.7	5.10	37	197.3	6.00
1	1373	1	1084848	M271	DOE	88	78.3	2.80	14	207.5	5.60
1	1418	7	1087680	M267	DOE	82	144.2	7.20	11	268.1	9.70
1	1430	5	1044058	M167	DOE	69	94.0	4.70	95	68.0	3.30
1	1442	1	1083343	M480	DOE	88	115.8	4.40	97	91.8	4.10
1	1461	7	1045569	M183 within (M183, M390)	DOE	88	115.8	4.40	84	112.2	5.10
1	1471	5	1045949	M855	DOE	Not Available	Not Available	Not Available	37	188.5	5.60
1	1489	1	1046411	M158	DOE	28	212.0	7.10	96	108.0	4.10
1	1493	21	1046668	M006	DOE	25	148.8	5.90	82	108.5	4.30
1	1516	7502	1048043	M169	DOE	88	87.9	3.60	20	262.3	6.90
1	1524	23	1048492	M198	DOE	Not Available	Not Available	Not Available	94	82.5	4.10
1	1545	5	1049876	M190	DOE	100	69.3	1.80	97	102.0	3.80
1	1554	15	1050217	M816	DOE	81	119.8	4.40	90	94.9	5.60
1	1554	23	1087665	M114	DOE	Not Available	Not Available	Not Available	14	267.1	8.20

* Score of "Not Available" indicates building use categories for which the Portfolio Manager does not provide an ENERGY STAR score.

* Source EUI and GHG Emissions Intensity calculations performed by U.S. Environmental Protection Agency (EPA) methodology with EPA greenhouse gas emissions factors.

Borough	Block	Lot	BIN	Building	Agency	2 0 1 0 *			2 0 1 4		
						Score *	Source EUI (kBtu/ft²)*	GHG Emissions Intensity (kgCO2e/ft²)*	Score *	Source EUI (kBtu/ft²)*	GHG Emissions Intensity (kgCO2e/ft²)*
1	1558	34	1050338	M646	DOE	71	131.4	4.80	56	143.9	5.40
1	1568	8	1050618	M066	DOE	37	168.8	6.90	88	98.4	3.60
1	1595	15	1051410	M208 within (M185, M208)	DOE	79	113.5	4.80	78	102.3	5.00
1	1595	15	1051410	M185 within (M185, M208)	DOE	76	150.3	6.40	78	102.3	5.00
1	1601	1	1051434	M207 within (M149, M207)	DOE	76	150.3	6.40	27	147.2	6.50
1	1601	1	1051434	M149 within (M149, M207)	DOE	Not Available	Not Available	Not Available	27	147.2	6.50
1	1609	7	1051497	M171	DOE	55	237.0	8.20	70	110.8	4.60
1	1612	50	1051515	M013	DOE	90	97.2	4.30	80	101.1	5.00
1	1614	21	1051584	M108	DOE	96	95.9	3.40	82	89.1	4.90
1	1632	11	1081340	M072	DOE	80	129.5	4.60	83	100.5	4.40
1	1634	65	1052058	M895	DOE	52	117.1	5.10	85	114.4	3.00
1	1639	3	1081346	M101	DOE	52	117.1	5.10	65	122.0	6.10
1	1640	139	1083184	M057	DOE	14	221.3	6.90	71	134.5	4.90
1	1652	16	1052384	M121	DOE	81	110.6	3.90	74	129.8	4.80
1	1654	33	1075643	M495	DOE	Not Available	Not Available	2.00	96	78.3	3.10
1	1656	100	1052433	M117	DOE	29	106.5	4.10	66	130.2	6.90
1	1659	12	1052436	M083	DOE	88	93.7	3.70	62	114.9	6.10
1	1668	1	1083927	M645	DOE	56	102.9	3.70	79	84.9	4.20
1	1684	101	1081366	M102	DOE	78	97.9	3.80	41	134.5	7.90
1	1689	5	1052986	M155	DOE	4	267.1	7.80	75	107.2	6.00
1	1693	1	1052998	M099	DOE	63	103.5	3.80	69	132.4	5.30
1	1694	1	1083933	M050	DOE	77	107.5	4.00	75	105.0	3.10
1	1700	1	1052999	M146	DOE	6	229.3	13.20	54	113.7	5.50
1	1713	1	1053152	M435	DOE	83	119.3	4.80	91	91.7	3.80
1	1733	17	1076433	M197	DOE	87	123.7	5.50	92	87.8	3.20
1	1747	1	1053968	M079	DOE	73	257.5	6.90	87	93.7	4.50
1	1752	22	1054156	M501	DOE	98	60.7	1.90	82	109.7	5.00
1	1752	59	1054159	M911	DOE	95	61.4	2.50	52	129.1	6.20
1	1755	1	1054276	M133	DOE	71	126.0	4.60	61	133.2	7.60
1	1768	21	1083501	M007	DOE	91	105.4	5.50	49	142.7	7.30
1	1776	20	1054502	M030	DOE	94	75.4	3.00	68	118.7	4.20
1	1784	12	1074333	M096	DOE	27	109.3	5.70	80	98.6	4.80
1	1797	100	1054786	M045	DOE	74	84.4	3.60	97	101.6	3.80
1	1816	1	1084005	M112 within (M112, M206)	DOE	87	101.4	4.20	84	90.8	3.80
1	1816	1	1084005	M206 within (M112, M206)	DOE	38	147.5	7.20	84	90.8	3.80
1	1828	15	1055111	M113	DOE	47	115.5	4.40	51	141.2	7.20
1	1830	19	1055204	M088	DOE	83	118.1	5.70	38	169.1	7.00
1	1850	2	1055890	M036	DOE	83	118.1	5.70	63	124.0	4.70
1	1852	99	1055908	M163 within (M163, M919)	DOE	86	85.5	3.30	80	110.0	5.10
1	1855	9	1055911	M506	DOE	83	118.1	4.50	51	165.0	5.20
1	1859	1	1076625	M145	DOE	87	103.7	5.30	82	101.0	4.70
1	1862	11	1055990	M054	DOE	41	174.9	6.00	83	96.5	4.90
1	1880	13	1056676	M165	DOE	70	115.3	6.00	80	89.2	3.60
1	1906	11	1057683	M144	DOE	82	96.2	3.50	84	112.2	5.90
1	1919	6	1058248	M175	DOE	66	103.2	4.00	49	146.1	8.30
1	1925	19	1058447	M081	DOE	66	102.8	3.90	70	106.0	5.70
1	1926	17	1058470	M076	DOE	25	165.3	5.30	85	107.6	4.00
1	1931	27	1058660	M853	DOE	86	83.4	4.40	24	224.0	5.90
1	1932	10	1058671	M154	DOE	86	88.7	4.20	82	104.8	4.90

* Score of "Not Available" indicates building use categories for which the Portfolio Manager does not provide an ENERGY STAR score.

* Source EUI and GHG Emissions Intensity calculations performed by U.S. Environmental Protection Agency (EPA) methodology with EPA greenhouse gas emissions factors.

Borough	Block	Lot	BIN	Building	Agency	2 0 1 0 *			2 0 1 4		
						Score *	Source EUI (kBtu/ft²)*	GHG Emissions Intensity (kgCO2e/ft²)*	Score *	Source EUI (kBtu/ft²)*	GHG Emissions Intensity (kgCO2e/ft²)*
1	1939	11	1058808	M092	DOE	22	129.3	6.00	87	84.5	3.90
1	1940	35	1058843	M970	DOE	86	97.2	3.70	6	225.7	7.30
1	1946	1	1059111	M180	DOE	42	143.4	4.90	66	127.9	4.90
1	1957	10	1059407	M129	DOE	100	58.9	1.60	54	114.3	6.60
1	1957	78	1059409	M540	DOE	67	113.4	4.10	53	147.4	6.10
1	1960	1	1059460	M136	DOE	82	89.5	4.40	70	100.6	4.30
1	1964	12	1059526	M125	DOE	80	102.3	3.70	55	149.0	8.10
1	1967	24	1084102	M916	DOE	61	110.6	5.30	61	139.0	5.30
1	1970	16	1084067	M223	DOE	92	79.8	2.40	77	158.7	8.00
1	1971	1	1059645	M161	DOE	68	170.6	4.50	82	112.4	5.40
1	1984	33	1059723	M043	DOE	87	103.3	4.50	85	108.6	4.80
1	1988	166	1084132	M848 within (M192, M848)	DOE	66	87.3	3.30	90	91.7	3.70
1	1988	166	1084132	M192 within (M192, M848)	DOE	88	86.7	2.90	90	91.7	3.70
1	2001	5	1059942	M195	DOE	95	96.2	5.30	73	125.8	5.20
1	2016	100	1060198	M200 within (M010, M200)	DOE	87	78.3	3.10	78	96.8	4.90
1	2016	100	1060198	M010 within (M010, M200)	DOE	53	128.6	5.40	78	96.8	4.90
1	2029	11	1060432	M194	DOE	53	128.6	5.40	60	124.4	4.90
1	2042	35	1060726	M123	DOE	39	177.0	5.50	82	94.6	4.50
1	2078	19	1081834	M153	DOE	67	92.1	4.40	88	85.6	3.20
1	2084	29	1087824	M093	DOE	49	116.9	3.90	2	264.5	7.80
1	2106	50	1082090	M046 within (M046, M846)	DOE	62	110.9	4.10	89	47.9	1.40
1	2107	26	1076739	M028	DOE	8	295.7	8.70	69	116.8	5.20
1	2111	24	1062636	M164	DOE	90	94.2	4.30	41	145.8	6.00
1	2112	1	1081842	M008	DOE	83	88.5	4.80	44	155.8	5.00
1	2112	58	1076741	M090	DOE	67	117.3	5.20	62	131.6	4.20
1	2116	33	1076742	M814	DOE	41	150.6	5.40	14	228.6	7.30
1	2118	22	1062792	M004	DOE	73	111.5	5.30	39	180.9	6.50
1	2123	45	1085733	M876	DOE	70	85.8	3.90	7	253.5	7.40
1	2125	1	1062994	M128	DOE	77	118.4	5.00	33	137.7	7.70
1	2133	40	1063228	M115	DOE	89	93.7	3.50	37	123.0	5.00
1	2142	154	1063503	M173	DOE	88	97.9	4.50	50	123.0	5.40
1	2150	30	1084201	M005 within (M005, M921)	DOE	75	104.9	5.40	35	156.0	5.30
1	2155	35	1063703	M143	DOE	36	162.1	6.80	82	100.5	4.80
1	2159	51	1076750	M189	DOE	19	118.8	5.90	1	281.6	13.50
1	2160	18	1076751	M965 within (M465, M466, M965)	DOE	Not Available	Not Available	Not Available	70	146.5	8.00
1	2160	18	1076751	M466 within (M465, M466, M965)	DOE	45	197.2	5.30	70	146.5	8.00
1	2160	18	1076751	M465 within (M465, M466, M965)	DOE	Not Available	Not Available	Not Available	70	146.5	8.00
1	2164	32	1063928	M528	DOE	92	166.9	4.30	74	189.4	7.10
1	2165	26	1063947	M132	DOE	17	196.4	5.40	71	108.0	4.70
1	2165	69	1063959	M233	DOE	69	70.6	3.80	86	99.9	4.60
1	2167	29	1076752	M048 within (M048, M902)	DOE	Not Available	Not Available	Not Available	28	169.6	5.40
1	2171	36	1064128	M178	DOE	54	112.4	5.60	58	128.3	4.50
1	2172	16	1076756	M218	DOE	85	97.6	4.90	80	110.1	5.10
1	2173	1	1064149	M847 within (M152, M847)	DOE	39	160.4	5.00	18	168.8	8.90
1	2173	1	1064149	M152 within (M152, M847)	DOE	7	176.0	4.60	18	168.8	8.90
1	2179	365	1064371	M187	DOE	71	127.1	3.60	50	118.3	5.10
1	2215	824	1082045	M884 within (M898, M884)	DOE	78	87.9	3.20	93	146.7	4.50
1	2215	824	1082045	M898 within (M898, M884)	DOE	1	493.1	24.00	93	146.7	4.50
1	2215	831	1064704	M918	DOE	93	79.9	2.60	86	94.7	3.20

* Score of "Not Available" indicates building use categories for which the Portfolio Manager does not provide an ENERGY STAR score.

* Source EUI and GHG Emissions Intensity calculations performed by U.S. Environmental Protection Agency (EPA) methodology with EPA greenhouse gas emissions factors.

Borough	Block	Lot	BIN	Building	Agency	2 0 1 0 *			2 0 1 4		
						Score *	Source EUI (kBtu/ft²)*	GHG Emissions Intensity (kgCO2e/ft²)*	Score *	Source EUI (kBtu/ft²)*	GHG Emissions Intensity (kgCO2e/ft²)*
1	2226	41	1081910	M263	DOE	56	113.2	6.00	7	242.8	7.20
1	2229	12	1064871	M098 within (M098, M845)	DOE	93	159.0	4.80	35	121.9	10.30
1	2233	20	1076776	M052	DOE	96	115.7	4.20	44	137.2	7.20
1	2234	7	1064900	M176	DOE	100	6.9	0.20	78	135.4	4.80
1	99999	9999	1000000	M835	DOE	18	171.4	5.10	Not Available	Not Available	Not Available
2	2215	80	1064532	X475 within (X475, X476, X960)	DOE	24	223.8	6.70	95	112.0	5.40
2	2267	15	2000077	X030	DOE	43	114.6	5.80	85	107.4	5.70
2	2274	23	2000114	X027	DOE	45	145.2	4.60	65	101.6	4.30
2	2280	40	2000205	X043	DOE	91	83.2	3.80	85	92.0	4.80
2	2284	34	2000308	X040	DOE	11	157.5	5.70	84	98.1	4.10
2	2286	36	2000391	X139	DOE	7	269.1	8.70	91	103.4	4.90
2	2298	1	2097030	X154	DOE	30	153.6	6.30	65	109.7	5.60
2	2302	40	2000626	X049	DOE	73	101.8	3.70	76	91.8	4.80
2	2306	54	2097038	X149	DOE	74	99.3	5.20	62	122.2	5.90
2	2324	8	2000816	X018	DOE	74	99.3	5.20	99	58.8	4.00
2	2329	75	2000876	X807	DOE	44	135.8	6.10	8	296.8	9.80
2	2333	70	2000957	X183	DOE	44	135.8	6.10	76	109.8	4.40
2	2344	96	2001027	X884	DOE	85	93.9	3.30	56	148.0	4.90
2	2359	100	2115801	X963	DOE	93	83.6	3.40	3	247.7	6.50
2	2359	240	2001153	X470 within (X470, X920)	DOE	59	112.4	4.10	36	169.5	7.10
2	2390	1	2001619	X132	DOE	85	96.1	3.30	79	93.4	4.70
2	2403	1	2001736	X029	DOE	60	127.6	5.60	83	102.6	5.40
2	2411	22	2001874	X600	DOE	14	176.2	7.70	84	114.3	6.50
2	2411	119	2001881	X001	DOE	14	176.2	7.70	90	83.9	4.50
2	2424	1	2097111	X145	DOE	Not Available	Not Available	Not Available	85	99.6	5.40
2	2435	75	2002299	X053 within (X053, X851, X874)	DOE	65	92.8	4.00	78	122.8	6.20
2	2435	75	2002299	X874 within (X053, X851, X874)	DOE	22	175.6	5.60	78	122.8	6.20
2	2435	75	2002299	X851 within (X053, X851, X874)	DOE	42	160.1	4.70	78	122.8	6.20
2	2438	50	2002410	X022	DOE	58	141.4	4.60	35	125.2	6.60
2	2443	78	2103486	X790	DOE	48	125.4	5.20	6	280.9	8.10
2	2443	79	2002454	X156 within (X151, X156)	DOE	Not Available	Not Available	Not Available	34	164.6	4.30
2	2443	190	2001036	X151 within (X151, X156)	DOE	81	98.2	3.80	34	164.6	4.30
2	2443	190	2001036	X031 (closed)	DOE	66	84.2	3.50	Not Available	Not Available	-
2	2445	6	2109459	X460	DOE	66	130.0	3.80	13	199.6	6.40
2	2446	43	2002497	X166	DOE	81	115.3	4.10	85	102.8	4.90
2	2446	43	2101573	X035	DOE	53	149.9	4.70	99	99.9	3.70
2	2456	100	2002745	X090 within (X090, X890)	DOE	Not Available	Not Available	-	59	131.5	6.70
2	2456	100	2002745	X890 within (X090, X890)	DOE	63	136.3	4.30	59	131.5	6.70
2	2480	8	2097130	X235	DOE	21	203.8	7.10	32	171.8	6.10
2	2495	100	2003022	X114	DOE	40	157.3	5.00	82	120.8	6.30
2	2504	82	2003051	X073 within (X073, X873)	DOE	21	210.6	5.70	43	167.8	9.60
2	2526	83	2003495	X126	DOE	74	124.3	4.40	57	125.4	6.90
2	2527	58	2117349	X285	DOE	74	124.3	4.40	4	284.5	9.30
2	2529	81	2003519	X011	DOE	6	254.3	7.40	66	95.8	3.80
2	2535	10	2116205	X172	DOE	39	163.0	4.90	35	165.9	5.30
2	2552	70	2003646	X855	DOE	Not Available	Not Available	Not Available	23	182.9	4.80
2	2571	1	2003834	X065	DOE	28	169.3	4.40	52	116.3	5.60
2	2576	26	2003883	X655	DOE	Not Available	Not Available	Not Available	65	135.9	5.10
2	2578	27	2003910	X155	DOE	90	94.2	3.70	87	98.8	5.60

* Score of "Not Available" indicates building use categories for which the Portfolio Manager does not provide an ENERGY STAR score.

* Source EUI and GHG Emissions Intensity calculations performed by U.S. Environmental Protection Agency (EPA) methodology with EPA greenhouse gas emissions factors.

Borough	Block	Lot	BIN	Building	Agency	2 0 1 0 *			2 0 1 4		
						Score *	Source EUI (kBtu/ft²)*	GHG Emissions Intensity (kgCO2e/ft²)*	Score *	Source EUI (kBtu/ft²)*	GHG Emissions Intensity (kgCO2e/ft²)*
2	2615	14	2004302	X063 within (X063, X862)	DOE	54	122.3	4.90	19	182.2	7.20
2	2616	1	2004314	X162	DOE	95	76.1	2.60	95	80.2	4.20
2	2625	1	2004464	X157	DOE	44	105.2	3.70	92	79.2	2.90
2	2627	9	2004469	X840 within (X140, X840)	DOE	68	158.4	4.90	90	75.5	2.90
2	2627	9	2004469	X140 within (X140, X840)	DOE	38	122.0	4.00	90	75.5	2.90
2	2631	48	2004496	X120	DOE	35	174.9	5.80	79	105.1	6.10
2	2632	27	2004498	X146	DOE	66	116.2	5.60	76	104.9	4.80
2	2634	1	2004526	X400 within (X400, X961)	DOE	9	115.8	5.90	68	135.8	5.30
2	2642	1	2004548	X005	DOE	27	132.1	6.00	96	104.8	5.40
2	2655	30	2004690	X184	DOE	78	126.3	6.70	89	91.7	3.70
2	2664	1	2004772	X025	DOE	54	172.2	6.30	84	98.6	4.10
2	2664	29	2004773	X161	DOE	74	131.1	6.10	57	114.6	5.70
2	2668	1	2004807	X650 within (X650, X962)	DOE	40	114.5	4.10	66	140.5	5.40
2	2671	11	2004868	X158	DOE	43	135.2	5.20	77	118.2	5.00
2	2672	1	2004869	X198	DOE	9	205.8	6.40	87	103.3	4.40
2	2683	65	2005089	X062	DOE	53	188.8	6.10	56	130.2	7.50
2	2686	20	2005133	X052	DOE	23	107.3	4.80	36	162.1	9.50
2	2688	1	2005168	X130	DOE	23	107.3	4.80	61	132.5	7.90
2	2692	14	2005276	X099	DOE	96	90.6	3.20	73	118.1	5.20
2	2696	85	2005348	X060	DOE	74	115.0	4.00	84	73.8	3.80
2	2698	12	2005366	X401	DOE	66	126.1	4.00	95	77.2	3.00
2	2710	1	2005616	X039	DOE	Not Available	Not Available	Not Available	90	93.9	4.40
2	2714	4	2005660	X116	DOE	84	46.5	2.40	66	122.2	3.70
2	2717	5	2005681	X150	DOE	4	228.8	7.10	76	92.1	4.80
2	2723	33	2116211	X392	DOE	15	220.0	7.20	9	232.8	6.60
2	2747	1	2006079	X075	DOE	100	26.4	1.30	69	91.2	3.80
2	2763	279	2006566	X074	DOE	1	412.0	12.70	60	136.6	5.80
2	2766	1	2006680	X048	DOE	54	77.0	3.60	42	117.8	6.20
2	2793	28	2007387	X070 within (X070, X870)	DOE	73	72.5	3.10	37	113.2	5.20
2	2793	28	2007387	X870 within (X070, X870)	DOE	55	117.2	4.90	37	113.2	5.20
2	2804	31	2007603	X028 within (X028, X928)	DOE	79	128.4	5.00	81	92.3	4.80
2	2817	2	2007806	X410 within (X410, X411)	DOE	85	93.2	3.60	89	109.9	4.10
2	2827	1	2007902	X117 within (X117, X957)	DOE	7	354.0	10.50	55	139.8	7.40
2	2830	17	2094535	X088	DOE	92	48.8	1.80	74	104.4	5.70
2	2843	40	2008098	X064 within (X064, X924)	DOE	96	98.9	3.80	63	123.6	5.80
2	2847	41	2103870	X170	DOE	90	83.8	3.50	71	145.7	4.60
2	2851	21	2098479	X173	DOE	12	258.1	8.60	55	168.8	5.40
2	2862	14	2098721	X306	DOE	91	95.8	4.20	48	150.9	6.10
2	2866	70	2008460	X082	DOE	6	216.0	7.40	80	134.9	6.70
2	2866	105	2008470	X338	DOE	48	142.0	4.40	71	137.8	3.80
2	2873	27	2088263	X104	DOE	6	116.5	3.70	79	95.8	3.90
2	2876	8	2008794	X824	DOE	55	147.4	5.00	83	108.1	4.80
2	2877	393	2094549	X899 within (X109, X899)	DOE	71	111.2	4.80	63	115.6	6.00
2	2877	393	2094549	X109 within (X109, X899)	DOE	91	93.9	3.30	63	115.6	6.00
2	2882	130	2009253	X229	DOE	92	95.6	3.80	29	171.9	6.30
2	2897	5	2009400	X147	DOE	5	208.6	6.50	93	90.2	3.70
2	2898	1	2094564	X876	DOE	Not Available	Not Available	2.00	46	171.2	5.20
2	2902	1	2009463	X055	DOE	68	111.0	4.00	51	134.6	5.50
2	2903	23	2009466	X042	DOE	64	123.2	5.50	93	77.2	3.00

* Score of "Not Available" indicates building use categories for which the Portfolio Manager does not provide an ENERGY STAR score.

* Source EUI and GHG Emissions Intensity calculations performed by U.S. Environmental Protection Agency (EPA) methodology with EPA greenhouse gas emissions factors.

Borough	Block	Lot	BIN	Building	Agency	2 0 1 0 *			2 0 1 4		
						Score *	Source EUI (kBtu/ft²)*	GHG Emissions Intensity (kgCO2e/ft²)*	Score *	Source EUI (kBtu/ft²)*	GHG Emissions Intensity (kgCO2e/ft²)*
2	2909	32	2009540	X058	DOE	64	123.2	5.50	88	102.9	5.30
2	2913	1	2009555	X970	DOE	78	171.9	4.70	19	207.8	6.10
2	2923	18	2815559	X465	DOE	27	113.4	5.70	2	288.3	8.80
2	2925	1	2009611	X148	DOE	71	76.8	3.90	89	105.2	5.10
2	2925	56	2009617	X002	DOE	58	102.3	4.80	89	103.4	5.90
2	2930	1	2009659	X004	DOE	65	81.4	3.70	77	120.8	4.90
2	2930	75	2100071	X171	DOE	49	77.8	3.70	39	185.9	6.50
2	2932	1	2009718	X110	DOE	53	105.0	4.40	89	80.6	4.20
2	2939	45	2009865	X061	DOE	92	141.1	4.80	71	111.4	4.70
2	2939	93	2009867	X098	DOE	78	114.4	5.40	82	114.3	4.90
2	2949	64	2009957	X044	DOE	73	126.1	4.30	75	114.9	5.00
2	2951	32	2094582	X193	DOE	84	105.3	4.80	81	108.0	4.80
2	2965	82	2010273	X134 within (X134, X834)	DOE	3	319.4	9.00	52	128.3	5.70
2	2965	82	2010273	X834 within (X134, X834)	DOE	31	75.0	3.50	52	128.3	5.70
2	2969	1	2010344	X136	DOE	75	129.2	5.00	82	89.5	4.30
2	2983	15	2010604	X973	DOE	70	101.4	5.40	12	217.8	6.40
2	2990	6	2010671	X817	DOE	46	146.5	6.70	91	144.7	3.80
2	2996	10	2010786	X050	DOE	65	111.7	5.20	58	118.8	6.10
2	3005	10	2010892	X006 within (X006, X936)	DOE	14	191.4	7.90	76	105.7	4.20
2	3007	8	2010910	X084	DOE	92	77.2	3.40	88	91.3	4.10
2	3008	1	2010916	X066	DOE	13	114.5	5.60	75	93.7	3.80
2	3013	1	2010945	X878	DOE	50	94.6	4.00	73	177.4	5.90
2	3021	38	2094603	X167	DOE	100	71.2	3.20	83	94.2	4.20
2	3024	21	2011054	X085, X885 Campus: X085 Annex	DOE	54	123.3	5.10	68	108.1	4.70
2	3024	21	2011054	X885 within (X085, X885)	DOE	29	152.2	6.40	68	108.1	4.70
2	3024	21	2011054	X085 within (X085, X885)	DOE	41	126.9	5.50	68	108.1	4.70
2	3033	7501	2116415	X283	DOE	43	121.1	4.40	95	144.7	4.10
2	3037	79	2090472	X023	DOE	38	121.1	5.40	38	158.8	6.20
2	3049	37	2011538	X059	DOE	87	112.3	4.80	86	93.4	3.90
2	3058	0	2103863	X254	DOE	87	112.3	4.80	46	166.5	5.10
2	3059	1	2011810	X435	DOE	27	160.6	5.00	97	128.7	7.00
2	3061	55	2011844	X211	DOE	100	29.0	1.60	78	141.1	6.00
2	3062	6	2011852	X853	DOE	35	94.9	4.60	54	179.2	4.70
2	3062	43	2099356	X003	DOE	88	91.9	4.00	48	159.7	5.50
2	3067	1	2011937	X045	DOE	71	121.8	5.80	77	101.1	4.10
2	3069	1	2011995	X932 within (X118, X932)	DOE	94	58.2	2.80	93	137.5	5.60
2	3069	1	2011995	X118 within (X118, X932)	DOE	39	127.6	6.80	93	137.5	5.60
2	3081	26	2012359	X057	DOE	57	79.6	4.10	46	127.1	5.40
2	3085	1	2012409	X032 within (X032, X832)	DOE	8	145.6	5.20	56	128.5	4.90
2	3092	14	2012620	X092	DOE	71	105.4	3.90	71	108.7	4.60
2	3100	14	2098380	X034	DOE	Not Available	Not Available	2.00	77	101.7	3.50
2	3104	7	2012887	X660	DOE	82	98.0	4.20	91	105.4	5.90
2	3109	1	2012957	X234 within (X129, X234, X941)	DOE	42	97.0	4.60	22	123.6	6.20
2	3109	1	2012957	X129 within (X129, X234, X941)	DOE	70	93.5	4.80	22	123.6	6.20
2	3114	52	2013047	X864	DOE	3	168.0	7.70	55	170.9	4.50
2	3115	21	2086808	X205	DOE	58	68.7	3.40	93	99.5	4.80
2	3123	3	2013142	X067 within (X067, X967)	DOE	24	71.6	3.40	76	110.1	5.60
2	3142	48	2013297	X163 within (X163, X933)	DOE	81	121.6	6.30	40	241.0	9.60
2	3143	43	2013307	X137	DOE	35	82.8	4.00	66	140.1	5.00

* Score of "Not Available" indicates building use categories for which the Portfolio Manager does not provide an ENERGY STAR score.

* Source EUI and GHG Emissions Intensity calculations performed by U.S. Environmental Protection Agency (EPA) methodology with EPA greenhouse gas emissions factors.

Borough	Block	Lot	BIN	Building	Agency	2010*			2014		
						Score*	Source EUI (kBtu/ft²)*	GHG Emissions Intensity (kgCO2e/ft²)*	Score*	Source EUI (kBtu/ft²)*	GHG Emissions Intensity (kgCO2e/ft²)*
2	3146	72	2103868	X209	DOE	86	108.6	4.90	61	163.4	5.50
2	3150	10	2013561	X930 within (X009, X930)	DOE	32	103.1	4.00	72	118.9	6.40
2	3150	10	2013561	X009 within (X009, X930)	DOE	1	304.5	9.20	72	118.9	6.40
2	3168	27	2013830	X843	DOE	46	142.1	4.40	85	110.9	4.30
2	3170	1	2013849	X079	DOE	95	71.0	3.50	46	131.5	5.50
2	3172	46	2013899	X115	DOE	95	75.5	3.80	31	155.0	5.60
2	3178	14	2103867	X279	DOE	89	107.6	4.10	55	176.1	6.00
2	3182	4	2088408	X896	DOE	63	121.6	5.00	96	80.9	2.20
2	3186	49	2014062	X859	DOE	81	70.5	3.30	96	95.4	2.90
2	3188	8	2014098	X939	DOE	22	153.1	7.60	76	117.6	4.70
2	3188	20	2014099	X033	DOE	24	122.0	6.00	88	102.9	5.60
2	3208	1	2014505	X091 within (X091, X891)	DOE	74	78.7	3.40	77	106.2	5.60
2	3209	1	2086823	X206	DOE	35	82.6	3.60	80	149.3	7.10
2	3216	2	2014692	X026	DOE	95	80.9	5.30	88	105.1	5.00
2	3222	100	2096465	X826	DOE	94	96.9	3.20	88	174.0	6.50
2	3222	100	2096465	X827	DOE	94	96.9	3.20	54	79.3	2.60
2	3224	9	2096013	X015	DOE	81	122.4	5.90	2	275.5	10.20
2	3239	41	2096486	X122 within (X122, X822)	DOE	Not Available	Not Available	Not Available	56	97.5	3.90
2	3239	41	2096486	X822 within (X122, X822)	DOE	61	91.8	4.00	56	97.5	3.90
2	3246	2	2015222	X905	DOE	58	143.3	4.20	1	264.4	7.60
2	3247	15	2101862	X340	DOE	41	145.8	4.50	56	169.6	5.20
2	3247	70	2015241	X430	DOE	20	181.9	6.00	97	104.0	3.90
2	3247	70	2100971	X086 within (X086, X868)	DOE	86	111.8	3.90	86	107.8	4.60
2	3247	70	2100971	X868 within (X086, X868)	DOE	74	79.4	2.80	86	107.8	4.60
2	3248	62	2115783	X886	DOE	82	102.8	3.70	5	422.7	15.10
2	3251	201	2094706	X445	DOE	82	102.8	3.70	87	111.6	5.30
2	3251	201	2095215	X440	DOE	61	151.5	8.20	95	108.1	6.50
2	3252	182	2015472	X095	DOE	61	151.5	8.20	39	143.3	6.20
2	3253	141	2015547	X143	DOE	60	163.9	5.20	76	104.4	5.60
2	3253	341	2103864	X360	DOE	22	209.2	6.10	47	185.5	6.20
2	3278	14	2113630	X054	DOE	77	103.9	3.60	47	163.2	5.70
2	3295	1	2094729	X046 within (X046, X846)	DOE	Not Available	Not Available	Not Available	81	128.4	5.20
2	3295	1	2094729	X846 within (X046, X846)	DOE	75	121.6	4.50	81	128.4	5.20
2	3299	60	2094734	X808 within (X008, X808)	DOE	75	121.6	4.50	82	117.9	5.70
2	3299	60	2094734	X008 within (X008, X808)	DOE	51	139.9	4.10	82	117.9	5.70
2	3323	36	2017669	X825 (closed)	DOE	91	99.3	4.60	Not Available	Not Available	-
2	3329	124	2017858	X852	DOE	12	210.9	6.10	22	217.5	6.60
2	3330	1	2086851	X020 within (X020, X931)	DOE	72	71.9	1.90	5	235.2	8.50
2	3330	1	2086851	X931 within (X020, X931)	DOE	96	42.4	1.40	5	235.2	8.50
2	3336	35	2018046	X080 within (X080, X910)	DOE	80	86.8	2.50	66	140.9	6.40
2	3351	1	2018457	X865 within (X056, X865)	DOE	62	113.8	4.40	97	99.5	4.20
2	3351	1	2018457	X056 within (X056, X865)	DOE	86	102.4	4.80	97	99.5	4.20
2	3353	40	2098420	X177	DOE	Not Available	Not Available	Not Available	Not Available	Not Available	5.30
2	3356	36	2115241	X361	DOE	25	116.7	4.50	6	258.9	8.80
2	3356	36	2018628	X094	DOE	98	78.1	3.70	65	102.9	4.20
2	3386	1	2019463	X019	DOE	98	78.1	3.70	84	126.7	5.40
2	3478	18	2020580	X174	DOE	95	78.2	3.70	96	93.8	4.30
2	3524	20	2021482	X869 within (X069, X869)	DOE	Not Available	Not Available	Not Available	53	145.1	6.70
2	3524	20	2021482	X069 within (X069, X869)	DOE	86	108.2	4.10	53	145.1	6.70

* Score of "Not Available" indicates building use categories for which the Portfolio Manager does not provide an ENERGY STAR score.

* Source EUI and GHG Emissions Intensity calculations performed by U.S. Environmental Protection Agency (EPA) methodology with EPA greenhouse gas emissions factors.

Borough	Block	Lot	BIN	Building	Agency	2 0 1 0 *			2 0 1 4		
						Score *	Source EUI (kBtu/ft²)*	GHG Emissions Intensity (kgCO2e/ft²)*	Score *	Source EUI (kBtu/ft²)*	GHG Emissions Intensity (kgCO2e/ft²)*
2	3564	1	2021923	X182	DOE	24	79.3	3.20	66	105.2	4.60
2	3591	50	2021972	X107	DOE	68	154.4	5.70	76	99.5	4.10
2	3604	39	2022205	X450 within (X450, X451, X922)	DOE	56	175.9	6.60	90	111.8	5.50
2	3609	16	2022289	X138 within (X138, X938)	DOE	Not Available	Not Available	Not Available	73	124.1	6.70
2	3622	16	2022544	X972	DOE	18	188.0	5.70	74	126.3	3.70
2	3641	1	2022550	X100	DOE	71	114.9	4.40	78	97.4	5.40
2	3644	1	2103869	X131	DOE	72	120.9	4.30	49	117.3	6.40
2	3652	1	2097341	X893 within (X093, X893)	DOE	48	135.7	4.80	73	94.3	4.20
2	3652	1	2097341	X093 within (X093, X893)	DOE	87	98.2	3.90	73	94.3	4.20
2	3711	1	2023336	X152	DOE	73	100.8	4.00	79	102.0	5.20
2	3718	1	2087014	X123	DOE	3	300.4	8.20	79	90.3	5.10
2	3718	1	2087014	X823	DOE	46	141.8	5.00	100	78.8	2.80
2	3775	25	2088553	X982 within (X077, X976, X982)	DOE	46	141.8	5.00	61	149.1	6.80
2	3775	25	2088553	X976 within (X077, X976, X982)	DOE	56	141.2	5.30	61	149.1	6.80
2	3775	25	2088553	X077 within (X077, X976, X982)	DOE	74	100.2	4.10	61	149.1	6.80
2	3786	16	2025622	X047	DOE	78	143.5	3.70	57	134.6	5.70
2	3789	21	2025696	X119 within (X119, X915)	DOE	54	122.8	4.50	55	128.2	6.90
2	3790	40	2025717	X125	DOE	54	122.8	4.50	73	100.2	5.00
2	3817	1	2026706	X036	DOE	95	83.9	2.60	83	109.2	4.80
2	3834	70	2103494	X194	DOE	23	211.8	5.50	24	173.8	6.20
2	3842	2	2027195	X833	DOE	87	80.6	3.80	75	156.5	5.00
2	3864	1	2027459	X423 within (X420, X421, X423)	DOE	93	77.3	3.70	63	177.5	8.20
2	3864	1	2027459	X420 within (X420, X421, X423)	DOE	75	123.1	5.70	63	177.5	8.20
2	3921	30	2028640	X102	DOE	75	112.0	3.90	45	156.0	5.70
2	3946	7	2041211	X106 within (X106, X913)	DOE	91	112.8	4.80	67	136.2	7.20
2	3948	55	2041247	X127	DOE	51	139.0	5.00	67	115.1	6.40
2	3983	1	2041864	X012	DOE	45	191.1	8.20	74	119.6	4.20
2	4006	3	2042451	X879	DOE	71	112.4	5.50	43	168.4	5.40
2	4091	1	2116414	X498	DOE	49	132.0	4.90	29	166.7	5.20
2	4125	1	2045344	X083	DOE	49	132.0	4.90	91	119.5	6.00
2	4125	15	2117664	X981	DOE	63	106.4	3.90	81	188.2	6.20
2	4133	200	2045725	X722	DOE	68	137.9	5.30	24	175.1	7.40
2	4171	1	2046140	X071 within (X071, X948)	DOE	9	141.3	6.10	79	89.3	4.00
2	4275	1	2048608	X108 within (X108, X946)	DOE	90	94.8	5.20	58	184.5	6.90
2	4288	1	2048794	X935 within (X105, X935)	DOE	13	193.4	5.80	63	113.7	5.30
2	4288	1	2048794	X105 within (X105, X935)	DOE	61	131.0	4.90	63	113.7	5.30
2	4290	48	2048811	X839	DOE	Not Available	Not Available	Not Available	30	186.7	6.00
2	4293	31	2048831	X292	DOE	92	105.6	5.00	4	228.6	7.50
2	4341	13	2049999	X912 within (X096, X912)	DOE	78	99.5	4.60	23	125.9	6.20
2	4341	13	2049999	X096 within (X096, X912)	DOE	71	109.1	4.90	23	125.9	6.20
2	4358	1	2050179	X415 within (X415, X416)	DOE	40	185.9	6.90	72	128.2	5.40
2	4432	1	2051313	X135	DOE	28	112.1	5.00	87	88.3	4.60
2	4444	16	2051571	X919 within (X089, X919)	DOE	77	125.6	4.40	91	98.8	4.10
2	4444	16	2051571	X089 within (X089, X919)	DOE	44	165.4	5.10	91	98.8	4.10
2	4474	1	2052739	X097 within (X097, X917, X997)	DOE	81	104.9	5.30	73	144.7	5.00
2	4493	1	2053518	X144	DOE	71	82.5	3.20	61	97.6	5.20
2	4526	1	2054253	X121 within (X121, X921)	DOE	85	128.0	4.70	62	109.2	5.80
2	4552	10	2054933	X926 within (X076, X926)	DOE	Not Available	Not Available	Not Available	59	129.2	5.90
2	4552	10	2054933	X076 within (X076, X926)	DOE	80	107.7	4.60	59	129.2	5.90

* Score of "Not Available" indicates building use categories for which the Portfolio Manager does not provide an ENERGY STAR score.

* Source EUI and GHG Emissions Intensity calculations performed by U.S. Environmental Protection Agency (EPA) methodology with EPA greenhouse gas emissions factors.

Borough	Block	Lot	BIN	Building	Agency	2 0 1 0 *			2 0 1 4		
						Score *	Source EUI (kBtu/ft²)*	GHG Emissions Intensity (kgCO2e/ft²)*	Score *	Source EUI (kBtu/ft²)*	GHG Emissions Intensity (kgCO2e/ft²)*
2	4624	15	2056898	X041	DOE	78	99.5	4.20	69	105.5	5.10
2	4633	40	2057045	X425	DOE	83	81.9	4.40	79	155.2	8.80
2	4675	20	2058396	X113	DOE	70	135.4	5.20	43	142.5	7.00
2	4719	1	2060191	X078	DOE	36	177.8	5.30	39	111.4	6.00
2	4823	1	2062883	X103 within (X103, X923)	DOE	27	130.5	5.80	63	107.9	4.40
2	4823	1	2062883	X923 within (X103, X923)	DOE	77	92.7	4.20	63	107.9	4.40
2	4839	39	2063435	X021	DOE	82	109.8	5.80	81	96.2	5.20
2	4864	35	2829945	X362	DOE	71	118.6	4.70	5	262.2	8.00
2	4894	1	2116222	X169	DOE	73	90.9	4.90	6	305.5	8.80
2	4905	500	2065991	X112	DOE	70	107.7	3.90	53	116.7	6.90
2	4916	1	2065992	X937 within (X111, X937)	DOE	50	202.1	6.70	42	152.7	7.20
2	4916	1	2065992	X111 within (X111, X937)	DOE	50	202.1	6.70	42	152.7	7.20
2	4935	1	2066190	X142	DOE	61	100.2	5.40	91	90.9	4.70
2	4986	81	2067852	X918 within (X068, X918)	DOE	92	104.6	4.60	45	147.9	7.40
2	4986	81	2067852	X068 within (X068, X918)	DOE	78	96.0	4.80	45	147.9	7.40
2	5018	1	2069061	X087 within (X087, X945)	DOE	60	121.7	6.00	44	122.1	4.80
2	5076	31	2070894	X016 within (X016, X916, X942)	DOE	93	123.5	4.80	88	110.5	4.40
2	5135	200	2072352	X160	DOE	Not Available	Not Available	Not Available	34	164.6	7.30
2	5141	150	2116161	X178 within (X153, X178, X180, X181, X455, X456)	DOE	47	112.4	4.40	94	153.5	5.30
2	5141	150	2116159	X455 within (X153, X178, X180, X181, X455, X456)	DOE	34	115.8	4.70	94	153.5	5.30
2	5141	150	2116160	X181 within (X153, X178, X180, X181, X455, X456)	DOE	83	84.7	3.50	94	153.5	5.30
2	5141	150	2097470	X153 within (X153, X178, X180, X181, X455, X456)	DOE	89	81.6	3.00	94	153.5	5.30
2	5141	150	2116158	X180 within (X153, X178, X180, X181, X455, X456)	DOE	70	94.9	4.40	94	153.5	5.30
2	5263	115	2115403	X189	DOE	46	144.8	4.80	3	263.3	7.90
2	5313	92	2072754	X014 within (X014, X947)	DOE	84	95.0	3.60	65	156.8	5.80
2	5368	1	2074045	X405 within (X405, X406)	DOE	86	80.0	2.60	69	166.4	8.20
2	5438	1	2077130	X192	DOE	93	60.6	3.10	79	106.7	5.20
2	5440	1	2077162	X072	DOE	87	96.0	4.30	37	145.4	6.10
2	5547	1	2080231	X101	DOE	72	113.2	3.60	87	90.2	4.50
2	5641	280	2082444	X175 within (X175, X906)	DOE	87	76.7	3.80	68	149.5	6.50
2	5716	725	2112838	X368	DOE	23	227.0	8.20	63	178.1	6.00
2	5716	725	2097990	X037	DOE	23	227.0	8.20	40	198.6	6.30
2	5756	195	2083564	X007	DOE	23	227.0	8.20	46	123.1	5.20
2	5850	1550	2084806	X081	DOE	23	227.0	8.20	81	116.4	4.30
2	5901	1	2085773	X841	DOE	23	227.0	8.20	100	63.5	1.70
2	5917	140	2085869	X024	DOE	23	227.0	8.20	75	100.1	5.50
2	5918	376	2085870	X141	DOE	23	227.0	8.20	64	131.6	5.10
2	99999	9999	2000000	X978 (closed)	DOE	8	190.3	8.30	Not Available	Not Available	-
3	0	0	3000000	K535	DOE	44	145.6	5.40	100	0.9	-
3	56	7	3000158	K307	DOE	72	119.2	4.10	78	111.1	5.60
3	107	1	3000183	K906 (closed)	DOE	15	148.3	5.50	Not Available	Not Available	-
3	111	1	3000203	K287	DOE	71	96.4	3.00	95	77.5	4.00
3	120	20	3000216	K805	DOE	64	124.3	4.30	89	99.4	3.80
3	131	1	3348041	K580	DOE	67	97.8	4.60	90	100.9	4.90
3	140	10	3331741	K313	DOE	67	85.9	3.50	19	203.2	6.10
3	140	7501	3000259	K986	DOE	58	95.5	4.00	76	154.4	4.10
3	154	1	3000420	K802	DOE	21	193.0	5.50	98	131.0	4.00
3	169	9	3000533	K520	DOE	4	303.4	8.70	97	106.8	4.40
3	172	55	3000567	K369	DOE	69	108.1	3.70	87	123.7	6.10

* Score of "Not Available" indicates building use categories for which the Portfolio Manager does not provide an ENERGY STAR score.

* Source EUI and GHG Emissions Intensity calculations performed by U.S. Environmental Protection Agency (EPA) methodology with EPA greenhouse gas emissions factors.

Borough	Block	Lot	BIN	Building	Agency	2010*			2014		
						Score*	Source EUI (kBtu/ft²)*	GHG Emissions Intensity (kgCO2e/ft²)*	Score*	Source EUI (kBtu/ft²)*	GHG Emissions Intensity (kgCO2e/ft²)*
3	174	1	3331754	K806	DOE	47	146.1	4.70	38	130.1	5.30
3	188	14	3001070	K261 within (K261, K982)	DOE	63	96.8	3.30	90	97.6	4.40
3	191	1	3001183	K038	DOE	33	116.9	4.70	70	87.1	4.70
3	192	1	3001189	K656	DOE	Not Available	Not Available	Not Available	79	114.9	5.10
3	192	13	3001190	K655	DOE	85	128.9	6.30	72	106.0	4.40
3	211	1	3001540	K008	DOE	68	65.4	2.60	46	149.6	5.10
3	266	20	3002557	K801	DOE	94	72.5	2.10	48	301.2	10.50
3	269	14	3002643	K871	DOE	38	119.6	5.90	68	143.6	4.80
3	311	1	3255627	K029	DOE	81	65.2	3.00	68	119.0	5.60
3	369	1	3336036	K142	DOE	69	137.3	5.80	88	93.5	5.30
3	397	11	3006356	K804	DOE	68	102.1	4.60	97	82.8	3.10
3	402	1	3006401	K293	DOE	95	105.6	4.20	84	98.8	4.60
3	437	1	3007326	K979 within (K032, K979)	DOE	85	91.0	3.50	55	140.5	6.90
3	437	1	3007326	K032 within (K032, K979)	DOE	86	103.4	2.70	55	140.5	6.90
3	449	15	3007547	K058	DOE	1	234.3	6.10	94	61.1	3.40
3	455	1	3007707	K834	DOE	68	87.8	4.00	87	113.3	5.50
3	525	1	3008342	K027	DOE	42	99.8	4.80	50	132.4	5.50
3	566	1	3008585	K015	DOE	31	104.2	4.00	78	116.6	6.30
3	669	1	3009847	K172	DOE	68	117.4	5.40	68	135.6	5.30
3	688	26	3394175	K564	DOE	56	135.8	6.60	5	232.8	6.80
3	696	31	3337059	K371 within (K371, K231)	DOE	81	72.3	3.20	90	92.1	4.90
3	696	31	3337060	K231 within (K371, K231)	DOE	53	107.2	5.20	90	92.1	4.90
3	701	1	3346119	K024	DOE	33	113.2	5.10	72	128.2	4.60
3	713	20	3010580	K939 within (K136, K939)	DOE	78	64.5	3.40	90	121.1	6.30
3	713	20	3010580	K136 within (K136, K939)	DOE	68	82.3	2.50	90	121.1	6.30
3	732	1	3011002	K169	DOE	89	98.0	4.50	35	139.2	5.30
3	755	22	3011821	K881 within (K001, K881)	DOE	31	127.8	5.90	58	103.6	4.80
3	755	22	3011821	K001 within (K001, K881)	DOE	4	237.1	7.90	58	103.6	4.80
3	778	23	3012824	K220	DOE	98	120.7	4.20	83	119.0	5.30
3	792	26	3332126	K094	DOE	99	33.3	2.40	71	121.1	4.70
3	862	12	3016258	K314	DOE	17	192.1	5.60	50	158.4	5.60
3	869	1	3016509	K010	DOE	61	105.6	5.80	55	107.4	4.60
3	880	1	3331274	K845	DOE	62	131.5	4.70	81	79.3	3.20
3	880	1	3331276	K088	DOE	62	131.5	4.70	61	111.7	5.80
3	940	65	3000000	K133 (closed)	DOE	89	130.7	3.70	Not Available	Not Available	-
3	940	111	3413716	K317	DOE	Not Available	905.7	46.10	24	171.2	5.50
3	941	50	3259250	K902	DOE	Not Available	146.3	5.50	71	149.3	5.60
3	950	24	3019597	K282	DOE	Not Available	687.5	20.90	33	96.0	5.00
3	971	28	3337516	K321 within (K321, K896)	DOE	Not Available	170.0	5.90	81	117.6	5.30
3	981	111	3021057	K051	DOE	Not Available	615.7	34.10	83	83.8	4.60
3	998	1	3012840	K763	DOE	Not Available	296.8	9.80	72	74.0	4.00
3	1000	1	3021932	K039	DOE	Not Available	263.1	8.50	86	140.1	5.50
3	1034	1	3023391	K124	DOE	Not Available	204.7	6.60	90	123.1	4.90
3	1082	1	3025510	K460	DOE	Not Available	355.5	10.90	79	133.7	5.70
3	1101	1	3026517	K107	DOE	Not Available	207.6	9.30	89	118.8	4.30
3	1141	5	3027982	K909	DOE	Not Available	81.4	3.50	84	116.2	4.20
3	1145	26	3028204	K009	DOE	Not Available	221.1	7.60	91	81.3	4.30
3	1148	50	3028281	K022	DOE	Not Available	275.3	10.10	46	147.9	5.20
3	1160	1	3028862	K813	DOE	Not Available	507.6	18.10	80	138.9	6.80

* Score of "Not Available" indicates building use categories for which the Portfolio Manager does not provide an ENERGY STAR score.

* Source EUI and GHG Emissions Intensity calculations performed by U.S. Environmental Protection Agency (EPA) methodology with EPA greenhouse gas emissions factors.

Borough	Block	Lot	BIN	Building	Agency	2 0 1 0 *			2 0 1 4		
						* Score	Source EUI (kBtu/ft²)*	GHG Emissions Intensity (kgCO2e/ft²)*	* Score	Source EUI (kBtu/ft²)*	GHG Emissions Intensity (kgCO2e/ft²)*
3	1164	57	3029060	K874	DOE	Not Available	160.7	5.80	92	157.4	6.20
3	1167	18	3029246	K316	DOE	Not Available	150.5	5.90	84	111.6	5.70
3	1187	1	3029686	K440	DOE	Not Available	464.4	15.80	73	145.1	6.10
3	1188	1	3029702	K600	DOE	Not Available	126.0	5.30	77	112.0	5.90
3	1188	1	3378160	K241 within (K241, K840)	DOE	Not Available	40.1	1.00	60	128.5	6.00
3	1216	46	3030553	K625	DOE	Not Available	40.1	1.00	69	134.5	5.10
3	1229	28	3031050	K289	DOE	42	192.5	6.20	58	97.8	5.10
3	1233	26	3330794	K138	DOE	Not Available	323.9	8.40	51	121.2	5.50
3	1235	37	3031296	K867	DOE	Not Available	247.0	13.20	43	241.9	6.40
3	1267	1	3032886	K824 (Leased)	DOE	Not Available	186.1	6.10	36	187.2	5.30
3	1289	25	3348092	K590	DOE	Not Available	142.6	5.60	13	217.9	7.70
3	1297	26	3034181	K161	DOE	Not Available	208.6	6.60	84	92.1	3.80
3	1301	1	3034356	K320	DOE	Not Available	16.2	0.40	60	112.7	6.20
3	1316	15	3337872	K061	DOE	Not Available	8.8	0.20	64	101.6	3.80
3	1347	1	3035761	K243	DOE	87	119.9	3.60	89	103.5	5.40
3	1355	23	3035887	K335	DOE	12	111.9	2.90	36	111.2	5.70
3	1367	22	3036289	K210	DOE	50	173.7	4.50	73	115.0	6.00
3	1370	29	3036405	K390	DOE	Not Available	3,777.6	187.20	62	122.2	6.10
3	1375	12	3036635	K191	DOE	Not Available	24.3	1.00	62	132.0	7.70
3	1389	35	3037303	K167	DOE	64	143.9	3.70	70	108.0	4.80
3	1423	14	3038372	K221 within (K221, K892)	DOE	Not Available	68.3	2.30	24	150.3	8.80
3	1423	14	3038372	K892 within (K221, K892)	DOE	Not Available	64.3	2.70	24	150.3	8.80
3	1440	56	3038718	K178	DOE	Not Available	56.0	2.10	22	143.3	5.60
3	1448	1	3038939	K055	DOE	Not Available	37.5	1.00	91	93.9	3.70
3	1454	54	3039123	K808	DOE	66	213.5	5.50	92	133.4	4.50
3	1457	32	3039174	K012	DOE	Not Available	235.6	8.80	22	191.5	6.50
3	1467	27	3039391	K854	DOE	Not Available	183.7	8.20	25	207.8	5.50
3	1482	1	3039676	K987	DOE	Not Available	114.5	4.10	24	250.2	8.60
3	1490	1	3039906	K005	DOE	Not Available	17.4	0.50	51	138.3	7.60
3	1510	1	3040878	K137	DOE	Not Available	238.8	9.60	81	116.4	4.90
3	1518	1	3041214	K040	DOE	Not Available	3,789.2	267.50	82	103.1	5.20
3	1528	1	3041561	K073	DOE	Not Available	850.4	27.60	71	106.2	4.40
3	1548	19	3042090	K028 (closed)	DOE	Not Available	158.7	6.30	Not Available	Not Available	-
3	1550	1	3042157	K271	DOE	Not Available	144.0	5.60	94	70.3	3.70
3	1552	43	3042263	K155	DOE	Not Available	94.9	3.90	24	137.7	6.40
3	1554	16	3042309	K894	DOE	Not Available	658.7	38.80	53	133.4	4.50
3	1602	19	3043248	K081	DOE	Not Available	309.6	10.20	74	93.0	3.60
3	1616	1	3043822	K057	DOE	Not Available	288.8	10.80	88	93.7	3.80
3	1616	1	3393805	K026	DOE	Not Available	311.3	10.00	97	77.0	3.00
3	1630	1	3044493	K308 within (K308, K946)	DOE	Not Available	227.9	5.90	69	104.0	4.70
3	1630	1	3044493	K946 within (K308, K946)	DOE	Not Available	172.7	4.50	69	104.0	4.70
3	1636	1	3044657	K324	DOE	Not Available	104.9	3.00	50	111.2	4.30
3	1643	36	3045047	K309	DOE	Not Available	2,132.3	61.20	80	139.4	7.80
3	1671	19	3046876	K262	DOE	1	659.6	40.00	71	103.9	6.00
3	1674	11	3047054	K035	DOE	Not Available	53.2	1.40	81	100.0	4.30
3	1692	17	3047914	K021	DOE	Not Available	109.8	3.00	53	128.2	6.80
3	1701	1	3047996	K455 within (K455, K456)	DOE	Not Available	613.2	20.60	80	135.9	6.50
3	1726	14	3048352	K148	DOE	Not Available	322.7	11.30	76	110.2	4.00
3	1739	11	3048508	K297	DOE	Not Available	112.7	4.20	70	100.4	4.20

* Score of "Not Available" indicates building use categories for which the Portfolio Manager does not provide an ENERGY STAR score.

* Source EUI and GHG Emissions Intensity calculations performed by U.S. Environmental Protection Agency (EPA) methodology with EPA greenhouse gas emissions factors.

Borough	Block	Lot	BIN	Building	Agency	2010*			2014		
						* Score	Source EUI (kBtu/ft²)*	GHG Emissions Intensity (kgCO2e/ft²)*	* Score	Source EUI (kBtu/ft²)*	GHG Emissions Intensity (kgCO2e/ft²)*
3	1743	18	3048517	K033	DOE	Not Available	143.3	3.70	86	92.6	4.50
3	1748	20	3049769	K256	DOE	Not Available	104.6	2.70	91	83.1	4.50
3	1749	1	3048546	K059	DOE	Not Available	230.6	6.00	81	89.3	4.90
3	1759	13	3048818	K023	DOE	Not Available	449.9	12.10	68	82.2	4.60
3	1765	15	3049020	K054	DOE	Not Available	174.7	4.50	51	116.3	5.50
3	1773	14	3049420	K304	DOE	Not Available	299.8	12.00	55	91.4	4.80
3	1787	14	3049858	K025	DOE	Not Available	82.3	2.10	75	97.6	4.30
3	1812	1	3329679	K994	DOE	Not Available	300.1	11.50	18	291.7	9.70
3	1819	14	3051458	K305	DOE	Not Available	289.6	9.90	96	83.0	3.50
3	1821	1	3051540	K044	DOE	Not Available	43.9	1.10	58	100.1	5.30
3	1823	38	3051641	K458	DOE	Not Available	195.2	6.90	84	113.7	4.30
3	1844	1	3053020	K743	DOE	Not Available	83.5	3.50	95	94.7	4.30
3	1845	1	3053075	K258	DOE	Not Available	143.8	3.80	85	96.0	4.80
3	1868	7	3053993	K093	DOE	1	408.4	12.40	67	102.2	6.00
3	1868	28	3323075	K853	DOE	Not Available	91.2	2.40	93	178.8	4.70
3	1888	34	3054323	K914	DOE	Not Available	70.5	1.80	17	180.7	5.80
3	1897	13	3054671	K157	DOE	Not Available	238.8	6.20	72	82.0	4.10
3	1923	1	3331567	K270	DOE	Not Available	443.8	16.30	71	109.4	6.30
3	1926	10	3055165	K117	DOE	Not Available	579.7	15.40	89	90.0	4.60
3	1962	10	3332865	K011	DOE	Not Available	184.4	4.80	82	100.3	4.90
3	1983	10	3056874	K056	DOE	Not Available	128.1	3.30	84	100.3	3.80
3	1998	1	3057406	K003	DOE	Not Available	434.9	17.00	60	114.6	6.50
3	2008	1	3057521	K085	DOE	Not Available	194.3	6.00	75	128.1	5.90
3	2028	1	3057942	K265	DOE	Not Available	302.7	9.00	88	88.3	4.80
3	2039	2	3332507	K067	DOE	Not Available	8.0	0.20	47	129.5	5.60
3	2045	11	3058088	K046	DOE	Not Available	175.3	4.50	69	97.0	4.70
3	2091	3	3058531	K020	DOE	Not Available	154.6	5.30	84	122.9	7.10
3	2098	13	3058752	K430	DOE	Not Available	116.8	3.00	93	134.9	7.70
3	2103	4	3059051	K113	DOE	Not Available	405.2	13.50	83	93.6	5.00
3	2177	1	3059906	K016	DOE	Not Available	121.3	3.20	84	88.9	3.70
3	2207	2	3060407	K778	DOE	Not Available	305.7	7.90	98	79.5	2.10
3	2227	1	3061064	K071	DOE	Not Available	423.3	14.10	77	105.3	5.10
3	2236	9	3061235	K380	DOE	Not Available	376.0	11.30	67	103.6	4.90
3	2246	1	3061328	K318	DOE	30	284.1	8.80	68	113.6	5.60
3	2268	1	3335470	K837	DOE	Not Available	423.3	14.10	72	129.8	4.60
3	2330	11	3062135	K650	DOE	Not Available	135.0	4.60	64	118.9	5.50
3	2345	1	3062337	K017	DOE	Not Available	339.9	15.40	77	108.7	4.40
3	2391	1	3062766	K084	DOE	Not Available	230.4	7.80	90	91.7	4.20
3	2419	1	3063128	K050	DOE	Not Available	58.8	1.50	79	116.4	6.60
3	2423	1	3063188	K019	DOE	Not Available	206.1	7.70	89	82.9	4.30
3	2424	1	3063189	K319	DOE	Not Available	1,383.0	50.70	50	225.2	5.90
3	2595	1	3065299	K031	DOE	Not Available	57.4	1.50	81	86.2	3.70
3	2622	28	3065733	K034	DOE	Not Available	408.8	18.20	90	112.8	5.50
3	2670	1	3066698	K610	DOE	36	273.1	9.10	71	125.2	5.00
3	2688	42	3067144	K110	DOE	Not Available	371.0	15.40	88	80.4	3.30
3	2712	1	3067788	K126	DOE	81	38.9	1.40	95	76.2	3.70
3	2759	1	3068728	K132	DOE	Not Available	45.5	1.40	100	52.0	2.70
3	2787	1	3069559	K018	DOE	Not Available	87.0	2.80	83	139.5	5.40
3	3016	1	3325733	K450	DOE	Not Available	508.1	20.30	94	99.4	4.70

* Score of "Not Available" indicates building use categories for which the Portfolio Manager does not provide an ENERGY STAR score.

* Source EUI and GHG Emissions Intensity calculations performed by U.S. Environmental Protection Agency (EPA) methodology with EPA greenhouse gas emissions factors.

Borough	Block	Lot	BIN	Building	Agency	2010*			2014		
						* Score	Source EUI (kBtu/ft²)*	GHG Emissions Intensity (kgCO2e/ft²)*	* Score	Source EUI (kBtu/ft²)*	GHG Emissions Intensity (kgCO2e/ft²)*
3	3025	1	3070825	K049	DOE	100	31.0	1.20	89	92.4	3.60
3	3046	1	3071024	K196	DOE	Not Available	349.6	21.10	82	93.2	4.70
3	3060	1	3071199	K250	DOE	Not Available	72.0	1.90	78	104.4	5.80
3	3091	1	3071418	K147	DOE	Not Available	55.1	1.40	86	69.5	3.10
3	3114	11	3071571	K257	DOE	Not Available	129.2	4.10	89	81.3	4.10
3	3137	26	3071806	K120	DOE	Not Available	140.2	3.90	71	108.0	4.00
3	3153	11	3071915	K145	DOE	Not Available	243.6	9.80	88	81.6	3.60
3	3157	37	3071962	K799	DOE	Not Available	128.5	4.70	88	99.5	5.80
3	3185	1	3072497	K111	DOE	Not Available	225.4	9.20	81	82.6	4.50
3	3210	1	3072966	K123	DOE	Not Available	48.7	1.30	86	87.4	3.90
3	3212	1	3073018	K162	DOE	Not Available	76.6	2.10	91	100.7	4.40
3	3230	27	3073462	K913	DOE	Not Available	14.0	0.40	70	116.3	3.70
3	3241	37	3073752	K274 within (K274, K876)	DOE	Not Available	64.1	1.70	78	75.0	3.60
3	3241	37	3073752	K876 within (K274, K876)	DOE	Not Available	60.2	2.60	78	75.0	3.60
3	3242	1	3073761	K865	DOE	Not Available	93.3	2.70	85	100.2	4.20
3	3287	1	3075074	K376	DOE	Not Available	93.3	2.70	70	153.6	5.30
3	3289	27	3075109	K086	DOE	Not Available	215.5	9.30	98	84.8	3.70
3	3298	1	3075413	K383	DOE	Not Available	236.2	10.30	36	105.7	3.70
3	3314	1	3075879	K875 within (K075, K875)	DOE	Not Available	Not Available	Not Available	79	106.7	4.00
3	3314	1	3075879	K075 within (K075, K875)	DOE	Not Available	334.1	8.70	79	106.7	4.00
3	3317	1	3075909	K116	DOE	Not Available	236.3	8.90	75	99.7	5.00
3	3343	1	3076460	K291	DOE	Not Available	234.4	8.80	80	109.3	3.70
3	3358	1	3076734	K299	DOE	Not Available	604.5	24.90	78	84.0	3.60
3	3360	1	3076784	K377	DOE	Not Available	716.9	29.40	85	73.6	2.70
3	3365	98	3076908	K480 within (K480, K482)	DOE	Not Available	150.4	4.40	82	129.6	5.20
3	3377	1	3077286	K106	DOE	Not Available	341.8	12.60	92	92.5	3.80
3	3406	1	3078654	K151	DOE	Not Available	140.8	3.60	53	112.5	5.00
3	3416	1	3079027	K296	DOE	Not Available	96.4	3.20	71	88.1	4.80
3	3427	11	3079428	K045	DOE	Not Available	55.9	1.40	80	88.0	4.80
3	3442	1	3080043	K384	DOE	Not Available	730.6	34.60	71	103.6	4.20
3	3507	7	3080768	K298	DOE	Not Available	245.7	9.90	77	87.0	4.60
3	3508	12	3080779	K907 (Leased)	DOE	Not Available	244.3	10.00	51	115.4	3.60
3	3520	8	3081032	K327 within (K327, K396)	DOE	Not Available	246.8	7.80	75	102.7	5.20
3	3520	8	3081032	K396 within (K327, K396)	DOE	Not Available	351.2	14.50	75	102.7	5.20
3	3535	16	3081276	K356	DOE	Not Available	143.0	3.70	43	140.9	5.30
3	3541	1	3081419	K175	DOE	Not Available	131.9	5.10	74	136.1	5.50
3	3542	1	3081442	K263	DOE	Not Available	651.2	26.80	49	121.5	6.20
3	3544	135	3081460	K284	DOE	Not Available	143.3	5.60	49	119.1	5.00
3	3597	11	3082253	K183	DOE	Not Available	345.0	14.80	9	176.7	7.90
3	3604	1	3082389	K041	DOE	Not Available	198.3	7.90	52	111.6	5.80
3	3606	1	3082391	K184	DOE	Not Available	891.3	39.20	43	131.1	5.90
3	3622	23	3082726	K165	DOE	Not Available	102.1	3.00	69	135.2	6.00
3	3636	7	3082940	K275	DOE	Not Available	372.3	15.00	89	86.7	4.30
3	3693	1	3083608	K332	DOE	Not Available	216.2	7.80	77	114.4	6.20
3	3704	1	3083660	K660	DOE	Not Available	Not Available	Not Available	46	157.0	6.40
3	3740	1	3083931	K292	DOE	Not Available	167.4	4.30	75	117.7	5.90
3	3744	9	3084012	K150	DOE	Not Available	235.9	6.10	70	120.1	4.70
3	3768	1	3084283	K328	DOE	Not Available	235.9	6.10	88	93.3	5.10
3	3772	6	3084298	K848	DOE	Not Available	4.9	0.10	3	271.1	7.20

* Score of "Not Available" indicates building use categories for which the Portfolio Manager does not provide an ENERGY STAR score.

* Source EUI and GHG Emissions Intensity calculations performed by U.S. Environmental Protection Agency (EPA) methodology with EPA greenhouse gas emissions factors.

Borough	Block	Lot	BIN	Building	Agency	2010*			2014		
						* Score	Source EUI (kBtu/ft²)*	GHG Emissions Intensity (kgCO2e/ft²)*	* Score	Source EUI (kBtu/ft²)*	GHG Emissions Intensity (kgCO2e/ft²)*
3	3774	16	3084348	K149	DOE	Not Available	234.2	11.60	82	107.2	4.80
3	3788	1	3084440	K435	DOE	Not Available	-	-	92	103.7	4.30
3	3802	15	3084617	K174	DOE	Not Available	138.3	3.60	73	93.9	4.20
3	3823	1	3085070	K013	DOE	Not Available	369.3	14.40	90	99.8	4.30
3	3826	21	3085153	K838 (closed)	DOE	99	83.5	3.10	Not Available	Not Available	-
3	3838	18	3085491	K190	DOE	Not Available	60.6	3.10	63	125.3	4.70
3	3926	45	3087131	K108	DOE	Not Available	265.4	8.40	88	93.9	3.60
3	3949	18	3087821	K290 within (K290, K948)	DOE	Not Available	166.7	5.60	72	120.2	4.60
3	3952	47	3397079	K814	DOE	Not Available	100.8	2.60	75	151.1	5.00
3	3966	1	3327112	K897 (closed)	DOE	Not Available	265.5	8.30	Not Available	Not Available	-
3	3969	1	3088357	K302 within (K302, K974)	DOE	Not Available	233.3	8.50	82	101.2	4.70
3	3990	1	3088734	K345	DOE	Not Available	265.8	8.90	75	92.9	4.90
3	4013	34	3089171	K932	DOE	Not Available	299.3	10.00	84	101.5	6.00
3	4015	1	3089176	K158	DOE	Not Available	402.5	15.80	74	94.1	4.10
3	4069	1	3090219	K072	DOE	Not Available	216.1	8.10	85	85.5	4.40
3	4094	1	3090738	K420 within (K420, K421)	DOE	Not Available	196.5	5.10	92	128.7	7.30
3	4102	19	3397004	K798	DOE	Not Available	196.5	5.10	7	249.5	7.70
3	4106	39	3090998	K007 within (K007, K991)	DOE	Not Available	196.5	5.10	47	152.0	5.10
3	4126	47	3092063	K065	DOE	Not Available	196.5	5.10	94	130.3	4.70
3	4134	20	3092456	K171	DOE	Not Available	196.5	5.10	78	111.1	5.10
3	4155	75	3327249	K615	DOE	Not Available	196.5	5.10	70	126.1	6.10
3	4216	1	3094735	K159 within (K159, K998)	DOE	Not Available	196.5	5.10	94	81.9	3.30
3	4217	1	3094749	K851	DOE	Not Available	196.5	5.10	52	126.1	4.80
3	4243	1	3095254	K214 within (K214, K949)	DOE	Not Available	196.5	5.10	74	112.0	4.50
3	4243	1	3095254	K949 within (K214, K949)	DOE	Not Available	196.5	5.10	74	112.0	4.50
3	4278	1	3095977	K218	DOE	Not Available	196.5	5.10	67	125.5	5.10
3	4324	1	3380772	K893 within (K213, K893)	DOE	Not Available	196.5	5.10	79	134.8	7.70
3	4324	1	3097334	K213 within (K213, K893)	DOE	Not Available	196.5	5.10	79	134.8	7.70
3	4327	24	3097429	K857	DOE	Not Available	196.5	5.10	95	99.8	3.30
3	4328	15	3097444	K819 within (K819, K947)	DOE	Not Available	196.5	5.10	52	192.7	7.80
3	4353	50	3097675	K166	DOE	Not Available	196.5	5.10	69	104.8	5.40
3	4392	1	3097873	K306	DOE	Not Available	196.5	5.10	65	123.7	6.90
3	4401	1	3097973	K273	DOE	Not Available	196.5	5.10	72	94.9	5.60
3	4449	1	3398623	K422	DOE	Not Available	196.5	5.10	36	160.2	5.00
3	4452	25	3098294	K346	DOE	Not Available	196.5	5.10	67	114.1	5.00
3	4477	1	3098664	K202 within (K202, K958)	DOE	Not Available	196.5	5.10	47	108.1	4.30
3	4530	1	3346166	K224	DOE	Not Available	196.5	5.10	69	126.0	4.70
3	4595	15	3323072	K398	DOE	Not Available	196.5	5.10	62	100.9	4.90
3	4599	1	3099537	K189 within (K189, K889)	DOE	Not Available	196.5	5.10	78	116.4	5.10
3	4606	25	3099733	K232	DOE	Not Available	196.5	5.10	56	114.8	4.90
3	4623	28	3100292	K268 within (K268, K981)	DOE	Not Available	196.5	5.10	75	98.9	4.00
3	4648	1	3101168	K219	DOE	Not Available	196.5	5.10	72	121.5	5.50
3	4650	15	3101218	K860	DOE	Not Available	196.5	5.10	35	172.0	6.40
3	4669	37	3101840	K252	DOE	Not Available	196.5	5.10	47	147.4	8.10
3	4673	1	3102005	K135 within (K135, K953)	DOE	Not Available	196.5	5.10	84	124.4	5.70
3	4673	1	3102005	K953 within (K135, K953)	DOE	Not Available	196.5	5.10	84	124.4	5.70
3	4739	1	3104513	K244	DOE	Not Available	196.5	5.10	21	165.5	6.40
3	4742	1	3104598	K415	DOE	Not Available	332.7	11.40	88	104.0	4.40
3	4744	1	3104599	K285	DOE	Not Available	267.3	7.70	81	91.6	3.50

* Score of "Not Available" indicates building use categories for which the Portfolio Manager does not provide an ENERGY STAR score.

* Source EUI and GHG Emissions Intensity calculations performed by U.S. Environmental Protection Agency (EPA) methodology with EPA greenhouse gas emissions factors.

Borough	Block	Lot	BIN	Building	Agency	2 0 1 0 *			2 0 1 4		
						* Score	Source EUI (kBtu/ft²)*	GHG Emissions Intensity (kgCO2e/ft²)*	* Score	Source EUI (kBtu/ft²)*	GHG Emissions Intensity (kgCO2e/ft²)*
3	4753	1	3104990	K233	DOE	Not Available	45.7	1.30	35	129.6	5.20
3	4769	25	3105680	K208 within (K208, K972)	DOE	Not Available	236.0	8.40	68	117.5	5.00
3	4794	26	3106599	K891 within (K091, K891)	DOE	Not Available	234.7	7.70	59	112.0	4.90
3	4794	26	3106599	K091 within (K091, K891)	DOE	Not Available	350.9	11.80	59	112.0	4.90
3	4806	1	3107129	K391	DOE	Not Available	269.5	9.00	91	80.7	3.20
3	4811	1	3107227	K470	DOE	Not Available	247.4	8.50	64	132.0	5.50
3	4815	20	3107315	K397	DOE	Not Available	146.3	4.80	44	188.3	8.30
3	4844	1	3107846	K235 within (K235, K835, K980)	DOE	Not Available	64.5	2.40	37	144.4	5.70
3	4844	1	3107846	K835 within (K235, K835, K980)	DOE	Not Available	180.9	5.80	37	144.4	5.70
3	4904	10	3327776	K181	DOE	Not Available	199.0	6.80	26	161.4	6.30
3	4965	1	3112334	K869 within (K864, K869)	DOE	Not Available	Not Available	Not Available	58	118.6	5.50
3	4965	1	3112334	K864 within (K864, K869)	DOE	Not Available	1,283.0	33.20	58	118.6	5.50
3	4988	66	3113388	K198 within (K198, K983)	DOE	1	237.9	10.80	50	124.9	5.10
3	4994	23	3113780	K269	DOE	Not Available	201.3	6.90	58	127.6	5.10
3	5022	2	3114526	K395	DOE	Not Available	Not Available	Not Available	3	225.0	7.30
3	5049	55	3115866	K092	DOE	Not Available	282.6	9.40	73	115.0	5.00
3	5050	66	3378201	K002	DOE	30	323.6	8.40	29	160.4	5.70
3	5075	1	3116438	K249	DOE	Not Available	273.0	10.80	70	136.4	7.10
3	5103	10	3336215	K465	DOE	Not Available	Not Available	Not Available	89	124.7	5.40
3	5103	79	3117230	K006	DOE	Not Available	304.5	10.80	47	165.0	5.90
3	5103	93	3338996	K877	DOE	Not Available	176.5	6.00	86	97.2	3.90
3	5103	101	3117232	K884 (closed)	DOE	Not Available	183.4	6.70	Not Available	Not Available	-
3	5110	25	3117381	K246	DOE	Not Available	211.2	7.40	10	183.9	7.20
3	5111	1	3117396	K399	DOE	Not Available	268.5	8.70	50	208.9	7.70
3	5121	32	3117584	K735	DOE	Not Available	235.6	9.10	91	74.7	2.90
3	5144	64	3328235	K139	DOE	Not Available	253.1	8.70	77	120.1	6.00
3	5232	1	3121072	K217	DOE	Not Available	244.2	9.00	23	151.8	6.00
3	5257	1	3121871	K154	DOE	Not Available	247.4	8.30	38	156.2	6.20
3	5319	1	3124019	K130	DOE	Not Available	254.2	8.40	56	119.7	4.60
3	5322	69	3328370	K917	DOE	Not Available	306.9	9.50	19	161.3	5.30
3	5323	32	3124109	K230	DOE	Not Available	246.9	10.10	84	100.8	4.30
3	5334	64	3343470	K908	DOE	Not Available	223.1	8.00	72	135.9	4.40
3	5362	21	3125676	K223	DOE	Not Available	179.5	5.20	82	112.4	4.90
3	5371	1	3126001	K179 within (K179, K921)	DOE	Not Available	196.3	6.80	84	109.4	4.70
3	5391	1	3126842	K062	DOE	Not Available	71.7	2.00	96	96.5	5.10
3	5416	48	3127692	K849 within (K849, K839)	DOE	Not Available	233.7	8.10	62	126.3	4.90
3	5416	48	3127692	K839 within (K849, K839)	DOE	Not Available	300.1	10.60	62	126.3	4.90
3	5445	1	3128909	K192	DOE	Not Available	153.5	5.50	67	117.6	4.90
3	5492	1	3130809	K180	DOE	Not Available	194.3	7.20	69	102.3	4.50
3	5495	1101	3253281	K121	DOE	Not Available	954.8	24.70	90	117.6	4.90
3	5506	6	3131537	K505	DOE	Not Available	261.0	8.60	93	98.1	5.10
3	5519	1	3132140	K048	DOE	Not Available	238.2	7.70	65	131.2	5.60
3	5551	18	3133741	K227	DOE	Not Available	276.4	10.60	77	97.0	4.00
3	5571	1	3134749	K205	DOE	Not Available	359.8	16.70	71	111.7	4.40
3	5587	38	3328583	K781	DOE	Not Available	355.7	16.50	92	117.6	5.10
3	5600	1	3135976	K164	DOE	Not Available	355.2	16.40	68	121.8	5.10
3	5603	1	3136085	K131	DOE	35	471.8	20.90	84	104.2	5.60
3	5653	21	3138276	K160 within (K160, K521)	DOE	55	426.1	22.60	51	146.4	5.00
3	5653	55	3398120	K521 within (K160, K521)	DOE	100	205.1	5.30	51	146.4	5.00

* Score of "Not Available" indicates building use categories for which the Portfolio Manager does not provide an ENERGY STAR score.

* Source EUI and GHG Emissions Intensity calculations performed by U.S. Environmental Protection Agency (EPA) methodology with EPA greenhouse gas emissions factors.

Borough	Block	Lot	BIN	Building	Agency	2 0 1 0 *			2 0 1 4		
						* Score	Source EUI (kBtu/ft²)*	GHG Emissions Intensity (kgCO2e/ft²)*	* Score	Source EUI (kBtu/ft²)*	GHG Emissions Intensity (kgCO2e/ft²)*
3	5702	1	3140612	K105	DOE	52	433.2	15.50	57	142.0	6.00
3	5729	24	3141434	K310	DOE	52	433.2	15.50	13	253.4	8.60
3	5735	32	3387646	K069	DOE	52	433.2	15.50	20	222.3	8.00
3	5745	29	3142008	K486	DOE	Not Available	Not Available	Not Available	12	161.5	6.80
3	5774	1	3143190	K176	DOE	3	379.6	14.20	77	103.1	4.50
3	5799	38	3143927	K971	DOE	Not Available	Not Available	Not Available	59	147.5	5.00
3	5850	30	3144482	K485 within (K485, K977)	DOE	16	371.2	13.50	27	198.4	7.50
3	5850	30	3144482	K977 within (K485, K977)	DOE	48	268.2	9.20	27	198.4	7.50
3	5873	84	3145771	K940	DOE	87	341.1	11.40	100	63.3	1.70
3	5890	1	3146491	K102	DOE	40	305.5	9.00	85	110.6	4.90
3	5891	48	3146550	K331	DOE	50	442.0	15.50	15	201.2	6.20
3	5899	1	3146921	K170 within (K170, K954)	DOE	82	358.3	12.50	73	127.4	6.20
3	5923	1	3148031	K259	DOE	23	273.7	8.80	30	172.4	7.40
3	5973	1	3150481	K127	DOE	24	323.6	11.80	68	128.6	6.10
3	6013	1	3152318	K490 within (K490, K934)	DOE	Not Available	271.7	7.00	73	148.2	5.40
3	6013	1	3152318	K934 within (K490, K934)	DOE	32	470.4	17.70	73	148.2	5.40
3	6043	1	3153416	K185	DOE	32	470.4	17.70	34	152.1	7.10
3	6062	141	3154079	K264	DOE	32	470.4	17.70	28	203.7	6.60
3	6065	43	3154215	K989	DOE	32	470.4	17.70	69	186.9	6.60
3	6088	1	3154775	K104	DOE	32	470.4	17.70	82	106.3	5.20
3	6174	36	3157466	K247	DOE	32	470.4	17.70	90	126.0	5.10
3	6180	1	3157760	K112 within (K112, K961)	DOE	100	220.0	5.70	79	136.4	5.50
3	6239	1	3160923	K186	DOE	93	317.4	10.30	81	118.8	5.10
3	6271	1	3162711	K445 within (K445, K446)	DOE	Not Available	156.9	6.30	67	141.1	5.50
3	6278	22	3162973	K201	DOE	15	392.9	15.00	82	99.6	4.10
3	6294	1	3163702	K204	DOE	46	271.3	7.00	46	145.8	5.60
3	6329	32	3165232	K721 within (K128, K721)	DOE	31	297.1	8.70	67	101.5	4.00
3	6329	32	3165232	K128 within (K128, K721)	DOE	88	148.6	3.90	67	101.5	4.00
3	6391	24	3167212	K229	DOE	66	191.9	5.00	21	197.3	6.50
3	6399	26	3392297	K807	DOE	64	220.9	7.20	23	191.0	6.00
3	6399	26	3167623	K163	DOE	99	72.4	1.90	87	98.9	4.20
3	6407	8	3167818	K200	DOE	35	249.6	7.70	89	101.5	4.10
3	6535	11	3171478	K099	DOE	11	368.1	10.70	83	101.8	4.50
3	6549	24	3172071	K226	DOE	65	191.4	5.10	61	113.3	5.00
3	6595	33	3174076	K096	DOE	24	276.2	8.10	74	103.3	4.40
3	6618	1	3396829	K237	DOE	Not Available	85.8	3.30	24	190.4	5.40
3	6631	1	3175834	K177	DOE	61	210.7	5.50	77	101.7	4.20
3	6640	13	3176229	K238	DOE	40	236.5	7.60	75	109.5	4.50
3	6667	24	3177680	K097 within (K097, K937)	DOE	59	196.5	5.10	42	147.4	7.00
3	6681	169	3178584	K215	DOE	68	191.9	5.00	75	133.0	5.70
3	6734	109	3180673	K525	DOE	99	84.0	2.30	86	123.4	5.80
3	6739	77	3180747	K997	DOE	12	355.9	12.10	82	220.8	6.40
3	6740	25	3180761	K199	DOE	60	203.1	6.00	79	101.3	4.20
3	6769	18	3182169	K197	DOE	26	218.2	8.60	60	105.5	4.80
3	6788	1	3182721	K425 within (K425, K426)	DOE	69	168.7	6.00	69	142.5	8.00
3	6821	123	3184034	K255	DOE	9	319.8	9.20	63	118.9	6.70
3	6821	244	3184057	K234	DOE	19	256.1	7.90	57	144.4	6.00
3	6875	32	3185973	K101	DOE	36	299.2	9.50	94	126.9	5.60
3	6883	1	3186454	K400 within (K400, K401)	DOE	Not Available	103.2	3.60	94	93.8	3.90

* Score of "Not Available" indicates building use categories for which the Portfolio Manager does not provide an ENERGY STAR score.

* Source EUI and GHG Emissions Intensity calculations performed by U.S. Environmental Protection Agency (EPA) methodology with EPA greenhouse gas emissions factors.

Borough	Block	Lot	BIN	Building	Agency	2 0 1 0 *			2 0 1 4		
						* Score	Source EUI (kBtu/ft²)*	GHG Emissions Intensity (kgCO2e/ft²)*	* Score	Source EUI (kBtu/ft²)*	GHG Emissions Intensity (kgCO2e/ft²)*
3	6891	1	3186626	K281	DOE	100	19.6	0.70	90	82.0	4.20
3	6917	1	3187407	K212	DOE	Not Available	196.7	5.10	70	105.0	5.90
3	6965	140	3188221	K239	DOE	Not Available	292.6	9.00	39	117.3	6.70
3	7006	1	3188726	K188	DOE	77	149.9	5.80	70	128.5	6.80
3	7051	1	3189517	K329	DOE	Not Available	141.1	3.70	70	109.4	5.00
3	7054	45	3189538	K288	DOE	89	118.1	3.30	81	97.1	5.30
3	7084	1	3190273	K228	DOE	Not Available	200.8	8.10	95	115.3	4.70
3	7123	66	3192661	K095 within (K095, K951)	DOE	Not Available	303.7	9.70	65	119.0	6.30
3	7185	20	3194998	K540 within (K540, K541)	DOE	Not Available	367.4	10.30	78	122.8	6.50
3	7185	20	3385667	K722	DOE	Not Available	337.4	11.90	69	117.0	3.90
3	7185	20	3194998	K541 within (K540, K541)	DOE	Not Available	173.2	5.90	78	122.8	6.50
3	7196	1	3195175	K216	DOE	56	183.9	4.80	75	106.4	4.60
3	7244	1	3196224	K209 within (K209, K941)	DOE	Not Available	202.2	5.70	82	110.1	4.60
3	7250	25	3196292	K303	DOE	Not Available	189.6	5.00	93	95.5	4.60
3	7254	1	3196293	K410 within (K410, K411)	DOE	Not Available	216.3	5.80	88	107.4	4.50
3	7261	47	3196378	K620	DOE	Not Available	312.9	10.10	86	103.8	5.00
3	7266	40	3196558	K090	DOE	Not Available	252.4	8.30	86	80.1	4.10
3	7274	107	3196587	K370	DOE	Not Available	326.5	10.00	44	158.7	5.50
3	7281	1	3196595	K100	DOE	Not Available	445.8	14.30	58	129.1	7.60
3	7291	30	3196677	K153	DOE	Not Available	142.4	3.90	77	103.5	4.30
3	7381	201	3201080	K206	DOE	Not Available	363.8	12.70	53	117.5	5.00
3	7393	1	3201629	K194 within (K194, K959)	DOE	Not Available	427.0	13.20	80	103.7	4.20
3	7420	26	3203132	K254	DOE	Not Available	228.1	6.90	38	160.8	6.40
3	7424	1	3203617	K014	DOE	Not Available	265.1	8.40	94	84.8	4.70
3	7425	2	3203631	K495 within (K495, K496)	DOE	Not Available	326.3	11.00	90	100.9	5.00
3	7447	1	3386003	K286	DOE	Not Available	458.4	12.70	56	123.8	6.30
3	7474	1	3205435	K052	DOE	Not Available	243.9	8.00	84	101.3	4.10
3	7551	26	3205780	K152 within (K152, K927)	DOE	62	218.3	6.60	28	161.2	6.20
3	7553	41	3205788	K405	DOE	Not Available	278.7	9.40	100	55.7	1.50
3	7625	1	3208461	K193 within (K193, K952)	DOE	Not Available	318.9	10.70	79	98.0	3.80
3	7629	30	3208638	K240	DOE	Not Available	372.2	11.80	61	113.3	5.90
3	7706	1	3212254	K222	DOE	100	0.2	-	70	114.6	4.90
3	7758	1	3214729	K251	DOE	Not Available	179.6	6.00	35	129.0	6.90
3	7775	1	3215550	K852	DOE	13	123.0	4.80	63	120.3	6.20
3	7782	34	3215797	K995	DOE	24	285.8	9.80	78	151.7	4.20
3	7786	1	3215816	K119	DOE	Not Available	274.0	10.60	92	92.4	4.40
3	7849	1	3218626	K203	DOE	5	329.8	10.70	81	93.5	4.10
3	7860	17	3345177	K729	DOE	Not Available	342.8	10.80	99	50.8	1.30
3	7916	1	3221964	K855 (Leased)	DOE	Not Available	260.0	8.80	89	84.9	3.10
3	7998	5	3224139	K515	DOE	Not Available	187.2	5.90	94	96.5	5.30
3	8018	1	3224947	K068	DOE	Not Available	262.6	9.30	88	77.3	4.00
3	8034	1	3225637	K923 within (K276, K923)	DOE	Not Available	219.3	7.40	70	109.5	5.10
3	8034	1	3225637	K276 within (K276, K923)	DOE	Not Available	415.4	13.60	70	109.5	5.10
3	8129	60	3325418	K066	DOE	Not Available	371.2	11.70	65	138.9	4.90
3	8158	40	3229156	K260	DOE	Not Available	Not Available	Not Available	52	107.0	6.10
3	8160	22	3229159	K114	DOE	Not Available	255.6	8.30	73	110.0	4.00
3	8182	52	3229624	K818	DOE	Not Available	282.5	9.70	64	130.2	7.90
3	8188	1	3229773	K242	DOE	Not Available	Not Available	Not Available	55	103.5	4.60
3	8215	12	3396940	K366	DOE	Not Available	330.7	10.50	26	228.9	6.40

* Score of "Not Available" indicates building use categories for which the Portfolio Manager does not provide an ENERGY STAR score.

* Source EUI and GHG Emissions Intensity calculations performed by U.S. Environmental Protection Agency (EPA) methodology with EPA greenhouse gas emissions factors.

Borough	Block	Lot	BIN	Building	Agency	2010*			2014		
						* Score	Source EUI (kBtu/ft²)*	GHG Emissions Intensity (kgCO2e/ft²)*	* Score	Source EUI (kBtu/ft²)*	GHG Emissions Intensity (kgCO2e/ft²)*
3	8222	1	3230949	K500 within (K500, K501)	DOE	83	121.6	3.80	89	106.8	5.50
3	8227	1	3326732	K211	DOE	1	451.0	13.60	88	92.0	4.90
3	8230	1	3326733	K279	DOE	Not Available	267.8	9.90	79	104.6	4.60
3	8256	1	3232559	K115	DOE	5	433.0	11.30	78	103.8	4.10
3	8329	250	3235262	K272 within (K272, K922)	DOE	55	158.0	6.90	84	96.5	5.30
3	8388	2	3236496	K078	DOE	Not Available	354.4	11.80	84	74.6	4.00
3	8393	1	3236665	K312	DOE	Not Available	238.7	8.00	86	98.7	5.10
3	8464	1	3326821	K236 within (K236, K975)	DOE	Not Available	368.6	13.40	84	101.7	4.00
3	8484	1	3239388	K207	DOE	96	95.1	3.90	86	100.0	4.10
3	8496	100	3239889	K278	DOE	48	79.3	2.70	88	96.9	4.80
3	8590	650	3242369	K277	DOE	Not Available	272.3	8.10	68	130.7	7.40
3	8666	610	3244470	K253 within (K253, K964)	DOE	Not Available	285.5	9.40	32	147.4	7.50
3	8712	56	3245498	K225	DOE	1	2,464.3	116.40	59	140.3	6.20
3	8752	35	3246519	K195	DOE	Not Available	287.7	7.70	83	100.2	4.40
3	8767	26	3246958	K043	DOE	Not Available	217.2	7.00	40	96.7	4.40
4	6	8	4538588	Q404	DOE	Not Available	113.4	4.90	5	233.0	7.80
4	18	1	4000019	Q768	DOE	66	183.5	5.20	29	216.2	6.00
4	21	30	4542629	Q312	DOE	Not Available	Not Available	Not Available	11	209.2	7.00
4	84	11	4441059	Q980	DOE	Not Available	110.3	3.80	94	158.0	4.20
4	100	1	4000744	Q667	DOE	Not Available	173.0	5.20	8	227.5	6.40
4	158	25	4436667	Q797	DOE	Not Available	Not Available	Not Available	59	103.8	5.90
4	169	6	4540402	Q313	DOE	Not Available	303.3	10.30	Not Available	Not Available	2.00
4	185	1	4002387	Q150	DOE	Not Available	385.6	12.20	56	151.9	5.80
4	206	3	4002915	Q199 within (Q199, Q938)	DOE	Not Available	227.4	7.50	67	138.4	7.70
4	226	1	4436685	Q610	DOE	Not Available	38.5	1.00	90	103.2	5.20
4	228	20	4003259	Q600	DOE	Not Available	611.2	21.40	44	161.1	5.50
4	249	1	4003442	Q520	DOE	Not Available	135.5	5.00	2	310.7	9.90
4	274	1	4003517	Q735	DOE	Not Available	477.7	16.70	85	103.7	2.80
4	282	1	4003540	Q891	DOE	3	384.4	12.40	41	149.4	4.70
4	343	1	4004156	Q204	DOE	Not Available	225.5	7.90	96	73.4	3.00
4	344	1	4004170	Q112	DOE	Not Available	547.4	19.80	68	108.8	4.70
4	354	1	4004331	Q076	DOE	Not Available	246.5	8.00	98	69.2	2.60
4	363	1	4004419	Q111	DOE	Not Available	182.2	4.70	72	97.1	3.90
4	404	1	4004874	Q450	DOE	Not Available	243.4	8.20	65	150.6	8.10
4	417	2	4005022	Q800	DOE	Not Available	231.7	7.60	93	144.1	4.50
4	417	16	4005026	Q451	DOE	Not Available	156.7	4.80	42	123.9	4.50
4	423	5	4005057	Q894 (closed)	DOE	Not Available	134.1	4.10	Not Available	Not Available	-
4	438	26	4005184	Q725 (Leased)	DOE	Not Available	210.8	6.90	39	158.5	5.10
4	489	1	4005429	Q801	DOE	Not Available	227.4	7.20	83	100.3	4.30
4	529	2	4467709	Q452 within (Q452, Q453)	DOE	Not Available	499.6	25.20	14	221.4	6.90
4	537	14	4006046	Q171	DOE	Not Available	202.0	6.30	92	81.1	4.30
4	542	8	4440035	Q739	DOE	Not Available	348.5	9.00	98	101.3	2.70
4	553	1	4006382	Q126	DOE	Not Available	198.1	6.40	91	88.1	5.10
4	592	15	4007619	Q234	DOE	Not Available	214.1	7.60	74	122.8	3.90
4	594	1	4007663	Q017	DOE	Not Available	142.3	4.60	92	81.1	4.10
4	610	1	4008220	Q166	DOE	Not Available	172.7	5.60	60	130.4	4.90
4	634	36	4009499	Q798	DOE	Not Available	211.4	7.10	20	204.6	6.50
4	696	14	4442503	Q070 within (Q070, Q970)	DOE	Not Available	291.3	9.10	85	101.9	4.20
4	714	1	4012664	Q010	DOE	Not Available	117.6	4.40	83	89.5	2.90

* Score of "Not Available" indicates building use categories for which the Portfolio Manager does not provide an ENERGY STAR score.

* Source EUI and GHG Emissions Intensity calculations performed by U.S. Environmental Protection Agency (EPA) methodology with EPA greenhouse gas emissions factors.

Borough	Block	Lot	BIN	Building	Agency	2010*			2014		
						* Score	Source EUI (kBtu/ft²)*	GHG Emissions Intensity (kgCO2e/ft²)*	* Score	Source EUI (kBtu/ft²)*	GHG Emissions Intensity (kgCO2e/ft²)*
4	738	2	4013655	Q445 within (Q445, Q446, Q949)	DOE	Not Available	304.9	13.10	89	106.1	5.70
4	738	2	4013655	Q446 within (Q445, Q446, Q949)	DOE	Not Available	43.6	1.10	89	106.1	5.70
4	752	1	4014094	Q151 within (Q151, Q925)	DOE	Not Available	282.1	7.30	56	122.9	5.40
4	752	1	4014094	Q925 within (Q151, Q925)	DOE	Not Available	160.8	5.60	56	122.9	5.40
4	794	17	4015334	Q084	DOE	Not Available	155.7	5.10	91	84.6	3.30
4	810	1	4016102	Q141	DOE	Not Available	129.5	5.00	93	82.5	3.50
4	842	31	4017485	Q085 within (Q085, Q981)	DOE	Not Available	235.5	8.20	79	112.8	4.50
4	880	1	4019633	Q122	DOE	Not Available	264.4	7.80	71	95.7	4.00
4	971	1	4021375	Q002	DOE	Not Available	242.7	8.60	70	117.0	4.70
4	1109	16	4024487	Q127	DOE	Not Available	150.3	5.10	54	120.5	5.00
4	1184	14	4027102	Q152	DOE	Not Available	167.3	5.00	53	137.1	6.70
4	1239	1	4028447	Q011 within (Q011, Q810, Q932)	DOE	Not Available	212.3	7.30	59	147.4	7.10
4	1239	1	4028447	Q810 within (Q011, Q810, Q932)	DOE	Not Available	284.2	10.10	59	147.4	7.10
4	1247	41	4028697	Q297	DOE	Not Available	204.5	6.70	Not Available	Not Available	2.80
4	1252	1	4442764	Q145	DOE	Not Available	229.8	7.30	43	114.4	5.30
4	1260	1	4028931	Q230	DOE	Not Available	668.2	17.90	35	183.2	6.10
4	1281	38	4029691	Q885	DOE	Not Available	167.6	5.70	37	154.1	4.60
4	1288	1	4029892	Q069 within (Q069, Q869)	DOE	Not Available	292.9	9.60	35	172.5	5.90
4	1349	28	4031853	Q012	DOE	Not Available	280.0	8.70	25	156.5	6.80
4	1377	16	4437125	Q329	DOE	Not Available	79.5	2.30	67	138.5	5.10
4	1419	1	4034841	Q148	DOE	Not Available	210.0	7.40	79	100.6	4.10
4	1423	1	4034891	Q227	DOE	Not Available	161.0	5.50	83	97.1	3.50
4	1423	57	4034892	Q228	DOE	Not Available	33.6	0.90	77	120.8	4.00
4	1441	15	4035441	Q149	DOE	21	347.1	10.80	82	112.4	4.20
4	1443	19	4437128	Q212	DOE	Not Available	206.1	6.60	51	151.9	5.00
4	1454	18	4035799	Q280	DOE	Not Available	Not Available	Not Available	86	117.0	5.60
4	1460	34	4035854	Q222	DOE	Not Available	250.6	8.50	69	128.0	4.60
4	1514	1	4037370	Q089	DOE	Not Available	223.6	6.70	61	100.0	3.70
4	1538	75	4467710	Q007	DOE	Not Available	571.6	23.20	30	166.5	5.80
4	1571	36	4039316	Q322	DOE	Not Available	107.1	4.20	56	127.2	4.60
4	1600	61	4437166	Q744	DOE	12	337.1	8.70	7	236.9	7.30
4	1607	1	4437176	Q819 within (Q019, Q914, Q819)	DOE	23	283.3	7.30	95	82.4	3.00
4	1607	1	4437176	Q019 within (Q019, Q914, Q819)	DOE	Not Available	265.3	7.90	95	82.4	3.00
4	1608	58	4040271	Q260	DOE	Not Available	227.2	6.50	4	257.0	7.70
4	1714	18	4042496	Q292 within (Q292, Q997)	DOE	Not Available	260.9	8.00	65	146.0	4.80
4	1725	1	4540018	Q287	DOE	Not Available	198.5	6.40	24	199.1	6.30
4	1756	25	4043827	Q143 within (Q143, Q937)	DOE	Not Available	203.0	7.30	82	121.8	4.80
4	1756	25	4043827	Q843	DOE	Not Available	302.0	9.70	12	203.8	5.40
4	1761	35	4043936	Q908	DOE	Not Available	300.5	8.70	66	137.4	5.50
4	1849	1	4045629	Q455	DOE	Not Available	Not Available	Not Available	92	97.0	4.20
4	1873	50	4462647	Q722	DOE	Not Available	195.9	6.40	49	135.7	4.60
4	1891	32	4046834	Q061	DOE	Not Available	230.1	7.20	82	102.0	4.50
4	1901	40	4437297	Q013	DOE	Not Available	176.5	5.50	24	152.6	5.10
4	1954	37	4437311	Q014	DOE	Not Available	206.8	6.90	48	110.6	4.40
4	1963	5	4048306	Q456	DOE	Not Available	92.1	3.00	88	117.0	3.40
4	1985	1	4048820	Q721	DOE	96	343.5	11.30	93	97.6	3.40
4	2003	23	4529578	Q028	DOE	Not Available	187.4	5.00	59	149.7	5.10
4	2083	123	4050414	Q206 within (Q206, Q956)	DOE	16	286.6	8.60	71	132.3	6.60
4	2126	14	4442846	Q157	DOE	Not Available	239.0	7.80	90	95.8	3.70

* Score of "Not Available" indicates building use categories for which the Portfolio Manager does not provide an ENERGY STAR score.

* Source EUI and GHG Emissions Intensity calculations performed by U.S. Environmental Protection Agency (EPA) methodology with EPA greenhouse gas emissions factors.

Borough	Block	Lot	BIN	Building	Agency	2010*			2014		
						* Score	Source EUI (kBtu/ft²)*	GHG Emissions Intensity (kgCO2e/ft²)*	* Score	Source EUI (kBtu/ft²)*	GHG Emissions Intensity (kgCO2e/ft²)*
4	2128	14	4051200	Q175	DOE	Not Available	270.5	7.00	74	99.0	5.30
4	2143	1	4051290	Q220	DOE	Not Available	331.9	10.80	83	99.3	4.80
4	2189	2	4052143	Q440 within (Q440, Q441)	DOE	Not Available	221.8	6.80	76	123.6	6.80
4	2218	21	4052265	Q003	DOE	Not Available	244.4	8.00	52	175.4	6.80
4	2248	100	4052713	Q196	DOE	Not Available	327.2	10.20	43	146.2	6.40
4	2284	6	4052874	Q825 within (Q125, Q825, Q947)	DOE	Not Available	224.3	6.60	45	110.3	4.10
4	2284	6	4052874	Q125 within (Q125, Q825, Q947)	DOE	Not Available	290.1	8.60	45	110.3	4.10
4	2423	1	4440274	Q229	DOE	Not Available	249.3	7.30	39	149.3	6.10
4	2450	17	4454423	Q005	DOE	Not Available	93.1	2.40	31	195.1	6.60
4	2451	21	4056455	Q877	DOE	Not Available	295.8	9.20	71	183.4	6.20
4	2503	31	4058611	Q873 within (Q073, Q873)	DOE	Not Available	301.4	9.00	59	94.9	4.80
4	2503	31	4058611	Q073 within (Q073, Q873)	DOE	Not Available	263.8	8.20	59	94.9	4.80
4	2631	106	4059130	Q009	DOE	Not Available	257.9	7.60	97	84.1	3.20
4	2732	18	4060987	Q153	DOE	Not Available	258.7	7.50	72	117.5	4.70
4	2802	94	4062861	Q058	DOE	Not Available	230.3	6.20	66	124.4	4.20
4	2803	1	4062864	Q585	DOE	Not Available	277.1	9.00	16	193.9	5.90
4	2864	36	4064938	Q269	DOE	Not Available	172.6	4.80	63	100.8	3.90
4	2879	31	4437597	Q102	DOE	Not Available	299.4	9.30	28	156.7	5.00
4	2990	45	4069253	Q049	DOE	Not Available	338.1	10.00	20	232.1	7.80
4	3025	38	4070411	Q878	DOE	Not Available	142.6	6.00	100	44.9	2.30
4	3027	37	4070445	Q247	DOE	Not Available	11.1	0.50	9	273.8	8.20
4	3095	50	4072457	Q139	DOE	1	451.4	13.10	74	108.1	4.40
4	3134	24	4073904	Q174 within (Q174, Q935)	DOE	Not Available	654.4	32.80	85	88.6	4.60
4	3172	2	4075214	Q190	DOE	Not Available	654.4	32.80	66	82.5	4.40
4	3212	1	4076870	Q144	DOE	Not Available	654.4	32.80	70	101.5	5.00
4	3270	1	4078312	Q101	DOE	Not Available	654.4	32.80	76	133.7	5.80
4	3354	39	4437660	Q866	DOE	Not Available	654.4	32.80	24	195.2	6.70
4	3360	1	4080168	Q099	DOE	Not Available	654.4	32.80	9	196.4	10.90
4	3363	1	4080227	Q485 within (Q485, Q487)	DOE	Not Available	654.4	32.80	91	107.1	4.70
4	3365	27	4080234	Q290	DOE	Not Available	654.4	32.80	Not Available	Not Available	2.60
4	3428	15	4081817	Q245	DOE	Not Available	654.4	32.80	2	351.0	10.10
4	3434	1	4081987	Q848	DOE	Not Available	654.4	32.80	92	71.4	3.20
4	3437	1	4082076	Q081 within (Q081, Q917)	DOE	Not Available	654.4	32.80	89	92.1	3.70
4	3490	1	4083511	Q093	DOE	Not Available	654.4	32.80	93	113.4	5.30
4	3492	7	4083519	Q071	DOE	Not Available	654.4	32.80	86	91.7	3.90
4	3534	12	4085173	Q088	DOE	Not Available	654.4	32.80	45	125.3	4.60
4	3549	44	4085584	Q075	DOE	Not Available	654.4	32.80	80	116.2	5.70
4	3560	4	4085866	Q876	DOE	Not Available	654.4	32.80	38	172.4	6.10
4	3561	1	4435561	Q239	DOE	Not Available	654.4	32.80	52	135.5	4.40
4	3563	23	4085922	Q849	DOE	Not Available	654.4	32.80	49	119.9	4.40
4	3579	1	4437837	Q068	DOE	Not Available	654.4	32.80	49	155.5	5.20
4	3683	1	4089566	Q091	DOE	Not Available	654.4	32.80	72	108.5	4.90
4	3782	27	4091737	Q087	DOE	Not Available	654.4	32.80	48	149.5	5.20
4	3812	20	4092660	Q119	DOE	Not Available	654.4	32.80	92	95.8	3.80
4	3846	40	4094055	Q113	DOE	Not Available	654.4	32.80	47	195.4	6.30
4	3886	800	4447233	Q686	DOE	Not Available	654.4	32.80	8	257.8	8.10
4	3976	1	4096774	Q129 within (Q129, Q924)	DOE	Not Available	654.4	32.80	76	100.0	3.80
4	4229	14	4099925	Q952 within (Q029, Q952)	DOE	Not Available	654.4	32.80	37	135.8	5.60
4	4229	14	4099925	Q029 within (Q029, Q952)	DOE	Not Available	654.4	32.80	37	135.8	5.60

* Score of "Not Available" indicates building use categories for which the Portfolio Manager does not provide an ENERGY STAR score.

* Source EUI and GHG Emissions Intensity calculations performed by U.S. Environmental Protection Agency (EPA) methodology with EPA greenhouse gas emissions factors.

Borough	Block	Lot	BIN	Building	Agency	2 0 1 0 *			2 0 1 4		
						* Score	Source EUI (kBtu/ft²)*	GHG Emissions Intensity (kgCO2e/ft²)*	* Score	Source EUI (kBtu/ft²)*	GHG Emissions Intensity (kgCO2e/ft²)*
4	4370	50	4100749	Q859	DOE	Not Available	654.4	32.80	78	169.5	4.70
4	4371	173	4462993	Q242	DOE	Not Available	654.4	32.80	65	152.0	5.30
4	4413	20	4100846	Q214	DOE	Not Available	654.4	32.80	52	125.7	7.10
4	4538	1	4103056	Q193 within (Q193, Q967)	DOE	Not Available	654.4	32.80	79	96.7	5.30
4	4647	1	4105232	Q079 within (Q079, Q766)	DOE	Not Available	654.4	32.80	62	102.5	4.80
4	4729	1	4107342	Q194	DOE	Not Available	654.4	32.80	80	76.1	4.10
4	4802	1	4108664	Q185	DOE	Not Available	654.4	32.80	73	95.8	4.80
4	4803	1	4108665	Q021	DOE	Not Available	654.4	32.80	36	122.3	5.00
4	4956	55	4112106	Q023	DOE	Not Available	654.4	32.80	86	151.0	5.50
4	5002	1	4113172	Q460	DOE	Not Available	654.4	32.80	82	119.4	6.30
4	5047	1	4114657	Q020	DOE	Not Available	654.4	32.80	47	140.2	5.40
4	5051	27	4114763	Q189	DOE	Not Available	654.4	32.80	81	100.1	4.90
4	5137	43	4541682	Q244	DOE	Not Available	654.4	32.80	1	388.0	11.70
4	5147	1	4116436	Q237	DOE	Not Available	654.4	32.80	77	102.6	5.20
4	5201	21	4117403	Q024 within (Q024, Q936)	DOE	Not Available	654.4	32.80	68	137.5	6.10
4	5256	1	4118954	Q032 within (Q032, Q922)	DOE	Not Available	654.4	32.80	77	94.1	5.10
4	5261	1	4119139	Q025	DOE	Not Available	654.4	32.80	35	146.5	7.30
4	5328	1	4438184	Q022 within (Q022, Q959)	DOE	Not Available	654.4	32.80	86	101.3	4.90
4	5446	18	4123454	Q107	DOE	Not Available	654.4	32.80	60	118.0	6.00
4	5674	2	4128231	Q979 within (Q177, Q979)	DOE	Not Available	654.4	32.80	22	207.2	9.50
4	5674	2	4128231	Q177 within (Q177, Q979)	DOE	Not Available	654.4	32.80	22	207.2	9.50
4	5734	1	4128717	Q209	DOE	Not Available	654.4	32.80	88	88.0	4.40
4	5756	1	4129072	Q184	DOE	Not Available	654.4	32.80	89	100.4	5.50
4	5865	50	4131147	Q169	DOE	Not Available	654.4	32.80	48	112.3	5.90
4	6038	13	4134525	Q159	DOE	Not Available	654.4	32.80	73	99.3	4.40
4	6044	1	4134578	Q405 within (Q405, Q761)	DOE	Not Available	654.4	32.80	100	81.6	3.90
4	6121	1	4135975	Q041 within (Q041, Q728)	DOE	Not Available	654.4	32.80	62	115.5	5.20
4	6185	1	4438249	Q809	DOE	Not Available	654.4	32.80	43	165.4	7.00
4	6203	1	4137034	Q130	DOE	Not Available	654.4	32.80	40	128.3	5.70
4	6373	1	4139491	Q120	DOE	Not Available	654.4	32.80	34	132.2	4.80
4	6507	1	4439900	Q425 within (Q425, Q426, Q951)	DOE	Not Available	654.4	32.80	62	139.0	6.00
4	6507	1	4448708	Q219	DOE	Not Available	654.4	32.80	39	125.3	6.10
4	6507	1	4439900	Q426 within (Q425, Q426, Q951)	DOE	Not Available	654.4	32.80	62	139.0	6.00
4	6507	150	4467571	Q499	DOE	Not Available	654.4	32.80	44	158.0	5.00
4	6507	200	4538714	Q515	DOE	Not Available	654.4	32.80	58	145.2	4.80
4	6606	2	4142980	Q164	DOE	Not Available	654.4	32.80	81	102.0	5.60
4	6629	35	4438284	Q792	DOE	Not Available	654.4	32.80	93	94.1	4.60
4	6697	12	4144881	Q165	DOE	Not Available	654.4	32.80	59	140.8	7.20
4	6726	70	4146042	Q163 within (Q163, Q968)	DOE	Not Available	654.4	32.80	74	108.3	4.40
4	6789	1	4146990	Q200	DOE	Not Available	654.4	32.80	59	137.9	7.80
4	6792	100	4146992	Q201	DOE	Not Available	654.4	32.80	81	82.4	4.30
4	6809	56	4147452	Q707	DOE	Not Available	654.4	32.80	57	143.7	5.20
4	6826	1	4147847	Q168	DOE	Not Available	654.4	32.80	96	78.0	2.60
4	6834	1	4148003	Q154	DOE	Not Available	654.4	32.80	58	119.7	4.70
4	6858	1	4442432	Q695	DOE	Not Available	654.4	32.80	3	271.6	8.50
4	6882	1	4148763	Q430 within (Q430, Q966)	DOE	Not Available	654.4	32.80	88	107.7	5.20
4	6903	1	4149078	Q216	DOE	Not Available	654.4	32.80	95	80.3	4.20
4	6927	22	4149690	Q173 within (Q173, Q723)	DOE	Not Available	654.4	32.80	45	122.7	7.00
4	6927	22	4149690	Q723 within (Q173, Q723)	DOE	Not Available	654.4	32.80	45	122.7	7.00

* Score of "Not Available" indicates building use categories for which the Portfolio Manager does not provide an ENERGY STAR score.

* Source EUI and GHG Emissions Intensity calculations performed by U.S. Environmental Protection Agency (EPA) methodology with EPA greenhouse gas emissions factors.

Borough	Block	Lot	BIN	Building	Agency	2010*			2014		
						* Score	Source EUI (kBtu/ft²)*	GHG Emissions Intensity (kgCO2e/ft²)*	* Score	Source EUI (kBtu/ft²)*	GHG Emissions Intensity (kgCO2e/ft²)*
4	7117	421	4153296	Q026	DOE	Not Available	654.4	32.80	44	108.0	6.10
4	7128	10	4153407	Q179	DOE	Not Available	654.4	32.80	99	50.4	2.40
4	7277	1	4156558	Q178	DOE	Not Available	654.4	32.80	90	106.3	4.20
4	7312	1	4438325	Q158	DOE	Not Available	654.4	32.80	83	79.3	4.30
4	7316	18	4156949	Q031	DOE	Not Available	654.4	32.80	37	134.5	7.20
4	7410	1	4159363	Q162	DOE	Not Available	654.4	32.80	72	65.9	3.10
4	7482	317	4161005	Q203	DOE	Not Available	654.4	32.80	90	96.3	5.10
4	7529	1	4161735	Q415 within (Q415, Q416, Q943)	DOE	Not Available	121.3	3.70	76	120.2	6.30
4	7619	1	4162449	Q046	DOE	Not Available	121.3	3.70	88	108.4	5.40
4	7677	1	4163698	Q213	DOE	Not Available	121.3	3.70	89	78.5	4.10
4	7723	1	4163953	Q074	DOE	Not Available	121.3	3.70	87	105.7	5.30
4	7753	1	4164007	Q205	DOE	Not Available	121.3	3.70	83	83.5	5.00
4	7774	165	4164350	Q188	DOE	Not Available	121.3	3.70	82	93.7	3.80
4	7870	70	4529898	Q208	DOE	Not Available	45.4	1.60	13	240.7	8.10
4	7870	72	4529899	Q566	DOE	Not Available	45.4	1.60	64	127.5	4.20
4	7870	74	4529900	Q266	DOE	Not Available	45.4	1.60	12	251.1	7.70
4	7930	2	4166101	Q435	DOE	Not Available	832.8	24.50	100	64.4	3.40
4	7955	2	4166561	Q018	DOE	Not Available	832.8	24.50	89	88.9	4.70
4	8082	285	4168629	Q098	DOE	Not Available	832.8	24.50	76	129.9	5.80
4	8135	29	4169468	Q094	DOE	Not Available	832.8	24.50	53	133.9	5.50
4	8221	12	4170797	Q067	DOE	Not Available	832.8	24.50	90	75.3	3.80
4	8276	620	4171759	Q221	DOE	Not Available	832.8	24.50	65	86.2	4.70
4	8361	1	4173060	Q811	DOE	Not Available	832.8	24.50	37	158.3	8.00
4	8401	375	4173640	Q186	DOE	Not Available	832.8	24.50	48	148.8	8.50
4	8616	1	4175739	Q133	DOE	Not Available	832.8	24.50	75	78.7	3.30
4	8717	1	4178127	Q115	DOE	Not Available	832.8	24.50	82	93.3	5.00
4	8731	4	4178464	Q172	DOE	Not Available	832.8	24.50	79	93.6	4.70
4	8801	14	4180083	Q191	DOE	Not Available	832.8	24.50	89	96.1	6.40
4	8855	20	4181565	Q097	DOE	Not Available	832.8	24.50	85	108.5	4.20
4	8929	58	4184144	Q060 within (Q060, Q860)	DOE	Not Available	832.8	24.50	96	86.2	3.50
4	8929	58	4184144	Q860 within (Q060, Q860)	DOE	Not Available	832.8	24.50	96	86.2	3.50
4	8975	1	4518705	Q262	DOE	Not Available	832.8	24.50	1	329.0	9.50
4	9053	14	4188214	Q064	DOE	Not Available	832.8	24.50	80	123.7	6.50
4	9064	31	4541381	Q316	DOE	Not Available	70.6	2.50	Not Available	Not Available	1.70
4	9067	1	4188567	Q210	DOE	Not Available	166.8	6.30	61	107.0	4.90
4	9121	11	4438525	Q884	DOE	Not Available	166.8	6.30	48	155.0	4.80
4	9155	25	4190727	Q063	DOE	Not Available	166.8	6.30	71	116.7	4.60
4	9172	1	4467457	Q137	DOE	Not Available	166.8	6.30	36	150.0	5.20
4	9177	23	4191296	Q254	DOE	Not Available	166.8	6.30	30	163.0	5.80
4	9183	1	4191497	Q066 within (Q066, Q989)	DOE	Not Available	166.8	6.30	90	102.3	3.90
4	9204	28	4192167	Q090	DOE	Not Available	166.8	6.30	72	99.6	4.10
4	9226	57	4192689	Q056 within (Q056, Q995)	DOE	Not Available	166.8	6.30	71	138.4	6.20
4	9280	1	4193916	Q864 within (Q054, Q864)	DOE	Not Available	166.8	6.30	80	106.3	4.70
4	9280	1	4193916	Q054 within (Q054, Q864)	DOE	Not Available	166.8	6.30	80	106.3	4.70
4	9288	101	4864381	Q273	DOE	Not Available	166.8	6.30	21	219.7	6.40
4	9321	1	4195688	Q944 within (Q475, Q944)	DOE	Not Available	166.8	6.30	70	139.0	7.20
4	9321	1	4195688	Q475 within (Q475, Q944)	DOE	Not Available	166.8	6.30	70	139.0	7.20
4	9327	26	4449704	Q051	DOE	Not Available	339.0	11.40	89	111.5	4.40
4	9381	44	4438609	Q650	DOE	Not Available	339.0	11.40	31	192.1	5.60

* Score of "Not Available" indicates building use categories for which the Portfolio Manager does not provide an ENERGY STAR score.

* Source EUI and GHG Emissions Intensity calculations performed by U.S. Environmental Protection Agency (EPA) methodology with EPA greenhouse gas emissions factors.

Borough	Block	Lot	BIN	Building	Agency	2010*			2014		
						* Score	Source EUI (kBtu/ft²)*	GHG Emissions Intensity (kgCO2e/ft²)*	* Score	Source EUI (kBtu/ft²)*	GHG Emissions Intensity (kgCO2e/ft²)*
4	9410	1	4197909	Q062	DOE	Not Available	339.0	11.40	77	104.5	4.20
4	9435	16	4441342	Q636	DOE	Not Available	339.0	11.40	40	137.9	4.90
4	9477	1	4200233	Q865 within (Q055, Q865, Q953)	DOE	Not Available	70.6	2.50	32	181.1	7.40
4	9477	1	4200233	Q055 within (Q055, Q865, Q953)	DOE	Not Available	70.6	2.50	32	181.1	7.40
4	9491	1	4200748	Q161	DOE	Not Available	70.6	2.50	47	154.1	5.10
4	9540	2	4202849	Q480 within (Q480, Q481, Q726)	DOE	Not Available	70.6	2.50	89	117.7	6.20
4	9677	7	4206784	Q732	DOE	Not Available	70.6	2.50	74	159.8	4.90
4	9677	16	4206785	Q733	DOE	Not Available	70.6	2.50	10	205.8	6.10
4	9679	67	4448758	Q882	DOE	Not Available	70.6	2.50	44	96.0	4.80
4	9679	67	4448758	Q883	DOE	Not Available	70.6	2.50	87	88.1	5.00
4	9684	8	4206905	Q082	DOE	Not Available	70.6	2.50	57	134.0	5.10
4	9707	48	4207510	Q680	DOE	Not Available	70.6	2.50	73	88.8	2.70
4	9723	150	4208040	Q117	DOE	Not Available	70.6	2.50	61	102.9	4.60
4	9724	173	4208124	Q994 within (Q217, Q994)	DOE	Not Available	70.6	2.50	96	108.3	5.30
4	9724	173	4208124	Q217 within (Q217, Q994)	DOE	Not Available	70.6	2.50	96	108.3	5.30
4	9763	23	4865310	Q277	DOE	Not Available	70.6	2.50	30	180.7	6.00
4	9768	22	4209031	Q595 within (Q595, Q969)	DOE	Not Available	Not Available	Not Available	77	111.4	3.90
4	9774	1	4448767	Q505 within (Q505, Q086, Q506)	DOE	Not Available	95.3	2.50	98	92.8	4.50
4	9774	1	4438678	Q086 within (Q505, Q086, Q506)	DOE	Not Available	Not Available	Not Available	98	92.8	4.50
4	9858	100	4448806	Q470	DOE	Not Available	183.5	4.90	94	106.8	4.20
4	9867	2	4211027	Q620	DOE	Not Available	229.0	7.50	94	89.1	4.40
4	9875	1	4211112	Q131 within (Q131, Q911)	DOE	Not Available	229.0	7.50	31	137.7	5.80
4	9914	1	4446042	Q095 within (Q095, Q910)	DOE	78	181.8	5.90	91	98.1	4.00
4	9919	6	4212425	Q238	DOE	12	1,101.8	31.00	66	89.7	4.20
4	10024	12	4214461	Q050 within (Q050, Q850)	DOE	12	1,101.8	31.00	68	154.8	6.00
4	10024	12	4214461	Q850 within (Q050, Q850)	DOE	12	1,101.8	31.00	68	154.8	6.00
4	10141	43	4216040	Q814	DOE	24	734.3	24.50	98	58.5	3.20
4	10144	42	4216099	Q048	DOE	Not Available	52.2	1.40	84	126.8	5.70
4	10144	47	4864928	Q276	DOE	Not Available	Not Available	Not Available	44	196.6	6.40
4	10178	1	4216655	Q008	DOE	Not Available	Not Available	Not Available	38	119.5	5.90
4	10215	1	4217573	Q268	DOE	Not Available	Not Available	Not Available	52	170.3	5.80
4	10250	1	4218416	Q116 within (Q116, Q930)	DOE	Not Available	Not Available	Not Available	69	117.4	4.90
4	10447	7	4222137	Q035 within (Q035, Q929)	DOE	Not Available	398.0	16.50	72	119.4	4.60
4	10582	16	4225816	Q135	DOE	Not Available	344.9	12.70	40	141.1	5.30
4	10626	1	4226839	Q109	DOE	Not Available	344.9	12.70	83	105.1	4.60
4	10756	1	4230589	Q033 within (Q033, Q931)	DOE	87	109.2	5.70	52	124.1	5.30
4	10813	5	4231378	Q263	DOE	67	190.4	5.00	3	283.1	8.30
4	10906	1	4440330	Q134 within (Q134, Q835)	DOE	82	106.8	5.10	43	146.7	6.00
4	10906	1	4438829	Q835 within (Q134, Q835)	DOE	87	52.2	1.50	43	146.7	6.00
4	10926	50	4233850	Q118	DOE	33	115.8	5.50	67	126.5	5.30
4	10944	301	4234318	Q192	DOE	8	252.2	6.50	73	97.7	4.30
4	11018	21	4236757	Q822	DOE	53	104.0	5.30	59	175.0	4.60
4	11018	21	4236757	Q136	DOE	52	148.8	7.20	67	108.4	4.50
4	11049	1	4238003	Q490 within (Q490, Q491)	DOE	2	235.0	13.10	91	106.0	4.50
4	11151	81	4240503	Q034 within (Q034, Q834)	DOE	2	222.1	12.70	51	126.7	5.20
4	11151	81	4240503	Q834 within (Q034, Q834)	DOE	82	107.8	3.90	51	126.7	5.20
4	11300	1	4243743	Q147	DOE	87	127.7	5.50	75	120.6	4.80
4	11300	1	4243743	Q851	DOE	63	125.4	5.30	18	288.4	7.60
4	11403	1	4245993	Q202	DOE	45	132.9	5.80	96	85.8	4.40

* Score of "Not Available" indicates building use categories for which the Portfolio Manager does not provide an ENERGY STAR score.

* Source EUI and GHG Emissions Intensity calculations performed by U.S. Environmental Protection Agency (EPA) methodology with EPA greenhouse gas emissions factors.

Borough	Block	Lot	BIN	Building	Agency	2010*			2014		
						Score*	Source EUI (kBtu/ft²)*	GHG Emissions Intensity (kgCO2e/ft²)*	Score*	Source EUI (kBtu/ft²)*	GHG Emissions Intensity (kgCO2e/ft²)*
4	11445	1	4247454	Q232 within (Q232, Q983)	DOE	48	126.9	4.80	94	79.1	4.20
4	11475	11	4247572	Q108	DOE	91	105.4	5.50	51	127.1	4.80
4	11607	1	4249769	Q121 within (Q121, Q915)	DOE	77	113.3	4.30	87	102.1	4.00
4	11623	1	4250416	Q100	DOE	83	118.1	4.50	55	139.5	5.70
4	11673	1	4252357	Q155 within (Q155, Q976)	DOE	66	102.8	3.90	84	98.3	5.30
4	11694	27	4253028	Q096 within (Q096, Q986)	DOE	67	113.4	4.10	93	105.2	4.60
4	11714	100	4253607	Q226 within (Q226, Q923)	DOE	90	94.2	4.30	70	118.0	4.70
4	11882	1	4257530	Q124	DOE	6	363.1	11.90	53	177.4	7.80
4	11942	302	4258143	Q160 within (Q160, Q958)	DOE	34	149.9	7.60	62	123.7	6.30
4	11972	70	4259200	Q875 within (Q142, Q875)	DOE	54	112.4	5.60	61	140.4	5.60
4	11972	70	4259200	Q142 within (Q142, Q875)	DOE	24	223.8	6.70	61	140.4	5.60
4	12019	10	4260828	Q123 within (Q123, Q965)	DOE	30	153.6	6.30	91	78.9	3.60
4	12033	10	4261207	Q781	DOE	74	99.3	5.20	84	126.2	5.00
4	12051	1	4440628	Q223	DOE	59	112.4	4.10	64	150.5	7.30
4	12104	1	4262725	Q045	DOE	14	176.2	7.70	92	92.8	4.10
4	12151	1	4263341	Q040 within (Q040, Q988)	DOE	58	141.4	4.60	63	127.4	5.70
4	12261	1	4265978	Q400	DOE	39	163.0	4.90	76	121.3	6.90
4	12335	49	4464077	Q690	DOE	89	106.0	4.00	6	207.9	6.80
4	12341	31	4267260	Q140 within (Q140, Q954)	DOE	66	116.2	5.60	64	127.6	5.50
4	12393	1	4268543	Q633	DOE	40	114.5	4.10	24	171.6	5.70
4	12439	32	4268900	Q036 within (Q036, Q836)	DOE	85	93.2	3.60	38	154.5	6.90
4	12495	65	4270045	Q030 within (Q030, Q962)	DOE	90	89.8	3.40	96	92.6	4.60
4	12495	166	4270056	Q080	DOE	71	76.8	3.90	88	96.9	4.80
4	12495	270	4270059	Q072	DOE	58	102.3	4.80	89	84.2	3.70
4	12672	1	4273142	Q015	DOE	75	129.2	5.00	59	155.3	6.00
4	12723	76	4274083	Q059	DOE	70	101.4	5.40	85	77.1	3.30
4	12820	1	4276382	Q176 within (Q176, Q992)	DOE	100	71.2	3.20	48	122.9	6.00
4	12927	28	4278380	Q132 within (Q132, Q996)	DOE	87	112.3	4.80	85	111.0	4.80
4	12973	1	4529511	Q270	DOE	94	58.2	2.80	42	173.6	6.00
4	12993	118	4279864	Q037	DOE	82	98.0	4.20	22	150.4	8.30
4	13057	56	4280845	Q420 within (Q420, Q421)	DOE	82	120.8	4.30	91	102.0	5.20
4	13170	12	4283015	Q156 within (Q156, Q957)	DOE	91	99.3	4.60	58	149.0	6.00
4	13222	1	4284236	Q038 within (Q038, Q946)	DOE	91	99.3	4.60	62	141.0	5.80
4	13331	1	4285682	Q251 within (Q231, Q251)	DOE	Not Available	Not Available	Not Available	78	87.5	3.60
4	13331	1	4285682	Q231 within (Q231, Q251)	DOE	86	108.2	4.10	78	87.5	3.60
4	13353	20	4285972	Q052 within (Q052, Q960)	DOE	72	120.9	4.30	77	142.8	5.90
4	13578	1	4288640	Q138	DOE	73	100.8	4.00	40	156.8	6.60
4	13640	1	4289717	Q374 (Leased)	DOE	94	90.3	3.60	Not Available	Not Available	0.40
4	13655	1	4290116	Q195	DOE	93	77.3	3.70	50	136.8	6.80
4	13718	1	4291453	Q181	DOE	75	123.1	5.70	85	97.5	4.90
4	14009	60	4293311	Q207	DOE	91	112.8	4.80	93	73.4	3.90
4	14168	16	4295163	Q146 within (Q146, Q987)	DOE	51	139.0	5.00	93	91.4	3.50
4	15541	1	4297972	Q253	DOE	64	125.4	5.10	30	186.8	6.00
4	15557	25	4298234	Q053	DOE	61	131.0	4.90	21	139.7	6.50
4	15597	1	4298856	Q197	DOE	92	105.6	5.00	56	115.3	6.50
4	15693	1	4442313	Q104	DOE	28	112.1	5.00	65	133.0	7.70
4	15736	1	4300730	Q465 within (Q465, Q466)	DOE	81	104.9	5.30	94	107.9	4.60
4	15772	31	4301194	Q215	DOE	65	139.5	5.60	68	100.8	5.60
4	15819	148	4531136	Q907	DOE	62	141.6	5.10	17	194.0	9.80

* Score of "Not Available" indicates building use categories for which the Portfolio Manager does not provide an ENERGY STAR score.

* Source EUI and GHG Emissions Intensity calculations performed by U.S. Environmental Protection Agency (EPA) methodology with EPA greenhouse gas emissions factors.

Borough	Block	Lot	BIN	Building	Agency	2010*			2014		
						Score*	Source EUI (kBtu/ft²)*	GHG Emissions Intensity (kgCO2e/ft²)*	Score*	Source EUI (kBtu/ft²)*	GHG Emissions Intensity (kgCO2e/ft²)*
4	15820	1	4467711	Q043 within (Q043, Q920)	DOE	31	594.2	25.40	36	173.3	7.30
4	15861	35	4441244	Q106 within (Q106, Q727, Q806)	DOE	71	118.6	4.70	78	151.3	5.50
4	15861	35	4441244	Q806 within (Q106, Q727, Q806)	DOE	14	197.7	6.70	78	151.3	5.50
4	15894	11	4301929	Q198	DOE	68	122.6	4.60	79	107.2	5.60
4	15974	3	4302397	Q105	DOE	32	155.2	8.30	91	106.1	5.00
4	16039	14	4302817	Q042	DOE	32	155.2	8.30	60	97.3	4.20
4	16112	1	4303354	Q183	DOE	86	80.0	2.60	71	112.6	5.50
4	16159	12	4303722	Q180	DOE	68	102.1	4.60	67	114.5	4.90
4	16167	99	4303773	Q410 within (Q410, Q411)	DOE	86	103.4	2.70	95	103.6	5.30
4	16181	1	4303853	Q225	DOE	89	98.0	4.50	34	144.0	7.90
4	16257	1	4305615	Q114	DOE	98	120.7	4.20	90	137.3	7.60
4	16258	6	4305631	Q816	DOE	Not Available	113.0	4.50	62	125.4	7.20
4	99999	9999	4000000	Q802 (closed)	DOE	Not Available	341.1	12.70	Not Available	Not Available	-
5	14	32	5000126	R059	DOE	Not Available	902.4	23.40	69	134.8	4.50
5	16	7	5000161	R801	DOE	Not Available	50.7	1.30	88	105.8	4.10
5	18	6	5000290	R831	DOE	Not Available	Not Available	Not Available	54	140.7	6.20
5	18	15	5000291	R016	DOE	Not Available	296.6	9.30	88	86.5	4.30
5	19	4	5000314	R600	DOE	Not Available	131.0	5.20	93	84.0	3.30
5	22	1	5106483	R450 within (R450, R451, R814)	DOE	Not Available	151.9	5.80	67	162.4	8.70
5	49	182	5001150	R031	DOE	Not Available	1,542.3	76.70	44	109.8	5.70
5	73	64	5001823	R973 within (R040, R973)	DOE	100	32.7	0.80	73	162.8	6.10
5	73	64	5001823	R040 within (R040, R973)	DOE	71	117.3	3.00	73	162.8	6.10
5	100	100	5002227	R061	DOE	Not Available	97.0	2.50	67	76.3	4.00
5	176	10	5004877	R018	DOE	1	358.0	10.20	74	109.4	4.00
5	227	24	5006175	R019 within (R019, R817)	DOE	Not Available	Not Available	Not Available	30	202.8	9.00
5	276	7	5007417	R045	DOE	Not Available	349.5	9.50	69	116.2	4.70
5	308	1	5008403	R027	DOE	Not Available	396.1	16.60	87	70.1	4.00
5	331	1	5009028	R029	DOE	Not Available	257.4	9.20	76	118.8	5.90
5	423	9	5113069	R030	DOE	Not Available	265.7	8.70	78	111.1	4.70
5	506	81	5013382	R829	DOE	Not Available	289.8	9.20	9	244.0	8.00
5	534	75	5013955	R722	DOE	Not Available	Not Available	Not Available	69	125.4	5.50
5	545	110	5014176	R014	DOE	Not Available	Not Available	Not Available	85	106.9	4.10
5	556	80	5014184	R049	DOE	Not Available	292.6	9.90	96	75.0	3.90
5	610	127	5015603	R035	DOE	Not Available	382.4	12.40	80	128.9	6.20
5	683	1	5113169	R080 within (R880, R080, R881, R883, R884, R885, R886, R887)	DOE	Not Available	200.6	7.20	25	207.7	7.60
5	683	1	5113169	R880 within (R880, R080, R881, R883, R884, R885, R886, R887)	DOE	Not Available	255.3	9.00	25	207.7	7.60
5	683	1	5113169	R881 within (R880, R080, R881, R883, R884, R885, R886, R887)	DOE	Not Available	215.5	7.30	25	207.7	7.60
5	683	1	5113169	R887 within (R880, R080, R881, R883, R884, R885, R886, R887)	DOE	Not Available	255.7	8.70	25	207.7	7.60
5	683	1	5113169	R886 within (R880, R080, R881, R883, R884, R885, R886, R887)	DOE	Not Available	354.1	12.30	25	207.7	7.60
5	683	1	5113169	R885 within (R880, R080, R881, R883, R884, R885, R886, R887)	DOE	Not Available	305.0	10.10	25	207.7	7.60
5	683	1	5113169	R883 within (R880, R080, R881, R883, R884, R885, R886, R887)	DOE	Not Available	223.0	7.80	25	207.7	7.60
5	683	1	5113169	R884 within (R880, R080, R881, R883, R884, R885, R886, R887)	DOE	Not Available	337.1	11.30	25	207.7	7.60
5	955	1	5146639	R460 within (R460, R461)	DOE	Not Available	260.9	8.60	94	94.0	5.00
5	1020	1	5106979	R020	DOE	Not Available	238.9	8.50	34	204.8	9.50
5	1121	1	5026076	R445 within (R445, R815)	DOE	Not Available	321.6	11.10	83	120.2	4.90
5	1135	1	5026335	R021	DOE	Not Available	186.8	5.80	93	109.9	3.90
5	1218	1	5027641	R044	DOE	Not Available	248.5	8.40	47	127.5	4.90
5	1478	500	5107210	R051	DOE	Not Available	232.2	8.10	98	52.0	2.10
5	1580	44	5031151	R060	DOE	Not Available	196.0	6.90	92	84.0	3.10

* Score of "Not Available" indicates building use categories for which the Portfolio Manager does not provide an ENERGY STAR score.

* Source EUI and GHG Emissions Intensity calculations performed by U.S. Environmental Protection Agency (EPA) methodology with EPA greenhouse gas emissions factors.

Borough	Block	Lot	BIN	Building	Agency	2010*			2014		
						* Score	Source EUI (kBtu/ft²)*	GHG Emissions Intensity (kgCO2e/ft²)*	* Score	Source EUI (kBtu/ft²)*	GHG Emissions Intensity (kgCO2e/ft²)*
5	1653	1	5032481	R861	DOE	Not Available	Not Available	Not Available	10	223.7	6.70
5	1706	1	5107239	R022	DOE	Not Available	Not Available	Not Available	75	122.7	4.60
5	1987	104	5034476	R054	DOE	Not Available	Not Available	Not Available	64	107.0	5.60
5	2364	1	5037524	R072	DOE	Not Available	368.2	13.40	96	81.7	3.40
5	2366	73	5037541	R069	DOE	Not Available	187.5	7.00	90	98.4	4.60
5	2450	305	5145698	R058	DOE	Not Available	342.4	11.30	17	200.9	7.10
5	2450	320	5149609	R043	DOE	Not Available	452.9	17.80	3	294.8	8.80
5	2634	1	5107386	R026	DOE	Not Available	39.8	1.20	88	112.9	4.40
5	2852	1	5042776	R013	DOE	Not Available	338.6	12.20	82	121.8	4.10
5	2885	1	5043479	R470	DOE	Not Available	218.0	7.70	86	138.7	5.80
5	2888	40	5043519	R057	DOE	Not Available	382.3	13.40	94	84.5	3.50
5	3097	14	5045488	R039	DOE	Not Available	399.5	13.70	85	115.8	4.60
5	3168	4	5046367	R071	DOE	Not Available	Not Available	Not Available	24	175.7	5.60
5	3171	1	5046419	R048	DOE	Not Available	288.1	8.60	89	127.4	7.30
5	3243	1	5047613	R046	DOE	Not Available	318.3	11.00	96	61.2	2.50
5	3303	18	5048647	R011	DOE	Not Available	359.1	13.20	77	98.9	4.30
5	3645	7	5052791	R041	DOE	Not Available	363.2	13.10	80	104.1	5.10
5	3696	100	5053571	R002	DOE	Not Available	411.1	14.30	90	67.4	3.20
5	3705	1	5053746	R052	DOE	Not Available	142.6	3.70	78	108.6	4.60
5	3732	6	5054213	R038 within (R038, R816)	DOE	Not Available	321.4	9.50	93	96.3	4.20
5	3930	10	5055367	R435	DOE	Not Available	358.8	11.40	94	109.7	4.80
5	4244	1	5107621	R440 within (R440, R441)	DOE	Not Available	254.2	8.60	93	93.5	3.80
5	4373	1	5059927	R023	DOE	Not Available	206.1	6.30	87	94.6	3.40
5	4586	1	5061911	R840 within (R840, R819)	DOE	Not Available	Not Available	Not Available	88	118.3	4.00
5	4630	13	5062576	R843 within (R818, R843)	DOE	Not Available	164.1	5.20	8	208.2	5.50
5	4716	60	5063495	R050	DOE	Not Available	137.0	4.90	97	67.9	2.70
5	5106	1	5065016	R053	DOE	Not Available	Not Available	Not Available	60	111.1	6.10
5	5153	108	5065854	R024	DOE	1	754.2	21.10	79	78.1	4.10
5	5221	1	5066295	R008	DOE	Not Available	Not Available	Not Available	72	99.4	4.30
5	5336	1	5069075	R055	DOE	Not Available	268.0	9.40	88	126.1	6.80
5	5444	12	5070651	R032	DOE	Not Available	Not Available	Not Available	78	88.6	4.30
5	5605	1	5074394	R042	DOE	Not Available	345.1	11.80	87	111.9	5.60
5	5605	1	5130512	R848	DOE	Not Available	Not Available	Not Available	72	96.7	4.30
5	6025	30	5079499	R004	DOE	Not Available	445.6	14.60	93	68.3	3.00
5	6050	2	5079651	R075	DOE	Not Available	Not Available	Not Available	46	113.3	5.90
5	6262	12	5107743	R844	DOE	Not Available	249.3	8.30	69	113.8	4.80
5	6262	12	5107742	R036	DOE	Not Available	314.2	10.80	58	110.6	5.60
5	6544	1	5082345	R007	DOE	Not Available	176.8	5.90	76	70.2	3.70
5	6566	1	5082407	R005	DOE	Not Available	263.9	8.80	93	95.6	3.50
5	6613	1	5082634	R455 within (R455, R456)	DOE	Not Available	Not Available	Not Available	95	102.0	5.00
5	6796	44	5083311	R003	DOE	Not Available	250.9	9.20	61	116.7	5.60
5	7044	1	5128148	R056	DOE	Not Available	387.5	12.90	19	182.5	6.60
5	7315	7	5086781	R025 within (R025, R910)	DOE	Not Available	Not Available	Not Available	98	127.4	4.70
5	7664	1	5123970	R825	DOE	Not Available	Not Available	Not Available	100	30.9	2.30
5	7760	1	5131697	R006	DOE	Not Available	Not Available	Not Available	35	198.2	6.40
5	7894	1	5088090	R034	DOE	Not Available	Not Available	Not Available	50	117.2	6.50
5	7898	1	5107854	R802 within (R001, R802)	DOE	Not Available	253.1	8.40	67	116.4	5.00
5	7898	1	5107854	R001 within (R001, R802)	DOE	Not Available	343.7	11.60	67	116.4	5.00
4	9993	3	4439745	Queens Business Center (Leased)	DOF	Not Available	182.8	5.90	92	116.7	3.60

* Score of "Not Available" indicates building use categories for which the Portfolio Manager does not provide an ENERGY STAR score.

* Source EUI and GHG Emissions Intensity calculations performed by U.S. Environmental Protection Agency (EPA) methodology with EPA greenhouse gas emissions factors.

Borough	Block	Lot	BIN	Building	Agency	2010*			2014		
						* Score	Source EUI (kBtu/ft²)*	GHG Emissions Intensity (kgCO2e/ft²)*	* Score	Source EUI (kBtu/ft²)*	GHG Emissions Intensity (kgCO2e/ft²)*
1	724	82	1012830	Chelsea Health Center	DOHMH	Not Available	Not Available	Not Available	Not Available	268.4	9.90
1	932	17	1020610	Public Health Laboratory	DOHMH	Not Available	Not Available	Not Available	Not Available	915.1	38.30
1	1640	147	1052229	East Harlem Health Center	DOHMH	Not Available	Not Available	Not Available	Not Available	98.6	4.20
1	1681	37	1052845	Animal Shelter - Manhattan	DOHMH	Not Available	Not Available	Not Available	Not Available	686.2	23.50
1	1734	34	1053900	Central Harlem Health Center	DOHMH	Not Available	246.6	7.10	Not Available	174.0	6.50
1	1983	3	1059720	Manhattanville Health Center	DOHMH	Not Available	281.1	9.40	Not Available	141.1	5.70
1	2138	24	1063379	Washington Heights Health Center	DOHMH	Not Available	Not Available	Not Available	Not Available	468.1	20.20
2	2925	80	2009620	Morrisania Health Center	DOHMH	Not Available	Not Available	Not Available	Not Available	286.9	10.00
2	2945	18	2009891	Tremont Health Center	DOHMH	Not Available	Not Available	Not Available	Not Available	235.8	8.00
3	1365	9	3036147	Crown Heights Health Center	DOHMH	Not Available	Not Available	Not Available	Not Available	225.5	7.40
3	1826	1	3051782	Bedford Health Center	DOHMH	Not Available	Not Available	Not Available	Not Available	312.9	9.90
3	2079	21	3058406	Fort Greene Health Center	DOHMH	Not Available	315.2	10.70	Not Available	199.7	9.00
3	2788	33	3069604	Williamsburg Health Center	DOHMH	Not Available	Not Available	Not Available	Not Available	147.1	6.30
3	3324	1	3076115	Bushwick Health Center	DOHMH	Not Available	364.6	13.10	Not Available	179.2	6.40
3	3559	11	3081765	Brownsville Health Center	DOHMH	Not Available	Not Available	Not Available	Not Available	313.3	11.70
3	4363	1	3097756	Animal Shelter - Brooklyn	DOHMH	Not Available	282.8	9.20	Not Available	598.0	22.40
3	6821	142	3184035	Homecrest Health Center	DOHMH	Not Available	259.9	8.70	Not Available	121.9	4.90
4	518	30	4005758	Astoria Health Center	DOHMH	Not Available	239.1	8.80	Not Available	139.3	5.60
4	791	16	4015250	Prison Health Warehouse	DOHMH	Not Available	Not Available	Not Available	1	227.1	7.80
4	1729	27	4042887	Corona Health Center	DOHMH	Not Available	Not Available	Not Available	Not Available	403.2	14.50
4	9756	6	4208836	Jamaica Health Center Main	DOHMH	Not Available	Not Available	Not Available	Not Available	248.1	9.10
5	9	9	5000089	Richmond Health Center	DOHMH	Not Available	Not Available	Not Available	Not Available	118.1	5.30
3	132	1	3000246	Technology Center (Leased)	DOITT	Not Available	Not Available	Not Available	1	1,278.7	33.80
5	7315	82	5000000	DoITT Facility	DOITT	Not Available	Not Available	Not Available	Not Available	38.9	1.00
5	503	32	5013302	Department of Probation Offices (Leased)	DOP	Not Available	357.0	12.40	40	194.1	7.10
1	2	1	1085792	Staten Island Ferry Terminal (Whitehall)	DOT	Not Available	Not Available	Not Available	Not Available	488.4	16.20
1	410	38	1005326	Delancey Street Parking Garage	DOT	Not Available	Not Available	Not Available	Not Available	39.3	1.00
1	1434	1	1044193	Queensborough Bridge Ramp	DOT	Not Available	Not Available	Not Available	Not Available	260.9	10.80
1	2134	218	1087614	Storage Yard	DOT	Not Available	Not Available	Not Available	Not Available	42.2	1.10
1	2186	9	1081892	Harlem River Bridge Shop	DOT	Not Available	791.6	34.10	Not Available	125.1	4.10
2	2331	22	2000927	Parking Garage	DOT	Not Available	Not Available	Not Available	Not Available	35.8	0.90
2	3030	6	2100288	BX Borough Engineering, BX Sign Shop	DOT	Not Available	Not Available	Not Available	Not Available	121.2	4.40
2	3030	28	2011136	Fleet Services Maintenance and Repair	DOT	Not Available	Not Available	Not Available	Not Available	277.2	8.80
2	3189	9	2014125	Parking Garage	DOT	Not Available	Not Available	Not Available	Not Available	13.8	0.40
2	3328	10	2017791	Parking Garage	DOT	Not Available	Not Available	Not Available	Not Available	8.7	0.20
2	4074	1	2044091	DOT Bronx Borough Commissioners Office	DOT	Not Available	Not Available	Not Available	84	125.9	4.30
3	0	0	3336609	Offices and Storage	DOT	Not Available	Not Available	Not Available	99	57.5	1.50
3	0	0	3000000	Clay Street Storage	DOT	Not Available	Not Available	Not Available	22	92.4	2.40
3	39	1	3000089	Bridges ERB Iron Shop	DOT	Not Available	326.7	11.70	44	79.7	2.40
3	625	2	3817544	Hamilton Ave Asphalt Plant	DOT	Not Available	306.2	9.90	Not Available	4,309.9	211.90
3	635	100	3009123	Brooklyn Sign Shop Sunset Industrial Park (Leased)	DOT	Not Available	273.4	9.30	Not Available	29.2	1.30
3	2453	1	3335960	Williamsburg Bridge Repair Shops	DOT	Not Available	248.1	7.80	Not Available	245.2	12.30
3	2454	1	3335964	Williamsburg Bridge Lighting and Shop	DOT	Not Available	291.6	10.10	Not Available	70.3	2.50
3	2454	1	3335965	Offices	DOT	Not Available	286.2	9.60	50	165.6	4.40
3	6036	1	3153196	Bay Ridge Municipal Garage	DOT	Not Available	290.3	9.80	Not Available	78.1	2.10
3	8012	400	3325350	Fleet Services, BK Street Maintenance	DOT	Not Available	285.3	9.70	Not Available	45.0	1.70
4	24	7	4000025	44th Dr Garage - South Building	DOT	Not Available	Not Available	Not Available	Not Available	131.5	5.20
4	83	18	4000699	Court Square Garage	DOT	Not Available	304.1	10.40	Not Available	34.1	0.90
4	417	2	4005022	Office	DOT	Not Available	Not Available	Not Available	53	247.0	6.50

* Score of "Not Available" indicates building use categories for which the Portfolio Manager does not provide an ENERGY STAR score.

* Source EUI and GHG Emissions Intensity calculations performed by U.S. Environmental Protection Agency (EPA) methodology with EPA greenhouse gas emissions factors.

Borough	Block	Lot	BIN	Building	Agency	2010*			2014		
						* Score	Source EUI (kBtu/ft²)*	GHG Emissions Intensity (kgCO2e/ft²)*	* Score	Source EUI (kBtu/ft²)*	GHG Emissions Intensity (kgCO2e/ft²)*
4	1790	1	4444576	North Fleet Depot (Harper St. Yard Facility)	DOT	Not Available	253.3	8.40	Not Available	265.2	10.60
4	1791	52	4311982	DOT Asphalt Plant	DOT	Not Available	265.2	8.80	Not Available	6,625.7	330.40
4	2675	15	4059838	Maspeth Central Shops	DOT	Not Available	350.9	11.80	Not Available	155.2	7.10
4	3886	558	4095043	DOT Maintenance Shop	DOT	Not Available	46.0	1.40	Not Available	138.8	4.20
4	9657	1	4206524	Queens Borough Hall Parking Garage	DOT	Not Available	104.2	2.70	Not Available	14.2	0.40
4	11368	20	4539787	Maintenance Facility (Sunrise Yard)	DOT	42	267.0	6.90	Not Available	146.0	5.70
5	1	70	5132949	Ferry Maintenance Shop	DOT	Not Available	Not Available	Not Available	Not Available	244.5	8.40
5	185	203	5816091	St. George Ferry Terminal	DOT	Not Available	183.0	5.80	Not Available	739.5	24.70
5	185	501	5005110	1893 Richmond Terrace (Leased)	DOT	Not Available	Not Available	Not Available	Not Available	166.0	6.80
5	215	100	5104536	5 Dubois Ave	DOT	Not Available	313.0	9.70	Not Available	175.1	7.40
5	489	48	5013187	DOT Sign Shop	DOT	Not Available	198.9	6.10	Not Available	109.9	4.90
1	111	160	1083357	Alfred E. Smith Recreation Center	DPR	Not Available	627.6	18.50	Not Available	569.8	27.80
1	340	1	1081932	Hamilton Fish Recreation Center	DPR	Not Available	109.9	2.90	Not Available	252.5	8.80
1	582	50	1009772	Tony Dapolito Recreation Center	DPR	Not Available	79.3	2.10	Not Available	289.0	14.10
1	722	57	1012811	Chelsea Recreation Center	DPR	Not Available	176.3	5.50	Not Available	315.0	10.10
1	981	2	1022552	Asser Levy Recreation Center and Pool	DPR	Not Available	196.1	5.90	Not Available	342.3	16.40
1	1111	1	1000000	Wollman Rink	DPR	Not Available	167.0	4.30	Not Available	2,288.9	66.50
1	1111	1	1083840	North Meadow Recreation Center	DPR	Not Available	225.9	7.30	Not Available	351.1	17.50
1	1111	1	1088762	Central Park Shop and Garage	DPR	Not Available	308.6	10.10	Not Available	205.7	10.70
1	1111	1	1083811	Arsenal Building	DPR	Not Available	315.2	9.70	20	295.1	12.30
1	1111	1	1083839	Central Park Lasker Rink and Pool	DPR	Not Available	243.0	7.80	Not Available	2,170.2	68.00
1	1111	1	1083837	CPC 79th St Maintenance Yard	DPR	Not Available	332.4	11.20	Not Available	303.8	9.40
1	1151	15	1086545	Recreation Center 59	DPR	Not Available	218.1	7.50	Not Available	427.0	15.60
1	1346	32	1039840	Recreation Center 54	DPR	Not Available	246.9	7.30	Not Available	389.3	17.10
1	1488	17	1046409	John Jay Park, Pool and Comfort Station	DPR	Not Available	388.2	11.30	Not Available	166.0	6.60
1	1587	1	1085696	Asphalt Green Recreation Facility	DPR	Not Available	286.3	9.80	Not Available	876.9	27.40
1	1592	1	1076334	Gracie Mansion	DPR	Not Available	94.6	2.50	Not Available	657.8	22.30
1	1705	1	1085632	Thomas Jefferson Recreation Center	DPR	Not Available	107.3	3.70	Not Available	265.1	9.50
1	1719	1	1083967	Pelham Fritz Recreation Center	DPR	Not Available	321.2	10.90	Not Available	325.0	16.80
1	1719	1	1083971	Marcus Garvey Park Pool	DPR	Not Available	276.0	8.80	Not Available	168.0	5.80
1	1730	55	1081456	Hansborough Pool and Recreation Center	DPR	Not Available	226.1	6.70	Not Available	281.6	15.30
1	1819	203	1089646	Five-Boro Technical Services Building	DPR	Not Available	247.6	7.30	Not Available	288.6	14.80
1	1819	203	1085920	Icahn Stadium	DPR	Not Available	237.1	7.50	Not Available	456.5	12.80
1	2052	1	1084164	Jackie Robinson Park Pool and Rec Center	DPR	Not Available	138.8	3.60	Not Available	245.4	13.10
1	2106	1	1063172	Highbridge Recreation Center	DPR	Not Available	119.8	4.00	Not Available	222.8	8.40
1	2139	404	1063445	J Hood Wright Park Recreation Center	DPR	Not Available	187.3	5.50	Not Available	139.1	4.80
2	2494	1	2003021	Mullaly Park Rink and Rec Center	DPR	Not Available	151.7	5.10	Not Available	165.5	5.80
2	2557	1	2003692	St. Mary's Recreation Center and Indoor Pool	DPR	Not Available	202.8	6.10	Not Available	212.5	8.60
2	2763	1	2109472	Hunt's Point Recreation Center	DPR	Not Available	153.8	4.60	Not Available	235.5	9.30
2	2788	1	2000000	Claremont Park Pool	DPR	Not Available	155.1	4.90	Not Available	33.9	0.90
2	2872	126	2824716	West Bronx Recreation Center	DPR	Not Available	178.0	5.00	Not Available	165.0	5.80
2	2941	101	2114529	Crotona Park Pool and Bathhouse	DPR	Not Available	123.8	3.20	Not Available	245.2	8.80
2	3176	1	2118325	St. James Park Recreation Center	DPR	Not Available	218.1	6.60	Not Available	94.7	3.90
2	3257	111	2015788	Kingsbridge Recreation Center	DPR	Not Available	223.4	6.90	Not Available	219.7	7.60
2	4333	1	2101004	Bronx Parks Headquarters and Shops - Ranaqua	DPR	Not Available	349.8	9.10	44	247.2	10.30
2	5650	1	2097423	Orchard Beach Administration Building	DPR	Not Available	142.6	6.00	2	387.8	12.10
2	5900	50	2112805	Arthur Ross Nursery	DPR	Not Available	326.8	14.60	Not Available	330.9	21.70
2	5900	9999	2000000	Van Cortlandt Park Pool	DPR	Not Available	11.1	0.50	Not Available	102.8	2.70
3	582	1	3008670	Red Hook Recreation Center	DPR	Not Available	11.1	0.50	Not Available	389.0	18.60

* Score of "Not Available" indicates building use categories for which the Portfolio Manager does not provide an ENERGY STAR score.

* Source EUI and GHG Emissions Intensity calculations performed by U.S. Environmental Protection Agency (EPA) methodology with EPA greenhouse gas emissions factors.

Borough	Block	Lot	BIN	Building	Agency	2010*			2014		
						* Score	Source EUI (kBtu/ft²)*	GHG Emissions Intensity (kgCO2e/ft²)*	* Score	Source EUI (kBtu/ft²)*	GHG Emissions Intensity (kgCO2e/ft²)*
3	921	1	3337407	Sunset Park Recreation Center and Pool House	DPR	1	499.3	16.50	Not Available	437.8	17.40
3	1117	1	3339261	Prospect Park Zoo	DPR	Not Available	271.0	7.00	Not Available	574.0	15.30
3	1117	1	3347244	Prospect Park Maintenance Facility	DPR	Not Available	355.1	11.40	Not Available	316.4	16.40
3	1117	1	3339260	Litchfield Villa	DPR	Not Available	654.4	32.80	22	335.5	17.20
3	1353	1	3393257	St. Johns Recreation Center	DPR	Not Available	654.4	32.80	Not Available	309.8	12.70
3	1779	27	3255870	Kosciusko Pool House	DPR	Not Available	654.4	32.80	Not Available	255.6	9.20
3	2366	4	3062457	Metropolitan Pool and Fitness Center	DPR	Not Available	654.4	32.80	Not Available	320.0	11.90
3	2687	1	3338037	McCarren Park Recreation Center	DPR	Not Available	654.4	32.80	Not Available	774.2	26.70
3	3570	1	3081931	Betsy Head Pool House	DPR	Not Available	654.4	32.80	Not Available	354.4	21.10
3	3868	2	3085992	Brownsville Recreation Center	DPR	Not Available	654.4	32.80	Not Available	204.6	7.00
3	7069	14	3329347	Poseidon Playground Maintenance Building	DPR	Not Available	654.4	32.80	Not Available	109.1	2.90
3	7073	101	3341513	Abe Stark Ice Rink	DPR	Not Available	121.3	3.70	Not Available	376.2	13.70
4	898	1	4532001	Astoria Park Pool House	DPR	Not Available	121.3	3.70	Not Available	128.1	3.40
4	1722	12	4042761	Louis Armstrong Recreation Center	DPR	Not Available	121.3	3.70	Not Available	241.3	7.80
4	1789	65	4000000	Worlds Fair Marina	DPR	Not Available	121.3	3.70	Not Available	340.0	9.00
4	2018	1	4462167	Flushing Meadows Corona Park Campus: FMCP Aquatic Center	DPR	Not Available	45.4	1.60	Not Available	439.1	14.90
4	2018	1	4854761	Al Oerter Recreation Center	DPR	Not Available	227.8	8.50	Not Available	398.8	13.30
4	2018	500	4865518	Olmsted Center	DPR	Not Available	227.8	8.50	10	373.8	11.60
4	2018	500	4050124	Flushing Meadows Corona Park Campus: Substation	DPR	Not Available	227.8	8.50	Not Available	439.1	14.90
4	2077	50	4050408	Lost Battalion Hall Recreation Center	DPR	Not Available	290.7	9.80	Not Available	165.4	6.20
4	3866	70	4439147	Forest Park DPR Shops	DPR	Not Available	204.5	5.50	Not Available	106.2	3.80
4	7290	1	4156608	Cunningham Park Maintenance Building	DPR	Not Available	316.4	9.30	Not Available	378.2	17.50
4	12406	180	4268835	Roy Wilkins Recreation Center	DPR	Not Available	832.8	24.50	Not Available	270.6	10.30
4	15560	50	4298254	Sorrentino Recreation Center	DPR	Not Available	832.8	24.50	Not Available	143.7	7.60
5	319	1	5112422	Clove Lake Garage and Shops	DPR	Not Available	832.8	24.50	Not Available	325.6	15.00
5	319	1	5112428	Staten Island War Memorial Ice Rink	DPR	Not Available	832.8	24.50	Not Available	660.4	19.80
5	487	112	5106798	Lyons Pool and Recreation Center	DPR	Not Available	174.5	5.60	Not Available	272.1	10.80
5	939	1	5112436	Greenbelt Conservancy Headquarters	DPR	Not Available	272.6	9.90	Not Available	112.2	5.70
5	2610	27	5127019	Greenbelt Native Plant Center	DPR	Not Available	208.5	6.20	Not Available	428.7	19.60
1	29	73	1000850	Administrative Offices	DSNY	Not Available	299.5	10.20	61	206.0	7.80
1	241	13	1078939	Manhattan 3 District Garage	DSNY	Not Available	213.1	6.80	Not Available	399.4	17.40
1	274	6	1079605	Print Shop and Storage	DSNY	Not Available	213.1	6.80	87	33.2	1.30
1	275	3	1079607	Manhattan 3B Garage	DSNY	Not Available	283.8	9.20	Not Available	45.1	1.40
1	670	50	1012267	Manhattan Borough Repair Shop	DSNY	Not Available	46.2	1.20	Not Available	226.2	7.40
1	675	39	1012275	Manhattan 6 District Garage (Leased)	DSNY	Not Available	168.9	5.20	Not Available	579.8	24.40
1	676	3	1085462	Manhattan 6 Vehicle Storage and Fueling	DSNY	Not Available	166.8	6.30	100	22.5	0.90
1	1104	1	1087609	Manhattan 4, 4A, 7 District Garage; Salt	DSNY	Not Available	166.8	6.30	Not Available	949.0	42.40
1	1109	99	1076222	West 59th Street MTS	DSNY	Not Available	166.8	6.30	Not Available	71.7	1.90
1	1671	1	1052640	Manhattan 11 District Garage	DSNY	Not Available	166.8	6.30	Not Available	105.6	5.50
1	1772	31	1054433	Manhattan Lot Cleaning (Leased)	DSNY	Not Available	166.8	6.30	Not Available	132.8	4.30
1	1779	1	1054511	Manhattan 10 District Garage (Leased)	DSNY	Not Available	166.8	6.30	Not Available	197.9	11.10
1	2196	1	1064485	Manhattan 12 District Garage	DSNY	Not Available	166.8	6.30	Not Available	328.3	17.80
1	2212	1	1082036	Bronx 7 & Bronx 8 & Manhattan 8 District Garage Campus: Garage	DSNY	Not Available	166.8	6.30	Not Available	347.0	17.00
2	2352	28	2001102	Manhattan 9 District Garage (Leased)	DSNY	Not Available	166.8	6.30	Not Available	230.6	11.50
2	2765	177	2006621	Bronx 2 District Garage (Leased)	DSNY	Not Available	166.8	6.30	Not Available	231.8	9.70
2	2766	320	2006748	Citywide Transport Unit	DSNY	Not Available	166.8	6.30	Not Available	37.7	1.00
2	2871	77	2008640	Bronx 5 District Garage	DSNY	Not Available	166.8	6.30	Not Available	267.8	16.80
2	2904	34	2009477	Bronx 03 Section Station 1	DSNY	Not Available	339.0	11.40	Not Available	26.3	1.60
2	2953	21	2097277	Bronx 6, 6A District Garage	DSNY	Not Available	70.6	2.50	Not Available	277.7	11.90

* Score of "Not Available" indicates building use categories for which the Portfolio Manager does not provide an ENERGY STAR score.

* Source EUI and GHG Emissions Intensity calculations performed by U.S. Environmental Protection Agency (EPA) methodology with EPA greenhouse gas emissions factors.

Borough	Block	Lot	BIN	Building	Agency	2 0 1 0 *			2 0 1 4		
						* Score	Source EUI (kBtu/ft²)*	GHG Emissions Intensity (kgCO2e/ft²)*	* Score	Source EUI (kBtu/ft²)*	GHG Emissions Intensity (kgCO2e/ft²)*
2	3015	49	2010954	Bronx 3A Broom Depot	DSNY	Not Available	70.6	2.50	Not Available	234.1	11.70
2	3015	58	2010955	Section Station 92, Bronx Enforcement	DSNY	Not Available	70.6	2.50	Not Available	147.2	8.20
2	3047	50	2011508	Bronx Lot Cleaning	DSNY	Not Available	251.9	10.50	Not Available	68.9	3.00
2	3702	1	2094841	Bronx 9, 10, 11 District Garages Campus: Bronx 9/10 Sanitation Garage	DSNY	Not Available	251.9	10.50	Not Available	212.5	10.80
2	3702	1	2094842	Bronx 9, 10, 11 District Garages Campus: Bronx 11 Sanitation Garage	DSNY	Not Available	9.6	0.70	Not Available	212.5	10.80
2	4974	28	2090261	Bronx 12 District Garage	DSNY	Not Available	174.9	5.60	Not Available	233.6	10.30
3	335	1	3004232	Brooklyn 6A Broom Garage (Leased)	DSNY	Not Available	174.9	5.60	Not Available	269.9	12.10
3	625	2	3336714	Hamilton Avenue Marine Transfer Station	DSNY	Not Available	174.9	5.60	Not Available	365.0	10.10
3	725	200	3347738	Brooklyn South 7 and 10 District Garage	DSNY	Not Available	95.3	2.50	Not Available	757.3	42.00
3	1020	1	3022747	Brooklyn South 6 District Garage	DSNY	Not Available	95.3	2.50	Not Available	164.8	6.60
3	1038	1	3023562	Brooklyn North 2 District Garage (Leased)	DSNY	Not Available	95.3	2.50	Not Available	333.1	13.70
3	1336	18	3330693	Brooklyn North 8 District Garage	DSNY	Not Available	95.3	2.50	Not Available	264.7	10.60
3	2962	1	3070545	Brooklyn North 1 District & 4 District Garage	DSNY	Not Available	95.3	2.50	Not Available	339.6	13.50
3	2987	16	3070584	Brooklyn North 3 District Garage (Leased)	DSNY	Not Available	95.3	2.50	Not Available	257.2	10.30
3	3871	1	3252759	Cioffe Borough Repair Shop	DSNY	Not Available	95.3	2.50	Not Available	673.0	28.60
3	4388	1	3097871	Brooklyn South 16 District Garage	DSNY	Not Available	95.3	2.50	Not Available	354.2	21.10
3	4555	1	3099064	Brooklyn Lot Cleaning and Salt Shed	DSNY	Not Available	95.3	2.50	96	32.9	1.20
3	4562	1	3099068	Brooklyn North 5 District Garage (Leased)	DSNY	Not Available	95.3	2.50	Not Available	287.2	12.00
3	4827	39	3327687	Brooklyn North 9 District Garage	DSNY	Not Available	95.3	2.50	Not Available	373.5	14.60
3	5494	89	3328495	Brooklyn South 12 District Garage	DSNY	Not Available	95.3	2.50	Not Available	249.9	11.20
3	5495	1	3130960	Brooklyn 12 District Garage Parking Lot	DSNY	Not Available	95.3	2.50	Not Available	317.1	14.60
3	6943	30	3378180	Brooklyn 11 District Garage; BK Boro Office; SW MTS	DSNY	Not Available	95.3	2.50	Not Available	130.0	7.30
3	7018	1	3188979	Brooklyn South 13 District Garage (Leased)	DSNY	Not Available	95.3	2.50	Not Available	367.6	22.20
3	7893	52	3220944	Brooklyn South 15 District Garage - 49th St (Leased)	DSNY	Not Available	95.3	2.50	Not Available	208.6	8.60
3	7918	145	3221978	Brooklyn South 14 District Garage (Leased)	DSNY	Not Available	95.3	2.50	Not Available	215.0	9.00
3	8138	1	3256921	Brooklyn South 17 and 18 District Garage	DSNY	Not Available	95.3	2.50	Not Available	323.4	13.30
4	523	12	4005787	Queens West 1 District Garage	DSNY	Not Available	95.3	2.50	Not Available	449.2	18.40
4	2347	55	4054170	Queens Borough Repair Shop	DSNY	Not Available	95.3	2.50	Not Available	232.4	7.70
4	2361	268	4462505	Queens West 2,3,4 District Garages; Central Repair Shop	DSNY	Not Available	95.3	2.50	Not Available	326.1	14.10
4	2600	1	4307983	Queens West 5 and 5A District Garages	DSNY	Not Available	293.6	10.40	Not Available	178.9	6.70
4	2611	447	4462340	Sanitation Police Enforcement	DSNY	Not Available	293.6	10.40	Not Available	243.5	11.70
4	4346	75	4802407	Queens 7/11 Garage and Boro Office	DSNY	Not Available	293.6	10.40	Not Available	199.4	8.60
4	4350	1	4850718	Queens 7/11 District Garage Annex	DSNY	Not Available	293.6	10.40	Not Available	718.6	30.90
4	7850	20	4445411	Queens East 11 District Garage	DSNY	Not Available	293.6	10.40	Not Available	355.7	14.40
4	9375	261	4196969	Queens West 9 District Garage (Leased)	DSNY	Not Available	293.6	10.40	Not Available	151.8	5.80
4	11884	1	4257531	Queens East 8,10,12 District Garage;12A Broom	DSNY	Not Available	293.6	10.40	Not Available	442.4	20.10
4	15001	73	4433112	Queens East 13 District Garage	DSNY	Not Available	293.6	10.40	Not Available	275.4	12.10
4	15980	2	4854048	Q14 District Garage	DSNY	Not Available	293.6	10.40	Not Available	744.8	32.70
5	34	1	5106487	Staten Island 1 District Garage	DSNY	Not Available	293.6	10.40	Not Available	202.9	11.90
5	504	49	5013317	Staten Island Lot Cleaning	DSNY	Not Available	293.6	10.40	Not Available	65.5	3.60
5	2520	1	5828489	Staten Island 2 District Garage	DSNY	Not Available	293.6	10.40	Not Available	183.0	6.90
5	2685	100	5141714	Plant 1: Tractor Shops	DSNY	Not Available	293.6	10.40	Not Available	297.3	16.70
5	5900	500	5130986	Bucket Shop / Garage 3	DSNY	Not Available	293.6	10.40	Not Available	266.4	14.40
5	5900	500	5000000	SI 3 District Garage; RBS	DSNY	Not Available	293.6	10.40	Not Available	268.5	7.60
5	5900	500	5130986	Alamo Building	DSNY	Not Available	293.6	10.40	Not Available	44.5	1.20
5	5900	500	5158123	Fresh Kills Landfill - Boro Repair Shop	DSNY	Not Available	293.6	10.40	Not Available	225.3	7.10
5	99999	1	5000000	Fresh Kills Landfill - MTS	DSNY	Not Available	293.6	10.40	Not Available	7.0	0.20
1	2	1	1000003	Battery Maritime Bldg-Ferry	EDC	Not Available	293.6	10.40	Not Available	9.3	0.20
1	353	44	1004297	Essex Bldg C/Market/120 Essex	EDC	Not Available	293.6	10.40	Not Available	290.4	11.60

* Score of "Not Available" indicates building use categories for which the Portfolio Manager does not provide an ENERGY STAR score.

* Source EUI and GHG Emissions Intensity calculations performed by U.S. Environmental Protection Agency (EPA) methodology with EPA greenhouse gas emissions factors.

Borough	Block	Lot	BIN	Building	Agency	2010*			2014		
						* Score	Source EUI (kBtu/ft²)*	GHG Emissions Intensity (kgCO2e/ft²)*	* Score	Source EUI (kBtu/ft²)*	GHG Emissions Intensity (kgCO2e/ft²)*
1	991	50	1086214	The Skyport Facility	EDC	Not Available	293.6	10.40	Not Available	27.1	0.70
1	1109	30	1087587	Passenger Ship Terminal	EDC	Not Available	60.7	2.50	Not Available	173.0	4.60
1	1621	999	1088471	La Marqueta Retail Mkt./Bldg 4	EDC	Not Available	60.7	2.50	Not Available	372.6	13.10
1	2124	43	1087469	Audubon Building	EDC	Not Available	60.7	2.50	Not Available	161.0	4.30
2	3073	13	2012125	Arthur Avenue Retail Market	EDC	Not Available	303.5	11.30	Not Available	266.7	13.80
3	50	2001	3336445	Brooklyn Cruise Terminal Pier 11	EDC	Not Available	303.5	11.30	Not Available	365.9	12.90
3	3106	20	3071521	Moore Street Market (Leased)	EDC	Not Available	303.5	11.30	Not Available	216.1	7.30
1	150	25	1001647	Engine Co. 7 at Ladder Co. 1, Batt. 1	FDNY	Not Available	303.5	11.30	Not Available	217.3	8.00
1	241	13	1805208	EMS 4	FDNY	Not Available	303.5	11.30	Not Available	84.5	2.20
1	495	7	1007523	Ladder Co. 20 and Medical and BFI Division	FDNY	Not Available	Not Available	Not Available	Not Available	272.7	9.30
1	531	49	1008526	Engine Co. 33 & Ladder Co. 9	FDNY	Not Available	204.6	5.50	Not Available	206.2	7.60
1	579	11	1009739	FDNY Museum	FDNY	Not Available	204.6	5.50	Not Available	176.8	6.00
1	794	64	1014723	Engine Co. 3 at Ladder Co. 12, Batt. 7	FDNY	Not Available	176.6	6.30	Not Available	166.0	5.70
1	806	66	1015173	Engine Co. 1 and Ladder Co. 24	FDNY	Not Available	176.6	6.30	Not Available	253.1	8.60
1	1111	1	1000000	Manhattan Co.	FDNY	Not Available	251.1	7.60	Not Available	710.7	18.80
1	1169	26	1030885	Ladder Co. 25 and Division 3	FDNY	Not Available	251.1	7.60	Not Available	292.2	9.90
1	1402	29	1072190	Engine Co. 39, Ladder Co. 16	FDNY	Not Available	251.1	7.60	Not Available	418.2	15.30
1	1660	30	1052473	Engine Co. 91	FDNY	Not Available	251.1	7.60	Not Available	211.0	8.20
1	1773	33	1054465	Engine Co. 35 and Ladder Co. 14, Batt. 12	FDNY	Not Available	251.1	7.60	Not Available	308.0	10.70
1	1819	15	1088033	Fire Academy Randall's Island Campus: Prehouse 2	FDNY	Not Available	251.1	7.60	Not Available	265.2	10.70
1	1819	15	1088047	Fire Academy Randall's Island Campus: Sharon Building	FDNY	Not Available	106.5	4.50	Not Available	265.2	10.70
1	1819	15	1088058	Fire Academy Randall's Island Campus: Sludge Dewatering	FDNY	Not Available	106.5	4.50	Not Available	265.2	10.70
1	1819	15	1088041	Fire Academy Randall's Island Campus: Primary Substation	FDNY	Not Available	183.5	4.90	Not Available	265.2	10.70
1	1819	15	1088059	Fire Academy Randall's Island Campus: Marine Building	FDNY	Not Available	183.5	4.90	Not Available	265.2	10.70
1	1819	15	1088035	Fire Academy Randall's Island Campus: Cfn Storage Future	FDNY	Not Available	183.5	4.90	Not Available	265.2	10.70
1	1819	15	1088036	Fire Academy Randall's Island Campus: Residuals Handling	FDNY	Not Available	183.5	4.90	Not Available	265.2	10.70
1	1819	15	1088037	Fire Academy Randall's Island Campus: Residual Handling Ctrl Rm	FDNY	Not Available	183.5	4.90	Not Available	265.2	10.70
1	1819	15	1088038	Fire Academy Randall's Island Campus: Cfn Headquarters	FDNY	Not Available	150.1	6.60	Not Available	265.2	10.70
1	1819	15	1088039	Fire Academy Randall's Island Campus: New Administration Bldg	FDNY	Not Available	150.1	6.60	Not Available	265.2	10.70
1	1819	15	1088060	Fire Academy Randall's Island Campus: Power Center 4	FDNY	Not Available	150.1	6.60	Not Available	265.2	10.70
1	1819	15	1088040	Fire Academy Randall's Island Campus: Power Center 5 A	FDNY	Not Available	150.1	6.60	Not Available	265.2	10.70
1	1819	15	1088034	Fire Academy Randall's Island Campus: Temporary Boiler Building	FDNY	Not Available	150.1	6.60	Not Available	265.2	10.70
1	1819	15	1088042	Fire Academy Randall's Island Campus: Plant Storage	FDNY	Not Available	319.2	11.60	Not Available	265.2	10.70
1	1819	15	1088043	Fire Academy Randall's Island Campus: Power Center 5 B	FDNY	Not Available	319.2	11.60	Not Available	265.2	10.70
1	1819	15	1088044	Fire Academy Randall's Island Campus: E Battery Control	FDNY	Not Available	319.2	11.60	Not Available	265.2	10.70
1	1819	15	1088046	Fire Academy Randall's Island Campus: Combined Chemical	FDNY	Not Available	319.2	11.60	Not Available	265.2	10.70
1	1819	15	1088055	Fire Academy Randall's Island Campus: Hypo Facility	FDNY	Not Available	319.2	11.60	Not Available	265.2	10.70
1	1819	15	1088049	Fire Academy Randall's Island Campus: Prehouse 3	FDNY	Not Available	319.2	11.60	Not Available	265.2	10.70
1	1819	15	1088050	Fire Academy Randall's Island Campus: Prehouse 4	FDNY	Not Available	319.2	11.60	Not Available	265.2	10.70
1	1819	15	1088061	Fire Academy Randall's Island Campus: Transportation Sec Future	FDNY	Not Available	319.2	11.60	Not Available	265.2	10.70
1	1819	15	1088051	Fire Academy Randall's Island Campus: Prehouse 5	FDNY	Not Available	229.0	7.50	Not Available	265.2	10.70
1	1819	15	1088052	Fire Academy Randall's Island Campus: Heat Exchange	FDNY	Not Available	229.0	7.50	Not Available	265.2	10.70
1	1819	15	1088056	Fire Academy Randall's Island Campus: Cake Storage	FDNY	Not Available	229.0	7.50	Not Available	265.2	10.70
1	1819	15	1088053	Fire Academy Randall's Island Campus: South Gallery	FDNY	Not Available	229.0	7.50	Not Available	265.2	10.70
1	1819	15	1088054	Fire Academy Randall's Island Campus: North Gallery	FDNY	Not Available	229.0	7.50	Not Available	265.2	10.70
1	1819	15	1088030	Fire Academy Randall's Island Campus: Boiler	FDNY	Not Available	33.1	0.90	Not Available	265.2	10.70
1	1819	15	1089371	Fire Academy Randall's Island Campus: Fire Academy	FDNY	Not Available	33.1	0.90	Not Available	265.2	10.70
1	1819	15	1088026	Fire Academy Randall's Island Campus: Fire Pump Room Dewatering	FDNY	Not Available	33.1	0.90	Not Available	265.2	10.70
1	1819	15	1088027	Fire Academy Randall's Island Campus: At 13 Blower	FDNY	Not Available	33.1	0.90	Not Available	265.2	10.70

* Score of "Not Available" indicates building use categories for which the Portfolio Manager does not provide an ENERGY STAR score.

* Source EUI and GHG Emissions Intensity calculations performed by U.S. Environmental Protection Agency (EPA) methodology with EPA greenhouse gas emissions factors.

Borough	Block	Lot	BIN	Building	Agency	2010*			2014		
						* Score	Source EUI (kBtu/ft²)*	GHG Emissions Intensity (kgCO2e/ft²)*	* Score	Source EUI (kBtu/ft²)*	GHG Emissions Intensity (kgCO2e/ft²)*
1	1819	15	1088028	Fire Academy Randall's Island Campus: Old Administration Bldg	FDNY	Not Available	33.1	0.90	Not Available	265.2	10.70
1	1819	15	1088023	Fire Academy Randall's Island Campus: Cfn Storage	FDNY	Not Available	33.1	0.90	Not Available	265.2	10.70
1	1819	15	1088025	Fire Academy Randall's Island Campus: Laboratory	FDNY	Not Available	313.9	10.10	Not Available	265.2	10.70
1	1819	15	1088062	Fire Academy Randall's Island Campus: Fuel Oil Storage Facility	FDNY	Not Available	313.9	10.10	Not Available	265.2	10.70
1	1819	15	1088031	Fire Academy Randall's Island Campus: Sludge Handling Facility	FDNY	Not Available	313.9	10.10	Not Available	265.2	10.70
1	1819	15	1088239	Fire Academy Randall's Island Campus: Picnic Gazebo	FDNY	Not Available	313.9	10.10	Not Available	265.2	10.70
1	1819	15	1088022	Fire Academy Randall's Island Campus: Engineers Trailer 89	FDNY	Not Available	313.9	10.10	Not Available	265.2	10.70
1	1819	15	1088024	Fire Academy Randall's Island Campus: Flare Tower	FDNY	30	319.6	8.90	Not Available	265.2	10.70
1	1819	15	1088057	Fire Academy Randall's Island Campus: Engineers Trailer 103	FDNY	88	150.0	5.40	Not Available	265.2	10.70
1	1819	15	1088064	Fire Academy Randall's Island Campus: Sludge Storage Tank	FDNY	16	376.3	14.70	Not Available	265.2	10.70
1	1819	15	1088063	Fire Academy Randall's Island Campus: Effluent Water	FDNY	92	134.8	6.10	Not Available	265.2	10.70
1	1819	15	1088032	Fire Academy Randall's Island Campus: Prehouse 1	FDNY	69	207.3	6.90	Not Available	265.2	10.70
1	1819	15	1088029	Fire Academy Randall's Island Campus: Pump And Blower	FDNY	53	249.1	10.50	Not Available	265.2	10.70
1	1966	61	1059547	Engine Co. 37 and Ladder Co. 40	FDNY	47	265.5	10.90	Not Available	259.7	8.90
1	2028	51	1075491	Engine Co. 69 and Ladder Co. 28, Batt. 16	FDNY	82	170.1	6.90	Not Available	260.6	7.50
1	2071	27	1075504	Engine Co. 80 and Ladder Co. 23	FDNY	63	224.2	8.00	Not Available	297.0	10.90
1	2120	46	1062872	Engine Co. 84 and Ladder Co. 34	FDNY	81	172.0	6.50	Not Available	217.2	8.20
1	2155	30	1075518	Engine Co. 93, Ladder Co. 45 and Batt. 13	FDNY	69	208.4	8.20	Not Available	190.0	6.40
2	2306	52	2000656	Engine Co. 60 and Ladder Co. 17, Batt. 14	FDNY	54	213.1	6.50	Not Available	101.9	3.10
2	2377	1	2001400	Engine Co. 71 and Ladder Co. 55, Division 6	FDNY	95	101.1	2.70	Not Available	241.9	8.90
2	2388	45	2001584	Engine Co. 50 and Ladder Co. 19, Batt. 26	FDNY	11	354.9	13.80	Not Available	259.2	8.90
2	2450	40	2096490	Engine Co. 92 and Ladder Co. 44, Batt. 17	FDNY	35	231.7	9.20	Not Available	357.8	12.70
2	2514	56	2003268	Engine Co. 68 and Ladder 49	FDNY	4	509.2	15.70	Not Available	284.9	10.30
2	2675	32	2094318	Engine Co. 73 and Ladder Co. 42	FDNY	34	277.5	10.00	Not Available	302.7	10.40
2	2905	30	2117925	Rescue 3	FDNY	33	310.4	12.30	Not Available	137.0	4.60
2	2909	40	2009541	BX Boro Command, District Office and Communications	FDNY	Not Available	Not Available	Not Available	Not Available	68.3	2.50
2	3025	25	2011061	Engine Co. 48 and Ladder Co. 56, Division 7	FDNY	68	179.8	6.70	Not Available	156.0	5.30
2	3086	38	2086781	Engine Co. 88 and Ladder Co. 38	FDNY	68	208.5	6.50	Not Available	184.9	6.90
2	3126	12	2013192	Engine Co. 45 and Ladder Co. 58, Batt. 18	FDNY	57	238.5	7.90	Not Available	208.4	7.20
2	3186	37	2816976	Engine Co. 75 and Ladder Co. 33, Batt. 19	FDNY	74	191.4	6.50	Not Available	233.7	7.80
2	3540	3	2094816	EMS 3	FDNY	72	325.9	9.70	Not Available	260.7	9.80
2	4049	49	2043470	Engine Co. 90 and Ladder Co. 41	FDNY	12	1,101.8	31.00	Not Available	234.1	8.60
2	4333	1	2101003	Bronx CO	FDNY	12	1,101.8	31.00	Not Available	1,393.4	36.80
3	335	10	3004233	Communications Garage (Leased)	FDNY	13	795.9	25.50	1	269.2	12.30
3	486	18	3008207	Engine Co. 279 and Ladder Co. 131	FDNY	Not Available	159.7	4.10	Not Available	287.2	10.40
3	799	5	3013535	Engine Co. 201 and Ladder 114, Batt. 40	FDNY	Not Available	438.9	16.50	Not Available	133.9	3.60
3	1136	11	3027813	Engine Co. 219 and Ladder Co. 105	FDNY	Not Available	344.9	12.70	Not Available	265.0	9.20
3	1183	51	3029669	Brooklyn CO	FDNY	44	97.3	3.70	Not Available	802.0	21.20
3	1384	8	3037055	Engine Co. 234 and Ladder Co. 123, Batt. 38	FDNY	85	84.8	3.90	Not Available	270.9	9.50
3	1512	1	3040990	Engine Co. 233 and Ladder Co. 176	FDNY	26	172.7	5.20	Not Available	251.9	8.30
3	2047	11	3058187	Fire Headquarters (Leased)	FDNY	66	102.2	5.00	36	297.8	7.90
3	2203	16	3060298	Engine Co. 211 & Ladder Co. 119	FDNY	93	88.6	4.20	Not Available	264.4	11.20
3	2368	12	3391565	Greenpoint EMT Station	FDNY	70	122.9	6.10	Not Available	236.0	9.40
3	2560	50	3064786	Engine Co. 238 and Ladder Co. 106	FDNY	31	142.8	6.40	Not Available	255.0	8.90
3	2722	28	3067898	Engine Co. 229 and Ladder Co. 146	FDNY	39	134.8	6.00	Not Available	179.0	6.00
3	2929	53	3070506	Engine Co. 206	FDNY	26	114.3	4.70	Not Available	179.5	6.80
3	3281	22	3074885	Engine Co. 271 and Ladder Co. 124, Batt. 28	FDNY	95	143.6	4.30	Not Available	205.3	7.60
3	3343	29	3076461	Engine Co. 277 and Ladder Co. 112	FDNY	88	92.5	2.80	Not Available	381.1	13.00
3	3580	20	3081953	Engine Co. 283 and Division 15	FDNY	35	120.3	9.90	Not Available	247.7	8.90

* Score of "Not Available" indicates building use categories for which the Portfolio Manager does not provide an ENERGY STAR score.

* Source EUI and GHG Emissions Intensity calculations performed by U.S. Environmental Protection Agency (EPA) methodology with EPA greenhouse gas emissions factors.

Borough	Block	Lot	BIN	Building	Agency	2010*			2014		
						Score*	Source EUI (kBtu/ft²)*	GHG Emissions Intensity (kgCO2e/ft²)*	Score*	Source EUI (kBtu/ft²)*	GHG Emissions Intensity (kgCO2e/ft²)*
3	3691	1	3083579	Engine Co. 332 & Ladder Co. 175	FDNY	62	115.7	5.60	Not Available	316.6	10.90
3	5155	4	3118638	Engine Co. 281 and Ladder Co. 147	FDNY	41	120.5	4.50	Not Available	241.3	8.80
3	5597	44	3135859	Engine Co. 282 and Ladder Co. 148	FDNY	32	133.9	7.00	Not Available	214.1	7.40
3	6254	53	3161800	Engine Co. 284 and Ladder Co. 149	FDNY	32	159.7	7.80	Not Available	225.6	8.50
3	6777	64	3182420	Engine Co. 276 and Ladder Co. 156, Batt. 33	FDNY	72	80.7	2.80	Not Available	225.3	7.90
3	7918	114	3221976	EMS 58 (Leased)	FDNY	31	126.1	5.20	Not Available	270.8	10.40
4	46	34	4000333	Engine Co 258 and Ladder Co. 115	FDNY	31	181.4	5.60	Not Available	122.8	4.30
4	254	1	4003451	Transportation Repair Shop	FDNY	56	139.9	5.10	Not Available	424.9	16.10
4	295	45	4307187	FDNY Fleet Services (Leased)	FDNY	93	88.7	4.30	Not Available	211.8	8.80
4	307	29	4003673	Engine Co. 259 and Ladder Co. 128, Batt. 45	FDNY	7	239.1	6.40	Not Available	360.5	11.70
4	2573	124	4058923	EMS Stock	FDNY	90	113.4	5.00	Not Available	63.2	2.60
4	3866	70	4094697	Queens CO	FDNY	63	95.5	4.50	Not Available	1,790.8	50.40
4	5559	25	4529057	Engine Co. 264 and Ladder Co. 134, Engine Co. 328	FDNY	55	135.1	5.10	Not Available	211.2	7.50
4	5917	1	4539863	Fort Totten Campus: Fort Totten	FDNY	86	135.1	5.40	Not Available	132.7	6.20
4	9121	11	4438526	Engine Co. 285 and Ladder Co. 142 (Leased)	FDNY	71	107.4	4.40	Not Available	250.4	9.20
4	10464	25	4222434	Engine Co. 301 and Ladder Co. 150	FDNY	50	133.9	6.10	Not Available	217.2	7.50
4	15926	44	4302052	Engine Co. 265 and Ladder 121, Batt. 47, EMS 47	FDNY	57	116.3	4.60	Not Available	260.6	9.50
4	16127	1	4439014	Engine Co. 266	FDNY	89	106.0	4.00	Not Available	153.9	5.60
4	16212	17	4304442	Engine Co. 268 and Ladder Co. 137	FDNY	86	101.5	4.40	Not Available	200.1	7.50
5	319	1	5112427	Staten Island CO	FDNY	23	82.0	4.70	Not Available	1,222.7	32.30
5	2665	25	5041882	Engine Co. 154 Communications Garage	FDNY	72	152.2	4.30	Not Available	223.9	7.50
5	3153	38	5046179	Engine Co. 160 and Rescue 5, Division 8	FDNY	70	84.4	3.20	Not Available	254.9	9.40
5	7067	252	5851738	Engine Co. 168	FDNY	68	122.6	4.60	Not Available	171.1	5.90
1	776	40	1014236	Fashion Institute of Technology (SUNY FIT), Bldg E, Shirley Goodman Resource Center	FIT	29	77.7	4.10	Not Available	296.7	10.60
1	777	1	1014250	Fashion Institute of Technology (SUNY FIT), Bldg B, Business and Liberal Arts Center	FIT	72	103.3	3.90	Not Available	376.4	15.00
1	777	1	1014250	Fashion Institute of Technology (SUNY FIT), Bldg A, The David Dubinsky Student Center	FIT	29	112.4	4.10	Not Available	380.5	15.20
1	777	18	1014251	Fashion Institute of Technology (SUNY FIT), Bldg C, Marvin Feldman Center	FIT	23	227.0	8.20	Not Available	376.5	15.00
1	777	37	1014252	Fashion Institute of Technology (SUNY FIT), Bldg D, Fred P. Pomerantz Art and Design Center	FIT	91	95.9	4.90	Not Available	376.0	15.00
1	270	32	1003224	Gouverneur Health Care Services	HHC	92	54.2	2.10	Not Available	578.6	22.00
1	962	100	1086515	Bellevue Hospital Center Campus: Center	HHC	8	242.9	7.50	36	430.3	16.40
1	962	100	1087295	Bellevue Hospital Center Campus: Ambulatory Care Building	HHC	47	124.9	5.70	36	430.3	16.40
1	1373	20	1085548	Coler-Goldwater Hospital Campus: Hospital	HHC	75	80.0	3.90	100	210.6	12.20
1	1373	50	1040750	Coler-Goldwater Hospital Campus: Coler Campus	HHC	75	91.3	4.20	100	210.6	12.20
1	1669	1	1083929	Metropolitan Hospital Center Campus: Center	HHC	38	97.6	3.90	81	352.1	17.30
1	1733	1	1053899	Harlem Hospital Center Campus: Luther King Pavilion	HHC	17	108.8	4.00	2	616.8	23.30
1	1734	1	1082167	Harlem Hospital Center Campus: Kountz Pavilion	HHC	Not Available	321.7	11.30	2	616.8	23.30
1	1734	1	1082172	Harlem Hospital Center Campus: Ronald H. Brown Ambulatory Care Pavilion	HHC	2	172.7	6.10	2	616.8	23.30
1	1734	1	1082170	Harlem Hospital Center Campus: Women's Pavilion	HHC	Not Available	40.2	1.00	2	616.8	23.30
1	1747	35	1077376	Henry J. Carter Hospital	HHC	Not Available	13.3	0.40	90	338.5	10.90
1	1747	70	1088883	Henry J. Carter Hospital - Skilled Nursing Facility	HHC	Not Available	35.8	0.90	94	335.6	10.40
1	1901	29	1057405	Lenox Avenue Health Center	HHC	35	88.4	2.90	70	143.9	4.70
1	1923	53	1058399	Sydenham Health Center	HHC	Not Available	76.0	2.00	Not Available	274.2	11.40
1	2060	1	1061339	Lower Washington Heights NFCC Clinic	HHC	Not Available	4,528.4	219.70	11	378.9	14.20
2	2269	21	2090354	Segundo Ruiz Belvis Diagnostic and Treatment Center	HHC	Not Available	282.6	7.30	37	279.4	10.00
2	2303	58	2000645	Lincoln Detox Center Clinic (Substance Abuse Division)	HHC	Not Available	2,718.5	70.40	100	16.5	0.70
2	2335	16	2097050	Lincoln Medical and Mental Health Center	HHC	Not Available	243.2	6.30	89	324.2	11.10
2	2489	60	2003015	Morrisania DTC Center	HHC	Not Available	219.4	7.10	26	317.7	10.40
2	3327	200	2017787	North Central Bronx Hospital	HHC	Not Available	168.0	5.80	40	452.5	16.60
2	4205	1	2097551	Jacobi Medical Center Campus: Jacobi Medical Center Staff Residence	HHC	33	278.3	11.30	85	335.1	12.00

* Score of "Not Available" indicates building use categories for which the Portfolio Manager does not provide an ENERGY STAR score.

* Source EUI and GHG Emissions Intensity calculations performed by U.S. Environmental Protection Agency (EPA) methodology with EPA greenhouse gas emissions factors.

Borough	Block	Lot	BIN	Building	Agency	2010*			2014		
						* Score	Source EUI (kBtu/ft²)*	GHG Emissions Intensity (kgCO2e/ft²)*	* Score	Source EUI (kBtu/ft²)*	GHG Emissions Intensity (kgCO2e/ft²)*
2	4205	1	2097550	Jacobi Medical Center Campus: Jacobi Medical Center	HHC	Not Available	173.5	5.50	85	335.1	12.00
3	1723	1	3048341	Woodhull Medical and Mental Health Center	HHC	Not Available	71.5	2.10	35	462.6	16.30
3	1751	25	3329636	Bedford Stuyvesant Alcohol Treatment Center	HHC	Not Available	181.9	6.40	17	269.6	8.70
3	2039	101	3251647	Cumberland Diagnostic and Treatment Center	HHC	Not Available	77.2	2.00	11	497.3	22.70
3	3738	15	3083929	East New York Diagnostic & Treatment Center	HHC	Not Available	236.6	9.40	26	303.1	11.10
3	4812	1	3327674	Kings County Hospital Campus: Building K-5	HHC	Not Available	136.1	3.50	7	672.0	25.70
3	4812	1	3327681	Kings County Hospital Campus: Central Laundry	HHC	Not Available	448.2	15.50	7	672.0	25.70
3	4812	1	3327674	Dr. Susan Smity McKinney Nursing and Rehabilitation Center	HHC	Not Available	264.1	10.30	Not Available	262.0	6.90
3	4812	1	3329549	Kings County Hospital Campus: Food Service	HHC	Not Available	310.9	13.20	7	672.0	25.70
3	4812	1	3329549	Kings County Hospital Campus: Hospital Support Office	HHC	Not Available	314.6	11.20	7	672.0	25.70
3	4829	1	3327718	Kings County Hospital Campus: Kings County Hospital Building R	HHC	Not Available	424.0	17.30	7	672.0	25.70
3	4829	1	3327711	Kings County Hospital Campus: Buildings A, B, C	HHC	Not Available	336.8	13.40	7	672.0	25.70
3	4829	1	3327720	Kings County Hospital Campus: Bldg Z - Powerhouse	HHC	Not Available	16.2	0.80	7	672.0	25.70
3	4829	1	3327725	Kings County Hospital Campus: Buildings T	HHC	Not Available	-	-	7	672.0	25.70
3	4829	2	3396539	Kings County Hospital Campus: Kings County Hospital Parking Garage	HHC	Not Available	160.4	5.50	7	672.0	25.70
3	7239	1	3337274	Coney Island Hospital	HHC	Not Available	877.5	22.70	88	330.4	11.80
4	1497	1	4037028	Elmhurst Hospital Center Campus: Hope Pavilion	HHC	Not Available	196.5	5.10	84	343.2	13.30
4	1500	2	4543852	Elmhurst Hospital Center Campus: Parking Garage	HHC	Not Available	206.7	7.00	84	343.2	13.30
4	1500	2	4539651	Elmhurst Hospital Center Campus: Women's Health Pavilion	HHC	Not Available	226.6	7.50	84	343.2	13.30
4	1500	2	4437132	Elmhurst Hospital Center Campus: Center	HHC	Not Available	257.8	8.40	84	343.2	13.30
4	6858	1	4442433	Queens Hospital Center Campus: Center	HHC	Not Available	637.6	16.50	60	403.6	15.30
5	955	75	5113197	Sea View Hospital Rehabilitation Center	HHC	Not Available	244.3	7.70	Not Available	117.2	4.40
3	4461	1	3098536	701 Euclid Ave Office	HPD	Not Available	Not Available	Not Available	59	175.7	5.50
1	70	32	1001134	Office HRA Commissioner and Program Adm (Leased)	HRA	Not Available	230.1	7.80	12	412.1	14.10
1	177	2	1001971	Offices Support Services and Fraud Investigation(Leased)	HRA	Not Available	269.3	10.20	46	269.5	7.10
1	577	34	1009716	Office HASA Services and FIA Food Stamps (Leased)	HRA	Not Available	249.2	8.90	31	295.8	8.50
1	698	1	1012389	Office MICSA and Trades Support Services (Leased)	HRA	Not Available	198.0	6.70	88	146.5	3.90
1	779	75	1014306	Office HASA/MICSA/APS Social Services (Leased)	HRA	Not Available	355.7	16.40	65	190.7	5.00
1	872	13	1017821	FIA, MICSA Social Services Office (Leased)	HRA	Not Available	506.4	28.00	82	170.1	5.60
1	1808	8	1054888	East Harlem Multi Service Center	HRA	55	426.1	22.60	100	50.3	1.40
1	1911	43	1057874	Help Harbor Transitional Housing Site II	HRA	52	433.2	15.50	Not Available	115.3	4.50
1	1912	12	1057904	Help Harbor Transitional Housing Site I	HRA	Not Available	Not Available	Not Available	Not Available	155.3	6.20
1	1988	53	1059778	Offices Home Care and HASA services (Leased)	HRA	68	171.5	6.50	41	230.7	7.70
1	2213	1	1064513	Dyckman Job Center (Leased)	HRA	82	358.3	12.50	21	309.1	9.30
2	2340	72	2000978	Rider Job Center #38 (Leased)	HRA	82	358.3	12.50	60	201.7	6.60
2	2643	1	2004558	Hunt Point Multi Service Center	HRA	32	470.4	17.70	24	275.0	8.90
2	2758	6	2006302	New Day Family Residence I	HRA	32	470.4	17.70	Not Available	157.9	6.50
2	2758	36	2006311	New Day Family Residence II	HRA	32	470.4	17.70	Not Available	161.6	6.60
2	3060	32	2011826	Crotona Job Center #41 Offices (Leased)	HRA	93	317.4	10.30	49	238.4	8.10
2	3293	8	2016777	Fordham Model Office (Leased)	HRA	93	317.4	10.30	50	211.8	7.00
2	3770	80	2025026	Adult Protective Services Offices (Leased)	HRA	58	177.3	5.20	32	218.9	6.80
3	174	13	3000601	MICSA/HASA Office (Leased)	HRA	Not Available	172.7	6.40	72	164.0	4.30
3	174	18	3000602	FIA/OCP Offices (Leased)	HRA	Not Available	35.5	1.40	58	196.1	5.20
3	197	28	3335918	Greenwood Job Center (Leased)	HRA	22	249.6	7.40	84	147.8	3.90
3	928	1	3018375	MICSA/Medical Assistance Program Offices (Leased)	HRA	55	189.9	5.60	65	167.8	5.30
3	1548	19	3042090	Bedford Multi Service Center	HRA	28	240.8	7.70	100	69.5	1.80
3	1941	20	3055395	DeKalb Job Center #64 Offices (Leased)	HRA	Not Available	334.2	11.70	21	306.4	10.00
3	2276	12	3061504	Bushwick Job Center (Flushing) (Leased)	HRA	Not Available	295.4	9.90	62	196.9	6.00
3	3444	22	3080067	Bushwick Multi Service Center	HRA	Not Available	398.2	15.70	32	200.0	8.30

* Score of "Not Available" indicates building use categories for which the Portfolio Manager does not provide an ENERGY STAR score.

* Source EUI and GHG Emissions Intensity calculations performed by U.S. Environmental Protection Agency (EPA) methodology with EPA greenhouse gas emissions factors.

Borough	Block	Lot	BIN	Building	Agency	2 0 1 0 *			2 0 1 4		
						* Score	Source EUI (kBtu/ft²)*	GHG Emissions Intensity (kgCO2e/ft²)*	* Score	Source EUI (kBtu/ft²)*	GHG Emissions Intensity (kgCO2e/ft²)*
3	3496	4	3080726	Brownsville Multi Service Center	HRA	Not Available	206.5	6.70	72	160.4	5.70
3	5854	36	3144669	Bayridge Job Center #70 Offices (Leased)	HRA	5	344.9	12.10	68	178.0	5.90
4	12200	52	4264631	South Jamaica MAC	HRA	Not Available	208.1	7.40	60	168.3	5.80
4	15900	8	4301932	Rockaway Job Center FS42 MICSA (Leased)	HRA	Not Available	425.0	13.70	12	297.8	9.00
5	497	1	5013236	MICSA,APS Offices(Leased)	HRA	Not Available	200.8	8.10	16	263.8	8.80
1	119	1	1079143	NYPD Police Headquarters	NYPD	Not Available	272.8	9.60	25	338.8	10.40
1	190	33	1002168	Precinct	NYPD	Not Available	Not Available	Not Available	Not Available	248.6	9.00
1	201	20	1066496	Precinct	NYPD	Not Available	256.8	7.80	Not Available	114.1	4.10
1	241	13	1079600	MS Narcotics	NYPD	Not Available	295.5	7.70	Not Available	66.7	2.30
1	342	60	1004078	Precinct	NYPD	Not Available	250.7	7.90	Not Available	272.2	11.00
1	447	47	1006254	Precinct	NYPD	Not Available	301.4	9.00	Not Available	304.1	9.00
1	563	19	1009128	Property Clerk & Youth Aid	NYPD	Not Available	11.1	0.50	81	139.6	5.20
1	620	33	1011192	Precinct	NYPD	Not Available	654.4	32.80	Not Available	287.3	10.20
1	759	8	1013564	Precinct	NYPD	Not Available	654.4	32.80	Not Available	306.2	10.80
1	769	55	1013994	Precinct	NYPD	Not Available	654.4	32.80	Not Available	181.0	8.40
1	805	82	1015151	Parking Enforcement Division	NYPD	Not Available	654.4	32.80	56	192.6	9.20
1	901	6	1019613	Precinct	NYPD	Not Available	654.4	32.80	Not Available	231.0	8.60
1	1044	38	1082822	Precinct	NYPD	Not Available	654.4	32.80	Not Available	236.3	8.30
1	1070	44	1026909	MSTF	NYPD	Not Available	654.4	32.80	32	230.2	7.80
1	1111	1	1083819	Precinct	NYPD	Not Available	654.4	32.80	Not Available	598.9	17.50
1	1212	38	1032028	Precinct	NYPD	Not Available	654.4	32.80	Not Available	347.9	12.80
1	1402	25	1042471	Precinct	NYPD	Not Available	654.4	32.80	Not Available	413.8	15.20
1	1767	62	1054360	Precinct	NYPD	Not Available	654.4	32.80	Not Available	174.4	6.10
1	1819	203	1085920	Randall's Island Street Crime Unit	NYPD	Not Available	654.4	32.80	18	281.3	11.90
1	1855	5	1055910	Precinct	NYPD	Not Available	654.4	32.80	Not Available	257.9	10.30
1	1940	48	1075467	Precinct	NYPD	Not Available	654.4	32.80	Not Available	264.8	11.00
1	1949	29	1059240	Precinct	NYPD	Not Available	654.4	32.80	Not Available	248.0	10.40
1	1982	38	1076682	Precinct	NYPD	Not Available	654.4	32.80	Not Available	326.1	14.90
1	2066	9	1081826	Precinct	NYPD	Not Available	654.4	32.80	Not Available	202.6	6.90
1	2112	10	1086200	Precinct	NYPD	Not Available	654.4	32.80	Not Available	386.5	12.80
1	2134	218	1087614	Shop 9	NYPD	Not Available	654.4	32.80	Not Available	225.5	8.50
1	2180	108	1064415	Precinct	NYPD	Not Available	56.1	2.40	Not Available	259.1	8.20
2	2314	30	2000700	Precinct	NYPD	Not Available	121.3	3.70	Not Available	449.2	15.40
2	2365	1	2001194	Precinct	NYPD	Not Available	121.3	3.70	Not Available	205.2	9.10
2	2489	77	2003017	Precinct	NYPD	Not Available	121.3	3.70	Not Available	343.7	11.60
2	2530	21	2003522	Precinct	NYPD	Not Available	121.3	3.70	21	258.8	14.00
2	2727	17	2005802	Precinct	NYPD	Not Available	121.3	3.70	Not Available	502.4	16.60
2	2732	1	2090437	Precinct	NYPD	Not Available	121.3	3.70	Not Available	233.7	7.70
2	2907	10	2009509	Precinct	NYPD	Not Available	121.3	3.70	Not Available	264.1	8.90
2	3149	90	2013535	Precinct	NYPD	Not Available	56.1	2.40	Not Available	213.6	7.30
2	3325	5	2017718	Precinct	NYPD	Not Available	56.1	2.40	Not Available	423.5	17.40
2	3660	3	2022630	Precinct	NYPD	Not Available	121.3	3.70	Not Available	319.7	11.50
2	4015	1	2097533	Transit District 12	NYPD	Not Available	121.3	3.70	Not Available	402.4	11.40
2	4205	1	2097543	Precinct	NYPD	Not Available	166.8	6.30	Not Available	192.0	5.60
2	4876	1	2065163	Precinct	NYPD	Not Available	70.6	2.50	Not Available	218.2	7.50
2	5101	12	2071627	Property Clerk	NYPD	Not Available	70.6	2.50	59	219.0	6.60
2	5531	40	2097742	Precinct	NYPD	Not Available	70.6	2.50	Not Available	185.0	8.00
2	5760	134	2087576	Precinct	NYPD	Not Available	70.6	2.50	Not Available	243.8	8.00
3	35	21	3335858	Service Shop #1	NYPD	Not Available	70.6	2.50	Not Available	150.9	5.90

* Score of "Not Available" indicates building use categories for which the Portfolio Manager does not provide an ENERGY STAR score.

* Source EUI and GHG Emissions Intensity calculations performed by U.S. Environmental Protection Agency (EPA) methodology with EPA greenhouse gas emissions factors.

Borough	Block	Lot	BIN	Building	Agency	2010*			2014		
						* Score	Source EUI (kBtu/ft²)*	GHG Emissions Intensity (kgCO2e/ft²)*	* Score	Source EUI (kBtu/ft²)*	GHG Emissions Intensity (kgCO2e/ft²)*
3	134	6	3000252	Precinct	NYPD	Not Available	70.6	2.50	Not Available	287.7	9.90
3	337	27	3004301	Precinct	NYPD	Not Available	70.6	2.50	Not Available	355.7	11.80
3	644	1	3336825	Marine Terminal Storage	NYPD	Not Available	70.6	2.50	Not Available	6.7	0.20
3	668	29	3009843	Precinct	NYPD	Not Available	70.6	2.50	Not Available	194.3	6.90
3	717	61	3010669	42nd Street Warehouse	NYPD	Not Available	70.6	2.50	6	154.9	6.10
3	724	1	3010833	Applicant Processing Division	NYPD	Not Available	70.6	2.50	14	329.0	11.50
3	1136	1	3027810	Precinct	NYPD	Not Available	70.6	2.50	Not Available	284.4	11.40
3	1162	1	3028914	Precinct	NYPD	Not Available	70.6	2.50	2	390.1	13.10
3	1310	1	3034563	Precinct	NYPD	Not Available	70.6	2.50	Not Available	341.6	11.10
3	1355	1	3035883	Precinct	NYPD	Not Available	70.6	2.50	Not Available	245.6	8.40
3	1633	39	3044596	Precinct	NYPD	Not Available	70.6	2.50	Not Available	290.5	9.20
3	1800	3	3050453	Precinct	NYPD	Not Available	174.9	5.60	Not Available	247.2	8.60
3	1933	121	3055379	Precinct	NYPD	Not Available	95.3	2.50	Not Available	235.1	9.20
3	2465	100	3063633	Precinct	NYPD	Not Available	95.3	2.50	Not Available	338.6	11.00
3	2619	3	3065579	Precinct	NYPD	Not Available	Not Available	Not Available	Not Available	319.9	12.30
3	3246	5	3073816	Command	NYPD	Not Available	Not Available	Not Available	1	576.9	18.30
3	3307	22	3326387	Precinct	NYPD	Not Available	303.5	11.30	Not Available	286.8	9.00
3	3497	2	3080735	Precinct	NYPD	Not Available	303.5	11.30	Not Available	279.7	9.70
3	3687	1	3083515	Facilities Management Division	NYPD	Not Available	251.1	7.60	99	61.4	1.60
3	3698	32	3083636	Brooklyn North Narcotics	NYPD	Not Available	Not Available	Not Available	33	261.7	8.80
3	4051	16	3089813	Precinct	NYPD	Not Available	Not Available	Not Available	Not Available	401.7	13.90
3	4685	24	3327591	Traffic Office and Warehouse	NYPD	Not Available	Not Available	Not Available	28	235.7	9.80
3	5051	1	3256655	BSTF	NYPD	Not Available	251.1	7.60	1	421.0	15.20
3	5111	24	3117400	Precinct	NYPD	Not Available	251.1	7.60	Not Available	258.3	8.20
3	5423	21	3127902	Precinct	NYPD	Not Available	251.1	7.60	Not Available	309.7	10.20
3	5778	1	3257058	Harbor Unit Charlie	NYPD	Not Available	106.5	4.50	Not Available	411.7	12.60
3	5817	55	3144156	Precinct	NYPD	Not Available	106.5	4.50	Not Available	263.3	9.70
3	6406	45	3167815	Precinct	NYPD	Not Available	150.1	6.60	Not Available	179.2	6.20
3	7226	62	3196054	Command	NYPD	Not Available	319.2	11.60	18	310.6	9.00
3	7261	150	3196377	MTD Troop E	NYPD	Not Available	229.0	7.50	44	176.4	9.80
3	7279	290	3196591	Precinct	NYPD	Not Available	229.0	7.50	Not Available	294.0	11.20
3	7371	52	3200556	Precinct	NYPD	Not Available	229.0	7.50	Not Available	383.7	13.60
3	7599	67	3207376	Precinct	NYPD	Not Available	229.0	7.50	Not Available	228.7	7.60
3	8147	26	3229075	Precinct	NYPD	Not Available	229.0	7.50	Not Available	362.2	12.70
3	8591	75	3242371	NYPD Warehouse	NYPD	86	157.7	4.10	1	258.3	12.70
4	32	6	4000126	Precinct	NYPD	81	173.6	5.60	Not Available	505.6	24.30
4	98	9	4436638	Property Clerk	NYPD	58	147.1	6.10	100	64.8	1.70
4	98	11	4436642	Prop Clerk Warehouse	NYPD	50	1,752.3	47.20	5	185.2	10.50
4	632	30	4009361	Precinct	NYPD	12	1,101.8	31.00	Not Available	255.2	8.40
4	1422	34	4034862	Precinct	NYPD	12	1,101.8	31.00	Not Available	235.4	8.10
4	1592	72	4445296	Precinct	NYPD	Not Available	Not Available	Not Available	Not Available	298.5	10.10
4	2344	30	4054168	Building Maintenance/Quartermaster	NYPD	Not Available	Not Available	Not Available	3	522.1	20.00
4	2361	150	4054276	Central Motor Repair Shop	NYPD	Not Available	Not Available	Not Available	Not Available	225.7	6.20
4	3234	22	4077446	Precinct	NYPD	Not Available	Not Available	Not Available	Not Available	387.1	12.40
4	3632	1	4088186	Precinct	NYPD	Not Available	Not Available	Not Available	Not Available	247.0	9.10
4	4044	1	4097874	Harbor Unit Launch	NYPD	Not Available	565.2	21.30	Not Available	136.8	6.40
4	4045	1	4097877	Queens Auto Crime	NYPD	Not Available	25.9	0.70	42	237.8	6.80
4	4327	1	4537931	Police Academy	NYPD	Not Available	150.8	3.90	Not Available	742.4	25.10
4	4382	1	4000000	College Point Tow Pound	NYPD	Not Available	72.4	1.90	Not Available	133.1	4.80

* Score of "Not Available" indicates building use categories for which the Portfolio Manager does not provide an ENERGY STAR score.

* Source EUI and GHG Emissions Intensity calculations performed by U.S. Environmental Protection Agency (EPA) methodology with EPA greenhouse gas emissions factors.

Borough	Block	Lot	BIN	Building	Agency	2010*			2014		
						* Score	Source EUI (kBtu/ft²)*	GHG Emissions Intensity (kgCO2e/ft²)*	* Score	Source EUI (kBtu/ft²)*	GHG Emissions Intensity (kgCO2e/ft²)*
4	4977	39	4112351	Flushing Armory	NYPD	Not Available	501.0	19.70	Not Available	176.5	9.10
4	5011	6	4113348	Precinct	NYPD	Not Available	344.9	12.70	Not Available	201.3	6.90
4	6797	40	4454260	Precinct	NYPD	Not Available	344.9	12.70	Not Available	529.6	17.20
4	7333	221	4157390	Precinct	NYPD	Not Available	344.9	12.70	Not Available	228.3	8.30
4	9327	21	4195880	Precinct	NYPD	Not Available	344.9	12.70	Not Available	351.5	11.10
4	9505	61	4201325	Precinct	NYPD	Not Available	344.9	12.70	Not Available	315.0	11.50
4	9799	27	4525758	Precinct	NYPD	Not Available	344.9	12.70	Not Available	241.1	8.50
4	10092	1	4215602	Parking Garage	NYPD	Not Available	344.9	12.70	Not Available	37.8	1.00
4	10092	6	4215603	NYPD Police Laboratory	NYPD	Not Available	344.9	12.70	Not Available	596.7	20.70
4	10523	69	4467695	Highway District #3	NYPD	Not Available	344.9	12.70	Not Available	185.7	8.30
4	10737	1	4230132	Precinct	NYPD	Not Available	344.9	12.70	Not Available	237.7	9.40
4	12495	45	4270044	Precinct	NYPD	Not Available	344.9	12.70	Not Available	491.2	17.30
4	13265	30	4518258	Queens South Task Force	NYPD	Not Available	344.9	12.70	2	412.2	13.10
4	15557	4	4298231	Precinct	NYPD	87	108.0	4.70	Not Available	268.8	10.40
5	9	28	5106476	Precinct	NYPD	52	232.1	7.30	Not Available	416.6	15.30
5	1704	1	5000000	Precinct	NYPD	36	155.8	4.90	Not Available	372.4	11.10
5	3906	1	5107580	Precinct	NYPD	65	154.3	5.70	Not Available	271.2	9.20
1	16	7516	1087518	Battery Park City Branch	NYPL	35	120.3	9.90	Not Available	181.7	4.80
1	280	44	1003425	Chatham Square Branch Library	NYPL	82	117.1	5.50	Not Available	205.1	6.60
1	311	31	1004053	Seward Park Branch Library	NYPL	82	117.1	5.50	Not Available	254.9	8.40
1	404	39	1005147	Tompkins Square Branch Library	NYPL	19	204.5	11.50	Not Available	157.0	5.20
1	582	18	1009760	Hudson Park Branch Library	NYPL	56	158.4	5.70	Not Available	145.3	4.70
1	606	1	1082668	Jefferson Market Branch Library	NYPL	80	123.0	4.40	Not Available	212.0	7.20
1	773	38	1014150	Muhlenberg Branch Library	NYPL	1	324.3	8.40	Not Available	244.7	8.10
1	869	74	1017602	Mid-Manhattan Library (Leased)	NYPL	14	129.7	6.10	Not Available	623.6	26.90
1	903	46	1019661	Epiphany Branch Library	NYPL	93	161.4	4.70	Not Available	174.3	6.00
1	1060	63	1026706	Columbus Branch Library	NYPL	11	143.7	6.20	Not Available	192.6	6.60
1	1134	25	1028832	The Library for the Performing Arts	NYPL	51	108.6	5.30	Not Available	307.7	8.10
1	1229	31	1032683	St. Agnes Branch Library	NYPL	86	94.8	4.30	Not Available	170.8	5.80
1	1257	1	1034194	Central Library - Stephen A. Schwartzman Building	NYPL	86	94.8	4.30	Not Available	244.5	7.80
1	1433	37	1044180	Yorkville Branch Library	NYPL	58	134.4	6.40	Not Available	146.1	4.90
1	1441	38	1044749	67th Street Branch Library	NYPL	67	113.9	5.70	Not Available	171.7	5.80
1	1472	28	1045991	Webster Branch Library	NYPL	59	187.5	7.90	Not Available	207.6	7.50
1	1524	64	1048501	96th Street Branch Library	NYPL	61	126.6	5.80	Not Available	197.3	6.80
1	1637	141	1052167	Aguilar Branch Library	NYPL	40	106.4	4.40	Not Available	254.8	8.30
1	1722	30	1053460	Harlem Branch Library	NYPL	72	121.9	4.80	Not Available	228.8	7.90
1	1789	37	1054674	125th Street Branch Library	NYPL	45	146.0	4.80	Not Available	118.1	3.60
1	1831	26	1055236	115th Street Branch Library	NYPL	45	146.0	4.80	Not Available	177.8	6.50
1	1920	26	1058275	Countee Cullen Branch Library	NYPL	2	235.0	13.10	Not Available	388.6	17.10
1	1920	29	1058276	Schomburg Center/Research in Black Culture (New)	NYPL	99	121.5	3.20	Not Available	33.1	0.90
1	1920	29	1058276	Schomburg Black History Library (Old Building)	NYPL	51	171.5	6.10	Not Available	326.8	8.60
1	1980	22	1059688	George Bruce Branch Library	NYPL	79	156.7	7.30	Not Available	188.9	6.60
1	2077	26	1061938	Hamilton Grange Branch Library	NYPL	47	172.4	5.40	Not Available	185.3	6.40
1	2109	55	1062551	Washington Heights Branch Library	NYPL	53	170.3	6.90	Not Available	161.2	6.30
1	2153	53	1063632	Fort Washington Branch Library	NYPL	94	89.2	3.60	Not Available	230.8	8.50
1	2233	13	1064894	Inwood Branch Library	NYPL	83	115.9	4.80	Not Available	175.9	5.90
2	2315	18	2000744	Mott Haven Branch Library	NYPL	56	155.0	5.80	Not Available	257.8	7.90
2	2510	27	2003163	High Bridge Branch Library	NYPL	8	215.3	7.80	Not Available	204.0	7.30
2	2615	23	2004303	Morrisania Branch Library	NYPL	79	120.9	6.60	Not Available	180.2	6.50

* Score of "Not Available" indicates building use categories for which the Portfolio Manager does not provide an ENERGY STAR score.

* Source EUI and GHG Emissions Intensity calculations performed by U.S. Environmental Protection Agency (EPA) methodology with EPA greenhouse gas emissions factors.

Borough	Block	Lot	BIN	Building	Agency	2 0 1 0 *			2 0 1 4		
						* Score	Source EUI (kBtu/ft²)*	GHG Emissions Intensity (kgCO2e/ft²)*	* Score	Source EUI (kBtu/ft²)*	GHG Emissions Intensity (kgCO2e/ft²)*
2	2657	30	2004700	Woodstock Branch Library	NYPL	36	144.0	4.60	Not Available	160.8	5.30
2	2722	63	2005755	Hunt's Point Branch Library	NYPL	97	80.8	3.00	Not Available	181.3	7.20
2	2824	34	2007870	Grand Concourse Branch Library	NYPL	68	170.4	6.80	Not Available	170.3	5.70
2	2918	1	2009573	Tremont Branch Library	NYPL	35	121.3	4.80	Not Available	293.2	10.40
2	3073	20	2012129	Belmont Branch Library	NYPL	58	143.1	5.90	Not Available	181.2	6.10
2	3123	61	2013151	West Farms Branch Library	NYPL	65	120.5	4.40	Not Available	209.8	6.90
2	3154	83	2116006	Bronx Library Center (Leased)	NYPL	18	146.0	5.40	Not Available	320.2	9.10
2	3211	5	2014579	Francis Martin Branch Library	NYPL	86	106.7	4.20	Not Available	161.3	5.70
2	3341	76	2018123	Mosholu Branch Library	NYPL	96	95.9	3.40	Not Available	196.1	6.70
2	3558	14	2021838	Soundview Branch Library	NYPL	80	129.5	4.60	Not Available	246.5	7.90
2	3930	59	2028890	Parkchester Branch Library	NYPL	86	107.2	5.20	Not Available	234.9	7.40
2	4126	40	2045398	Morris Park Branch Library	NYPL	86	111.8	3.90	Not Available	63.8	2.00
2	4513	16	2053752	Allerton Branch Library	NYPL	86	94.9	5.00	Not Available	178.6	6.20
2	4832	20	2063175	Wakefield Branch Library	NYPL	85	128.0	4.70	Not Available	221.1	9.30
2	5713	123	2119474	Kingsbridge Library	NYPL	Not Available	Not Available	Not Available	Not Available	349.2	11.00
4	275	7501	4003522	Library Services Center (Leased)	NYPL	Not Available	Not Available	Not Available	14	382.4	12.20
5	5	74	5000030	St. George Library Center	NYPL	Not Available	Not Available	Not Available	Not Available	194.9	6.30
5	1266	64	5109138	Mariner's Harbor Library	NYPL	Not Available	Not Available	Not Available	Not Available	252.7	6.70
5	3643	5	5052750	New Dorp Branch Library	NYPL	Not Available	293.3	10.40	Not Available	245.1	8.00
5	4470	1	5060744	Richmondtown Branch Library	NYPL	Not Available	Not Available	Not Available	Not Available	234.3	7.40
1	962	1	1022053	Chief Medical Examiners Building	OCME	Not Available	245.9	7.80	Not Available	626.1	22.90
1	962	100	1087242	OCME DNA Lab	OCME	Not Available	395.3	14.10	Not Available	113.6	3.90
3	4812	1	3831514	Chief Medical Examiner	OCME	Not Available	339.7	11.30	19	296.6	7.80
4	6858	1	4442431	Chief Medical Examiner	OCME	Not Available	Not Available	Not Available	11	335.4	8.90
4	676	50	4011018	Broadway Community Library	QPL	1	522.6	16.00	Not Available	438.3	20.00
4	831	15	4016923	Steinway (ALC) Community Library	QPL	12	359.8	10.20	Not Available	285.1	8.30
4	1281	48	4029693	Jackson Heights Community Library	QPL	33	109.0	3.70	Not Available	198.1	5.80
4	1317	85	4030847	Woodside Community Library	QPL	67	184.0	5.30	Not Available	291.1	10.40
4	1695	39	4437193	Langston Hughes Community Library	QPL	Not Available	Not Available	Not Available	Not Available	239.5	7.60
4	1837	1	4045226	Elmhurst (ALC) Community Library	QPL	Not Available	283.6	7.90	Not Available	67.3	1.80
4	2223	54	4052345	Forest Hills Community Library	QPL	Not Available	215.9	5.60	Not Available	160.8	5.00
4	3491	1	4083512	Ridgewood Community Library	QPL	Not Available	217.1	6.80	Not Available	325.0	10.90
4	3696	47	4090100	Glendale Community Library	QPL	Not Available	190.6	6.50	Not Available	156.4	5.40
4	5043	11	4114282	Flushing (ALC) Community Library	QPL	Not Available	304.2	11.20	Not Available	332.0	10.90
4	7333	215	4157389	Bayside Community Library	QPL	Not Available	259.2	8.00	Not Available	303.9	9.70
4	8693	10	4177530	Glen Oaks Community Library	QPL	Not Available	460.1	13.60	Not Available	216.5	6.50
4	9264	56	4193458	Richmond Hill Community Library	QPL	Not Available	207.7	5.40	Not Available	110.8	4.30
4	9798	6	4209635	Queens Central Library	QPL	Not Available	341.3	11.30	Not Available	247.2	7.20
4	10171	8	4539786	South Jamaica Community Library	QPL	Not Available	234.6	6.70	Not Available	152.8	4.90
4	16135	13	4303629	Peninsula (ALC) Community Library	QPL	Not Available	141.6	5.50	Not Available	34.4	0.90
4	1016	45	4022499	TLC Inspections Facility	TLC	Not Available	141.2	4.30	Not Available	370.8	13.90

* Score of "Not Available" indicates building use categories for which the Portfolio Manager does not provide an ENERGY STAR score.

* Source EUI and GHG Emissions Intensity calculations performed by U.S. Environmental Protection Agency (EPA) methodology with EPA greenhouse gas emissions factors.